Artikel prosiding IOP

by Hasanudin Hasanudin

Submission date: 01-Nov-2022 01:49PM (UTC+0700)

Submission ID: 1941230602

File name: Oktiarni_2021_IOP_Conf._Ser.__Earth_Environ._Sci._926_012024.pdf (1.06M)

Word count: 2817

Character count: 15284

PAPER · OPEN ACCESS

Isolation and Identification Cellulolytic Bacteria from Termite Gut Obtained from Indralaya Peatland area

To cite this article: D Oktiarni et al 2021 IOP Conf. Ser.: Earth Environ. Sci. 926 012024

View the article online for updates and enhancements.

You may also like

- Isolation of Cellulolytic Bacteria from Mangrove Sediment in Dumai Marine Station Riau and the Antibacterial Activity against Pathogens N Nursyirwani, F Feliatra, A Tanjung et al.
- The role of indigenous cellulolytic and amylolytic microbes in cassava pulp during the drying process N Chalisya, T C Sunarti and A Meryandini
- 4 Isolation and characterization of Soil Termites (*Macrotermes gilvus*) cellulolytic 4 cteria and activity determination of cellulase enzyme on newsprint substrates
- R A Arfah, H Natsir, N Atifah et al.



doi:10.1088/1755-1315/926/1/012024

Isolation and Identification Cellulolytic Bacteria from Termite Gut Obtained from Indralaya Peatland area

D Oktiarni^{1,2}, Hermansyah^{2*}, Hasanudin², Miksusanti², E Nofyan³, G Kasmiarti⁴

- ¹Mathematics and Natural Sciences Study Program, Graduate School Sriwijaya University, Palembang, Indonesia
- ²Chemistry Department, Faculty of Mathematics and Natural Sciences, Bengkulu University, Bengkulu 3ndonesia
- ³Biology Department, Faculty of Mathematics and Natural Sciences, Sriwijaya University, Palembang, Indonesia
- Environmental Management Study Program, Graduate School Sriwijaya University, Palembang, Indonesia

Abstract. The production of second-generation bioethanol as renewable energy has developed very rapidly and has become a promising alternative energy source. Bioethanol production using biomass can be obtained alternatively from cellulose in wood, sawdust, organic waste, and agricultural waste. This research used termites obtained from Indralaya peatland area as organisms that can decompose cellulose into glucose with the cellulase enzymes produced by bacteria in the ligility of the tract. Cellulases are enzymes capable of hydrolyzing lignocellulose into glucose. The study aimed to isolate and identify of cellulolytic bacteria from termite gut obtained from Indralaya peatland area. The bacterial isolates were classified by using morphological and biochemical and amethods, and identification based on Bergey's Manual of Determinative Bacteriology. Cellulolytic bacteria of termite gut were isolated and cultured on CMC (Carboxymethyl cellulose) agar medium. The activity of cellulolytic bacterial was conducted based on halo area and cellulolytic index on CMC agar medium. Among 64 isolates of bacteria, 24 isolates were identified as cellulolytic bacteria. Futhermore, our isolates with higher cellulolytic index were identified as the Staphylococcus, Microbacterium, Bacillus, and Brevibacterium genus.

1. Introduction

9

Cellulose is the main component of lignocellulose. Lignocellulose consists of cellulose (40-50%), hemicellulose (25-35%), and lignin (15-20%). Cellulose has β -1,4 glycosidic bonds, that difficult to hydrolyze into monomers/monosaccharides. Hemicelluloses, like xylan, has β -1,4 glycosidic bonds linked to mannose, galactose, arabinose and glucuronic acid. Hemicellulose is more easily hydrolyzed into monosaccharides. Lignin is a heterogeneous polymer found in lignocellulose, usually having three aromatic alcohols in the form of coniferyl alcohol, sinapyl, and p-coumary [1].

Several countries have developed technology to hydrolyze cellulosic biomass to produce bioethanol. Bioethanol is an energy source that has the potential to be developed as renewable and eco-friendly energy [2–5]. Bioethanol needs higher cost and produces chemical compounds that are harmful to the environment [3, 6–8]. One of the technologies used to produce bioethanol from cellulosic biomass is by enzymatic process [3]. Hydrolysis of cellulose using enzymes is an effective step, environmentally

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Published under licence by IOP Publishing Ltd

^{*}Email: hermansyah@unsri.ac.id

doi:10.1088/1755-1315/926/1/012024

friendly and does not produce harmful chemical compounds [6]. Some organisms take cellulose as a mains food, like termites. Bacteria in the digestive tract of termites have enzymes that are able to hydrolyze cellulose into glucose.

Termites are insects that can degrade cellulose into simple monosaccharides, which is cellulolytic enzymes present in the digestive tract of termites. Related study reported that in the digestive tract of termites found various bacteria and fungi that have cellulolytic enzyme activity, converting cellulose into monomers. Three groups of cellulase enzymes are capable of hydrolyzing cellulose, endoglucanase, exoglucanase, and β -glucosidase enzymes [1, 9].

In South Sumatra Province, especially in Indralaya-Palembang area, most of peatlands are planted with oil palm/rubber plantations and without plantations. In this research, termite sample were obtained from peatland in Indralaya area, so the aim of this research is to identifying the termite species on this peatland area. Furthermore, the isolation and identification of bacterial species in the termite digestive tract determined by morphological and biochemical characteristics.

1 2. Materials and Methods

2.1. Collected termite and preparation

The termites were collected from Tanjung Senai peatland in Indralaya. The samples were sampled from mound and were kept in a plastic container with mound soil and fungus comb.

2.2. Isolation of bacteria from termite

Ten of workers termite were taken by using sterile tweezers and sterilized with 70% alcohol for 30 second. Then rinsed with sterile distilled water and dried for 1 minute. The termite was dissected and all parts of the termite digestive trat were taken and crushed to obtain a suspension. Then 0.1 mL of the suspension was taken and spread on carboxymethyl cellulose (CMC) agar media at 37°C for 2 days.

2.3. Screening of cellulolytic bacteria

Bacterial isolates from single colonies were transferred to CMC agar media for subculture and incubated at 37°C for 2 days. Bacterial isolates on CMC agar media were taken as much as 1 ose and scratched on CMC agar notice as a septically and incubated at 37°C for 2 days [10]. After incubation, CMC media was stained with 1% (w/v) Congo red for 30 minutes, and destained with 1 M NaCl solution for 15 minutes. The bacterial isolates with higher clear zones further screened to determined cellulolytic of bacterial isolates. Bacterial isolates on CMC agar media were taken as much as 1 ose and scratched on CMC agar media aseptically and incubated at 37°C for 2 days [10]. After incubation, CMC media was stained with 1% (w/v) iodine for 15 minutes at room temperature and then decolorized with 1 M NaCl solution for 15 minutes.

2.4. Cellulolytic activity test

The top ar zone indicates is the ability of bacterial isolates to decompose cellulose. The comparison of the diameter of the clear zone and the diameter of the colony means the cellulolytic index of the enzyme activity in the bacteria. To see the cellulose index, it can be calculated by the formula [9, 11]:

 $Cellulolytic index = \frac{diameter of clear zone-diameter of bacterial colonies}{diameter of bacterial colonies}$

2.5. Morphology and biochemical assay

Bacterial isolates were observed morphologically, including macroscopic test: texture, colour, shape, colony size, and elevation, and microscopic test: Grant staining and colony cell. Biochemical assay was carried out on bacterial isolates: indole test, motility test, triple sugar iron (TSI) test, urease test, catalase test, citrate test, methyl red (MR) test, and voges proskauer (VP) test [1, 9, 12].

doi:10.1088/1755-1315/926/1/012024

3. Results and Discussion

3.1. Identification of termite

The termite that obtained from Indralaya peatland was indentified as Macrotermes gilvus Hagen (Figure 1). It was reported that termites in rubber plantations were *Microtermes* species and *Macrotermes gilvus*, in oil palm plantations was usually from Ondototermes species, and in drywood construction was Cryptotermes species [6].



Figure 1. Macrotermes gilvus Hagen of (A) worker and (B) soldier.

3.2. Screening of bacterial isolates

Sixty-four bacterial were isolated from Macrotermes gilvus Hagen gut on CMC agar media. The screening of bacteria conducted on CMC agar media showed that among 64 isolates, 24 isolates were identified as cellulolytic bacteria (Figure 2 and Figure 3). Almost of bacterial isolates showed the cellulolytic activity, that supported by iodine staining on CMC culture plates, which showed the clear zones due to cellulose degradation. Four of isolates of 37, 39, 40 and 62 with higher cellulolytic index of 3, 4, 2.5 and 2.5, respectively (Table 1), then further characterized by morphological and biochemical assay. In agreement with our study, in the digestive tract of the worker termite Macrotermes gilvus Hagen, there were bacteria Bacillus megaterium and Paracoccus yeei with cellulolytic index of 0.81 and 2.5 [10].

3.3. Morphological and biochemical characteristics

The morphological and biochemical characteristics of four highest cellulolytic isolates are described in Table 2 and Table 3. Morphological characters of all the bacterial isolates were smooth texture and flat elevation, white colour with circular shape. The size of each isolate of 37, 39, 40 and 62 are 0.5-1; 1-2; 2-3; 0.5 mm, respectively. Four isolates showed Gram-positive bacteria with coco (isolates 37 and 39), cocobasil (isolate 40) and basil (isolate 62) shape.

The determination of motility showed positive reaction, its indicates that all bacterial isolates from genera Enterobacteriacea [13]. Nevertheless, indole and urea test of four isolates showed negative result, it means that the enzyme of bacterial isolates are not hydrolyzed amino acid tryptophan and not belongs to urease enzyme [14]. From TSI test, the slant and butt showed the yellow colour which indicates that the media were acidic, it means that bacterial isolates were able to degrade lactose, sucrose, and glucose [13]. The four isolates were produced gas, but not produced H2S gas. Data from TSI test indicates that bacterial isolates were identified as Enterobacter and Bacillus genus [14].

doi:10.1088/1755-1315/926/1/012024




Figure 2. Cellulolytic activity of bacterial isolates (6, 7, 10, 14, 19, 20, 24, 28, 39, 52, 60, 64) on CMC agar media from *Macrotermes gilvus* Hagen (stained with iodine).



Figure 3. Cellulolytic activity of bacterial isolates (1, 3, 25, 29, 36, 37, 40, 43, 44, 56, 59, 62) on CMC agar media from *Macrotermes gilvus* Hagen (stained with iodine).

Table 1. Cellulolytic index of cellulolytic bacteria isolated from termite gut.

Table 1. Centilorytic index of centilorytic bacteria isolated from teninte gut.									
Isolate	Diameter	Diameter of	Cellulolytic	Isolate	Diameter	Diameter of			
	of colony	cellulolytic	index		of colony	cellulolytic	index		
	(mm)	zone (mm)			(mm)	zone (mm)			
1	2.0	5.0	1.5	36	1.0	3.0	2.0		
3	2.0	6.0	2.0	37	1.0	4.0	3.0		
6	4.0	5.0	0.3	39	1.0	5.0	4.0		
7	3.0	5.5	0.8	40	2.0	7.0	2.5		
10	2.0	6.0	2.0	43	2.0	4.5	1.3		
14	7.0	8.0	0.1	44	2.0	5.0	1.5		
19	3.0	5.0	0.7	52	3.0	6.0	1.0		
20	3.0	6.0	1.0	56	1.0	2.0	1.0		
24	4.0	5.0	0.3	59	1.0	3.0	2.0		
25	3.0	5.5	0.8	60	2.0	5.0	1.5		
28	3.0	6.0	1.0	62	1.0	3.5	2.5		
29	2.0	4.0	1.0	64	3.0	5.5	0.8		

The catalase test showed positive reaction, it means that the bacterial isolates producing catalase enzyme through the degradation of hydrogen peroxide carried out by the bacteria, the bacteria exclusively growth in aerobic condition. The citrate assay also showed the positive reaction, this indicates that bacteria have the ability using citrate as the only source of carbon and source of energy [13], due to reaction of pH medium, so that these bacteria can growth in acidic waste.

Overall, based on Bergey's Manual of Determinative Bacteriology, the isolates 37, 39, 40 and 62 were identified as genus of Staphylococcus, Microbacterium, Bacillus, and Brevibacterium, respectively (Figure 4). Previous research reported that in rubber plantations were succeed identified bacteria of Enterobacter agglomerans, Staphylococcus hominis and Pseudomonas paucimobilis [15].

IOP Conf. Series: Earth and Environmental Science **926** (2021) 012024 doi:10.1088/1755-1315/926/1/012024

Table 2. Colony morphology of cellulolytic bacteria isolated from termite gut.

•	Isolate	Texture	Colour	Shape	Elevation	Colony size (mm)	Gram Staining	Colony cell
	37	Smooth	White	Circular	Flat	0.5-1	+	Coco
	39	Smooth	White	Circular	Flat	1-2	+	Coco
	40	Smooth	White	Circular	Flat	2-3	+	Cocobasil
	62	smooth	White	Circular	Flat	0.5	+	Basil

(+): positive result

(-): negative result

The bacteria in the digestive tract of termites Coptotermes curvignatus Holmgren and Macrotermes gilvus Hagen are Enterobacter, Flavobacterium, Sporocypthophaga, Staphylococcus bacteria [12]. In the digestive tract of Odontotermes termites there are bacteria Microbacterium, Bacillus, Eubacterium [16], whereas in the digestive tract of other types of termites there are bacteria Salmonella spp., Streptococcus spp., Staphylococcus spp., Bacillus substilis [17].

Table 3. Biochemical tests of cellulolytic bacteria isolated from termite gut.

Isolate	Indole	Motility	TSI								
			Ferm	H ₂ S	Gas	Urease	Catalase	Citrate	MR	VP	Identification
37	-	+	+	-	+	-	+	+	-	+	Staphylococcus
39	-	+	+	-	+	-	+	+	-	+	Microbacterium
40	-	+	+	-	+	-	+	+	-	+	Bacillus
62	-	+	+	-	+	-	+	+	+	-	Brevibacterium

TSI: triple sugar ion test.
2 rm: fermentation result.
MR: methyl red test.
VP: Voger Proskauer test.




Figure 4. Bacterial isolates after Gram staining under microscope (1000 X).

The bacteria in the digestive tract of other types of termites are reported contains the bacteria *Bacillus* sp., *Cellulomonas* sp., *Enterobacter* sp. [15]. In addition, in the digestive tract of termites *Coptotermes* sp. contains the bacteria *Pseudumonas alcaligenes*, *Brevibacillus parabrevis* which has amylase activity. The termite *Cryptotermes* sp. in the digestive tract there are bacteria from the genus *Clostridium*, familia of Mycobacteriaceae, Lactobacillaceae and Proteus [11]. Meanwhile, in the digestive tract of the termite *Microtermes obesi* on the *Acacia nilotica* tree, there is the bacterium *Cellulomonas* sp [7].

doi:10.1088/1755-1315/926/1/012024

In this study all the four bacterial isolates were able growing on CMC agar media and showed the higher cellulolytic index. The bacterial isolates have the capability to produces cellulases, that can be act as biocatalyst in enzymatic hydrolysis process, hydrolyse lignocellulosic biomass into glucose. This becomes a great prospect for further research to study the role of bacteria, to isolate the enzyme in these bacteria, especially cellulolytic enzyme. In addition, the enzyme cellulolytic of these bacteria needs to developed, as a biocatalyst, converting cellulose into glucose, to produce bioethanol from cellulosic biomass by enzymatic process, especially in bioethanol production.

4. Conclusions

24 isolates bacteria from *Macrotermes gilvus* Hagen gut from Indralaya peatlands were identified as cellulolytic bacteria. Four of isolates 37, 39, 40 and 62 have higher cellulolytic index of 3, 4, 2.5 and 2.5, respectively. The isolates 37, 39, 40 and 62 were showed negative reaction to biochemical assay for indol and urease, whereas showed positive reaction for motility, catalase, and citrate. The isolates 37, 39, 40 and 62 were Gram positive and identified as genus of *Staphylococcus*, *Microbacterium*, *Bacillus*, and *Brevibacterium*, respectively.

References

- Sharma D, Joshi B, Bhatt MR, Joshi J, Malla R and Bhattarai T 2015 J. of Biomass to Biofuel 2
- [2] Susilowati D, Subekti N and Bintari SH 2018 Biosaintifika 10 395
- [3] Hermansyah, Xayasene T, Huu Tho N, Miksusanti, Fatma F and Panagan AT 2018 J. Phys. Conf. Ser. 1095
- [4] Hermansyah, Novia and Wiraningsih M 2016 Sriwijaya J. Environ. 1 10
- [5] Hermansyah, Fachrijal, Miksusanti, Fatma, Kasmiarti G and Panagan AT 2019 Molekul 14 133
- [6] Varghese LM, Agrawal S, Sharma D, Mandhan RP and Mahajan R 2017 3 Biotech. 7 108
- [7] Batool I, Gulfraz M, Asad MJ, Kabir F, Khadam S and Ahmed A 2018 BioResources 13 752
- [8] Hermansyah, Sakinah RA, Julinar J, Hanafiah Z, Zulkifli H 2018 E3S Web Conf. 68 03018
- [9] Ferbiyanto A, Rusmana I and Raffiudin R 2015 Hayati J. Biosci. 22 197
- [10] Arsyad S, Wiyono S and Herliyana EN 2018 Jurnal Silvikultur Tropica 09 217
- [11] Peristiwati Natamihardja YS and Herlini H 2018 Proc. J. Phys. Conf. Ser. 1013 01217
- [12] Diba F, Khotimah S and Febriyana U 2012 Proc. of the 9th Pacific-Rim Termite Research Group Conf. 105
- [13] Ayitso AS and Onyango DM 2016 J. of Applied Biology and Biotechnology 4 27
- [14] Fallo G and Sine Y 2016 Jurnal Bio-Edu: Jurnal Pendidikan Biologi 1 27
- [15] Arifin Z, Dahlan Z, Sabaruddin, Irsan C and Hartono Y 2016 Int. J. of Entomological Reseach 4 37
- [16] Ngangi J, Pelealu J, Warouw J and Mandey L 2013 Int. J. Sci. and Engineering Investigations 2 8
- [17] Lee HY 2013 J. Food. Process. Technol. 4 7110

Acknowledgments

The research of this article was funded by DIPA of Public Service Agency of Universitas Sriwijaya 2021. SP DIPA-023.17.2.677515/2021, On November 23, 2020. In accordance with the Rector's Decree Number 0010/UN9/SK.LP2M.PT/2021, On April 28, 2021.

Artikel prosiding IOP

ORIGINALITY REPORT 8% **PUBLICATIONS** SIMILARITY INDEX **INTERNET SOURCES** STUDENT PAPERS **PRIMARY SOURCES** "Advances in Bioprocess Engineering and 2% Technology", Springer Science and Business Media LLC, 2021 **Publication** jbb.avestia.com Internet Source ojs.jmolekul.com Internet Source www.semanticscholar.org Internet Source journal.ipb.ac.id 5 Internet Source portal.arid.my Internet Source www.ijbiotech.com Internet Source www.ojs.jmolekul.com Internet Source

Taghvaei, Hamed, Mahsa Kheirollahivash, <1% 9 Mohammad Ghasemi, Parisa Rostami, and Mohammad Reza Rahimpour. "Noncatalytic Upgrading of Anisole in an Atmospheric DBD Plasma Reactor: Effect of Carrier Gas Type, Voltage, and Frequency", Energy & Fuels, 2014. Publication Devendra Jain, Ravina, Ali Asger Bhojiya, Surya <1% 10 Chauhan, Deepak Rajpurohit, Santosh R. Mohanty. "Polyphasic Characterization of Plant Growth Promoting Cellulose Degrading Bacteria Isolated from Organic Manures", Current Microbiology, 2021 Publication Essam A. Makky, Chan Cai Wen, Muna Jalal <1% 11 Ali. "Evaluation of antibacterial susceptibility pattern of cellulolytic bacteria isolated from Coptotermes curvignathus gut to heavy metals, disinfectants and common antibiotics for termite control", Journal of the Indian Academy of Wood Science, 2018 **Publication** dspace.bracu.ac.bd 12 Internet Source

iaetsdjaras.org
Internet Source

13

Exclude quotes Off Exclude matches Off

Exclude bibliography On