


PROCEEDINGS

ISBN : 978-979-3877-25-9

5th ICI B A

2016

INTERNATIONAL CONFERENCE ON INFORMATION TECHNOLOGY & ENGINEERING APPLICATION



Book 1

In Cooperation with



PROGRAM PASCASARJANA



unisel
UNIVERSITI SELANGOR



九州大学
KYUSHU UNIVERSITY




RMIT
UNIVERSITY




PROCEEDING

INTERNATIONAL CONFERENCE ON INFORMATION TECHNOLOGY AND
ENGINEERING APPLICATION 2015


IT and Engineering for Better life



 Penerbit :
PPP-UBD Press

Published by:
Pusat Penerbitan dan Percetakan Universitas Bina Darma Press (PPP-UBD Press) Palembang

Published by:



CONFERENCE COMMITTEE

Muhammad Izman Herdiansyah, PhD, Universitas Bina Darma,
Indonesia
Erna Yuliwati, PhD, Universitas Bina Darma, Indonesia
Dr. Sunda Ariana, M.Pd., M.M. Universitas Bina Darma, Indonesia
Dr. Ahmad Syarifuddin, M.T., Universitas Bina Darma, Indonesia
Prof. Ahmad Fauzi Ismail. P.hD, Universiti Teknologi Malaysia.
Eric H Zhao, Institute & Multimedia Security Laboratory, Kyushu University
William Benton Wedeking, USA
Prof. Dr. Aizaini Maarof, Universiti Teknologi Malaysia.
Prof. Dr. Wan Nasir, Universiti Teknologi Malaysia.
Prof Dr. Eko Indrajit, Higher Education Association Information And
Computer Science (APTIKOM), Indonesia
Prof Zainal A Hasibuan, PhD, Higher Education Association Information
And Computer Science (APTIKOM), Indonesia
Dr. Paulus Sukpto, Ir., MBA, Universitas Katolik Parahyangan,
Indonesia
Dr. Ir. T. Ari Samadhi, Institut Teknologi Bandung, Indonesia.

REVIEWER & EDITOR

Leon Andretti Abdillah
Darius Antoni
Dedy Syamsuar
M. Izman Herdiansyah
Edi Surya Negara

Support by. Bina Darma University

Steering Committee ICIBA

Cover Design by. Deni Erlansyah

Printed in Palembang, Indonesia, Febuari 2016

INFORMATION TECHNOLOGY

- | | | |
|----|---|---------|
| 1. | Application of 36 Cell Zachman Framework for Integrated Spatial Planning Tax On Dinas Pendapatan Daerah Kota Palembang
Paisal, M. Izman Herdiansyah, Afriyudi | 1 - 5 |
| 2. | Design of Security Systems Cabin Car From Danger Gas CO (Carbon Monoxide) With SMS Gateway Information and Data Logger
Slamet Widodo, Ahyar Supani | 6 - 14 |
| 3. | Implementation Felder Silverman Learning Style Model for Content Support based on Ontology in Indonesia Learning Management System
Bernard R. Suteja | 15 - 21 |
| 4. | Steganography Application Bitwise Method of Encrypted Message with Vigenere Cipher
Nazori Agani, Charles Victor B. Saragih, Chris Simon | 22 - 31 |
| 5. | Vector Machine Learning Method for Text Mining Indonesian Social Media Named Entity Recognition
Agus Suryana, Sri Ipnuwati | 32 - 37 |
| 6. | Software Quality Assurance of Learning Game Using Deutsch and Willis Method
Jumdapiokta, Sunda Ariana, Alex Wijaya | 38 - 45 |
| 7. | Implementation Felder Silverman Learning Style Model for Content Support based on Ontology in Indonesia Learning Management System
Adelin, Muhammad Izman Herdiansyah, Afriyudi | 46 - 54 |
| 8. | Characteristics of Users Website Kopertis II Palembang
Eka Hartati, Lin Yan Syah, Linda Atika | 55 - 60 |
| 9. | Analysis of Factors Affecting the Use of Google Classroom to Support Lectures
Andri Wijaya | 61 - 68 |

- | | | |
|-----|---|-----------|
| 10. | Enterprise Architecture Planning Design of Information Systems Technology at PT Kreasi Utama Mandiri Using Zachman Framework
Surahmat, Bochari Rahman, Yesi Novaria Kunang | 69 - 73 |
| 11. | Determining The Quality of Lecturer using Fuzzy Simple Additive Weighting (SAW)
Satria Abadi, Sri Hartati, A. Humaidi | 74 - 79 |
| 12. | Application Location Based Service (LBS) Location Search Palembang Nature-Based Android
Intan Okta Sari, Leon Andretti Abdillah, Kiky Rizky Nova Wardhani | 80 - 85 |
| 13. | Extracted Social Network Mining
Mahyuddin K. M. Nasution | 86 - 91 |
| 14. | Information Systems Architecture Online Learning in School with the Zachman Framework
Hatta Wijaya, M. Izman Herdiansyah, A. Haidar Mirza | 92 - 98 |
| 15. | Improved Models of Wireless Pricing Scheme in Multiple Class QoS Networks by Determining the Base Price Value
Fitri Maya Puspita, Irmeilyana, Iffah Husniah | 99 - 104 |
| 16. | Diabetic Retinopathy Stages Classification Using 3D-GLCM
Rocky Yefrenes Dillak, Sri Andayani | 105 - 112 |
| 17. | Comparison Route Redistribution on Dynamic Routing Protocol (EIGRP into OSPF and EIGRP into IS-IS)
Chairul Mukmin, Darius Antoni, Edi Surya Negara | 113 - 119 |
| 18. | Nonlinear Programming Problem of Bandwidth Based and VolumeBased Call Pricing Scheme in Wireless Networks
Fitri Maya Puspita, Kamaruzzaman Seman, Bachok M. Taib, Ismail Abdullah | 120 - 126 |
| 19. | Survey Application for Telkomsel Customer Satisfaction
Lukman Sunardi, Nta Rosa Damayanti | 127 - 134 |
| 20. | Genetic Algorithms Method On Street Lighting Energy Saving
Jefri Lianda, Hikmatul Amri | 135 - 140 |
| 21. | The Implementation of Knowledge Management Systems in Assets Reconciliation
Meiliya Fitriyani, Leon Andretti Abdillah, Andri | 141 - 147 |

Nonlinear Programming Problem of Bandwidth Based and Volume Based Call Pricing Scheme in Wireless Networks

Fitri Maya Puspita¹, Kamaruzzaman Seman², Bachok M. Taib², Ismail Abdullah²

¹Faculty of Mathematics and Natural Sciences, Sriwijaya University, Inderalaya, South Sumatera, Indonesia 30662
fitrimayapuspita@unsri.ac.id

²Faculty of Science and Technology, Universiti Sains Islam Malaysia, Nilai, 30Negeri Sembilan, Malaysia
{drkzaman, bachok, isbah}@usim.edu.my

Abstract. The pricing for wireless networks is developed to obtain surplus from subscribers. The linearity factors, elasticity price, price factors are discussed. The new approach of wireless pricing model proposed by previous research are approached by considering the model as the nonlinear programming problem that can be solved optimally using LINGO 13.0. The problem is considered to be nonlinear programming that can be solved using optimization tools. The solutions are expected to give some information about the connections between the acceptance factor and the price. The models attempt to maximize the total price for a connection based on Quality of Service (QoS) parameter. The maximum goal to maximum price is achieved when the provider set the increment of price change due to QoS change and amount of QoS value. The linearity parameter set up for most cases is obtained in ceiling value. Linear price factor ranges between the prescribed value especially cases when we increase the price change due to QoS change and increase the amount of QoS values.

Keywords: wireless networks, maximize total price, QoS parameter

1 Introduction

The work that survey on various pricing schemes in networks beginning with the flat rate scheme such as the fixed price plan, time based plan, number of packets plan, single fee plan, Paris Metro Pricing, responsive pricing and reservation based. Other categories are parameter based such as static pricing, smart market pricing, priority pricing, adaptive pricing, cumulus pricing, dynamic pricing, assignment pricing, rate adaption pricing and programmable pricing [1, 2]. Others also discussed some optimization problem of pricing scheme based on bandwidth parameter [3-5] and solved iteratively using LINGO.

The development of wireless networks plays critical role in business life. The issue of optimal pricing that is the condition when the provider has the rights to maximize the

revenue [6]. The beginning research focus on pricing in networks due to Responsive Pricing [7], by performing three stages proposed consist of not using feedback and user adaptation, using the closed-loop feedback and one variation of closed loop form. The pricing plan proposed by [8] was comprised of the flat rate and usage based pricing. Proposed pricing scheme offers the user a choice of flat rate basic service, which provides access to internet at higher QoS, and ISPs can reduce their peak load. Pricing strategy proposed by [9] is based on economic criteria. They Design proper pricing schemes with quality index yields simple but dynamic formulas'. Changes in service pricing can be created and so the revenue. Optimal pricing strategy proposed by [10] is designed by setting up the Flat fee, Pure usage based, Two part tariff. Supplier obtains better profit if chooses one pricing scheme and their ability to pay. Paris Metro Pricing [11, 12] stated that different service class will have a different price. The scheme makes use of user partition and move to choose other class it found same service from other class with lower unit price.

Class of QoS represents the resource reservation but we do not always use the resource. Therefore, by using QoS class, we can implement QoS based pricing for wireless networks [13, 14]. Some recent works describe LTE network pricing scheme that utilizes the QoS parameter, user sensitivity resource block and classify the class into three classes namely gold, silver and bronze [15] and by classifying this, the provider can evaluate the models that suit to the goals of their project.

The pricing models in some part do not really mention about the availability for QoS differentiation and some works does not create the optimization problem to approach the solutions. Pricing for 3G network [13], states that the linearity factor, acceptance factor, elasticity price, traffic load, the provider able to maximize the price and maximize the call function, the solution can be achieved. Pricing strategy proposed by [16] was designed by considering the optimal pricing strategy for specific service as function of time. Their proposed model was created then comparing with the existing approaches available. The models focus on continuous models solved heuristically. Meanwhile, the pricing strategy [17] stated that the dynamic pricing scheme proposed by setting up the model as a partial differential equation (PDE) and solving it numerically. The pricing scheme proposed mainly for pricing companies. Their work utilizes the PDE background by utilizing necessary and sufficient condition of Lagrange. So by solving the boundary conditions the pricing scheme involving company debt can be calculated. Simulation method for designing network proposed by [18] is able to examine the schemes that are not reached by network testing and able to improve model and performance. Concept of Dynamic pricing introduced by [19] explains that process to fluctuate prices between consumer and provider. In market condition, the re-priced can often occur. Also, pricing-QoS strategy proposed by [20] explains the utility function and cost function are proposed, and pricing mechanism is based on QoS service classes. Strategy proposed by [21] was chosen by creating a model, the discussion on fixed prices, demand is giving to providers, price war is categorized by using the Nash equilibria.

Though some works show the models of wireless pricing based QoS but the discussions about formulating the models into optimization problem are seldom discussed. The main advantage in transforming into mathematical programming is the reasonable models can be designed to support the decision and the decisions are needed in business life. So, in this paper, the new approach of wireless pricing model

proposed by [13, 14, 22] are approached by considering the model as the nonlinear programming problem that can be solved optimally using LINGO 13.0. Two main call function schemes, bandwidth based and volume based are discussed along with the three QoS attributes to see the performance of those three QoS attributes.

2 Methodology

The models designed are adapted from [13, 14, 22] but the new approach is the by transforming into mathematical programming known as optimization problem approach. The models then solved iteratively using LINGO 13.0. Basically, the models attempt to maximize the total price for a connection based on QoS parameter. The total price is the summation between basic price for a connection and the price change due to QoS change. We have i users and j class. The models are based on two set of categories. First by bandwidth based scheme and second one is volume based scheme. Then, we can examine for each case, which scheme offer the best solution.

3 Model Formulation

The objective of the research is to obtain the revenue for the provider. The model provided by [13, 14] is available. But here, we create the models by gathering all information about parameter and variables and transform all into mathematical programming problem.

So, the objective function will maximize

$$\sum_j^m \sum_i^n (PR_{ij} + PQ_{ij}) \quad (1)$$

which means to maximize the summation of total price that consists of the price for a connection with QoS available and the price change over that QoS. The objective function has limitation to be satisfied to obtain the revenue which is called the sets of the constraints.

The first constraint states that the price change will depends on the factor of the price, that involves the bandwidth as QoS attribute, the basic price at user i and class j , and also the factor of linearity. Then, we have

$$PQ_{ij} = (1 + \frac{x}{2000})PB_{ij}Lx, \text{ for Bandwidth QoS attribute,} \quad (2)$$

$$PQ_{ij} = (1 + \frac{x}{350})PB_{ij}Lx, \text{ for End-to End Delay QoS attribute,} \quad (3)$$

where PB_{ij} is the basic price for a connection for user i and the class j and Lx is the linearity factor. Then, a_{ij} which defines the linear price factor in user i and class j , the linear factor $(e - e^{-Bx})$ and the traffic load t_l . So,

$$PB_{ij} = \frac{a_{ij}(e - e^{-Bx})t_l}{100} \text{ for bandwidth based continuous call pricing scheme, or} \quad (4)$$

$$PB_{ij} = a_{ij}(e - e^{-Bx}) \text{ for Volume based continuous call pricing scheme, or} \quad (5)$$

Lx is a linearity factor that depends on the linearity parameters of a and $(e - e^{-Bx})$. Then

$$Lx = a(e - e^{-Bx}) \quad (6)$$

With x is assumed between 0 and 1.

The linear price factor a_{ij} is set up between prescribed values determined by the provide., say f and g . So,

$$f \leq a_{ij} \leq g \quad (7)$$

The range of allowed traffic load t_l is also determined by the providers, say h and k . Then,

$$h \leq t_l \leq k \quad (8)$$

For x as the amount of increment of decrement in QoS value, we range between 0 and 1 implying 0 is in best effort service case while 1 means in perfect service case. B is arranged between 0.8 and 1.07 since in this range, the best network quality occurs .

$$0 \leq x \leq 1 \quad (9)$$

$$0.8 \leq B \leq 1.07 \quad (10)$$

For parameter value PR_{ij} , the provider arranges the value to have a connection. It also happens in a as the linearity parameters that keep the ratio of the price between floor and ceiling of QoS value is not really high.

Next step, for a model described above, we solve to obtain the optimal solution for each case involving the 3 QoS attributes for bandwidth based and volume based continuous call pricing schemes. Table 1 and Table 2 summarize the solver status for all cases, respectively.

4 Results and Discussions

Table 1 and Table 2 depict the results for each scheme of continuous call pricing schemes.

Table 1. Solver Status for Bandwidth Based Continuous Call Pricing Scheme

QoS Attribute	Bandwidth	BER	End-to-End Delay
Model Class	Nonlinear Programming	Nonlinear Programming	Nonlinear Programming
State	Local Optimal	Local Optimal	Local Optimal
Objective	32.6816	32.7534	3.0468×10^7
Infeasibility	0	8.8817×10^{-16}	1.8626×10^{-9}
Iterations	18	18	19
*GMU	25	25	25
**ER	0	1	0

*GMU stands for Generated Memory Used

**ER stands for Elapsed Run time

Table 2. Solver Status for Volume Based Continuous Call Pricing Scheme

QoS Attribute	Bandwidth	BER	End-to-End Delay
Model Class	Nonlinear Programming	Nonlinear Programming	Nonlinear Programming
State	Local Optimal	Local Optimal	Local Optimal
Objective	5.24816	5.25534	3.04664×10^6
Infeasibility	0	0	0
Iterations	16	16	14
*GMU	24	24	25
**ER	0	0	1

In Table 1 and Table 2, model class for each QoS attribute defined as nonlinear programming, having local optimal state. The highest objective value to maximize the price for each user is achieved when setting up the QoS attribute of End-to-end delay. In addition, when the scheme is bandwidth based, the objective function value reach the highest value than in volume based scheme since in volume based, the traffic load is already set up as 1. In some cases of QoS attribute, we find the a very small value of infeasibility of the model to show amount constraints are violated, which is a very small value, or we can say, tends to zero. Also, The Extended Solver Status box details similar information for the more advanced branch-and-bound, we have number of iterations required to solve the model which are basically from 24-25 iterations to achieve the optimal solutions.

5 Conclusion

The maximum goal to maximum price is achieved when applying the bandwidth based call pricing scheme, since the traffic load takes into considerations. For bandwidth and bit rate error QoS attributes, the difference in objective function value is quite high rather than in end-to-end delay QoS attribute.

Acknowledgments. The research leading to this paper was financially supported by Kementerian Pendidikan Tinggi Malaysia, through Geran Penyelidikan Fundamental (FRGS) Tahun 2014.

References

1. Maiti, R.: A Simplified Pricing Model for the 3G/4G Mobile Networks, in Global Trends in Computing and Communication Systems, P.V. Krishna, M.R. Babu, and E. Ariwa, Editors., Springer Berlin Heidelberg. (2012) 535-544
2. Ahonen, A.: GPRS Charging Schemes, Networking Laboratory, HUT.
3. Puspita, F.M., Seman, K., Taib, B.M.: The Improved Models of Internet Pricing Scheme of Multi Service Multi Link Networks with Various Capacity Links., in Advanced Computer and Communication Engineering Technology, H.A. Sulaiman, et al., Editors. Springer International Publishing: Switzerland. (2015)
4. Puspita, F.M., Seman, K., Taib, B.M., Shafii, Z.: Improved Models of Internet Charging Scheme of Single Bottleneck Link in Multi QoS Networks. *Journal of Applied Sciences*, **13**(4): (2013) 572-579
5. Seman, K., Puspita, F.M., Taib, B.M., Shafii, Z.: An improved optimization model of internet charging scheme in multi service networks. *TELKOMNIKA*. **10**(3): (2012) 592-598
6. Huang, J., Gao, L.: *Wireless Network Pricing*, ed. J. Walrand. Hongkong: Morgan & Claypool. (2013)
7. MacKie-Mason, J.K., Murphy, L., Murphy, J.: The Role of Responsive Pricing in the Internet, in *Internet Economics* J. Bailey and L. McKnight, Editors. Cambridge: MIT Press. (1996) 279-304
8. Altmann, J., Chu, K.: How to charge for network service-Flat-rate or usage-based? Special Issue on Networks and Economics, *Computer Networks* **36**: (2001) 519-531
9. Byun, J., Chatterjee, S.: A strategic pricing for quality of service (QoS) network business. in *Proceedings of the Tenth Americas Conference on Information Systems*. 2004. New York.
10. Wu, S.-Y., Banker, R.D.: Best Pricing Strategy for Information Services. *Journal of the Association for Information Systems*. **11**(6): (2010) 339-366
11. Ros, D., Tuffin, B.: A mathematical model of the Paris metro pricing scheme for charging packet networks. *The International Journal of Computer and Telecommunications Networking - Special issue: Internet economics: Pricing and policies*. **46**(1) (2004)
12. Tuffin, B.: Charging the internet without bandwidth reservation: An overview and bibliography of mathematical approaches. *Journal of Information Science and Engineering*. **19**(5): (2003) 765-786
13. Wallenius, E. Hämäläinen, T.: Pricing Model for 3G/4G Networks, in *The 13th IEEE International Symposium on Personal, Indoor, and Mobile Radio Communications*. Lisbon, Portugal. (2002)

14. Wallenius, E.R.: Control and Management of Multi-Access Wireless Network, in Mathematical Information Technology. University of Jyväskylä: Jyväskylä. (2005)
15. Belghith, A., Trabelsi, S., Cousin, B.: Realistic per-category pricing schemes for LTE users, in 12th International Symposium on Modeling and Optimization in Mobile, Ad Hoc, and Wireless Networks (WiOpt). (2014) 429-435
16. Safari, E., Babakhani, M., Sadjadi, S. J., Shahanaghi, K., Naboureh, K.: Determining strategy of pricing for a web service with different QoS levels and reservation level constraint. Applied Mathematical Modelling, (2014)
17. Castillo, D., Ferreiro, A. M., García-Rodríguez, J. A., Vázquez, C.: Numerical methods to solve PDE models for pricing business companies in different regimes and implementation in GPUs. Applied Mathematics and Computation.(2013) 11233-1257
18. Kennington, J., Rajan, D., Olinick, E.: eds. Wireless Network Design Optimization Models and Solution Procedures. International Series in Operations Research & Management Science, ed. F.S. Hillier. Vol. 158. Springer: Dallas, Texas.(2011).
19. Smyk, D.: Optimization of Dynamic Pricing in Mobile Networks Deriving greater value out of existing network assets. Telcordia.(2011).
20. Jang, H.-C., Lu, B.: Pricing-Enabled QoS for UMTS/WLAN Network. JCIS, Atlantis Press, (2006)
21. Maillé, P., Tuffin, B.: Price war in heterogeneous wireless networks. Computer Networks.(2010)
22. Grubb, M.D.: Dynamic Nonlinear Pricing: biased expectations, inattention, and bill shock. International Journal of Industrial Organization.(2012)

Certificate


INTERNATIONAL CONFERENCE ON INFORMATION TECHNOLOGY & ENGINEERING APPLICATION

This is to certify that

Fitri Maya Puspita

has presented the paper in parallel session of
International Conference on Information Technology and Engineering Application

2016 in Palembang, South Sumatera



Palembang, February 19-20th 2016

Prof. Ir. H. Bochari Rachman, M.Sc

Rector Bina Darma University

