IEEE Catalog Number : CFP17AWL-ART ISBN : 978 - 1 - 5386 - 1449 - 5

PROCEEDINGS OF

2017 International Conference on Data and Software Engineering (ICoDSE)





INDONESIA SECTION

Committee

General Chair

Saparudin

Universitas Sriwijaya – Indonesia

Co-Chair

Reza Firsandaya Malik Yudistira D. W. Asnar

Universitas Sriwijaya – Indonesia Institut Teknologi Bandung – Indonesia

Steering Committee

A Min Tjoa Benhard Sitohang Ford Fitri Yuli Zulkifli Iping Supriana Richard Lai Siti Nurmaini Zainuddin Nawawi

Vienna University of Technology – Austria Institut Teknologi Bandung – Indonesia IEEE - Indonesia Institut Teknologi Bandung – Indonesia La Trobe University - Australia Universitas Sriwijaya – Indonesia Universitas Sriwijaya - Indonesia

Technical Program Committee

Chair :

Muhammad Zuhri Catur C. Institut Teknologi Bandung – Indonesia Member : Agung Trisetyarso Ayu Purwarianti Bayu Hendradjaya Bernaridho Hutabarat David Taniar Dwi H. Widiyantoro Fazat Nur Azizah GA Putri Saptawati I Ketut Gede Darma Putra I Putu Agung Bayupati Iwan Pahendra Jamaiah Yahaya Khabib Mustofa Linawati Made Sudiana Mahendra Maman Fathurrohman MM Inggriani Liem Muhammad Asfand-e-yar Noor Maizura Mohamad Noor Robert P. Biuk-Aghai Saiful Akbar Soon Chung Wikan D. Sunindyo Yudistira D. W. Asnar

Bina Nusantara University – Indonesia IEEE Indonesia Education Activity Committee Institut Teknologi Bandung – Indonesia UPI YAI – Indonesia Monash University – Australia Institut Teknologi Bandung – Indonesia Institut Teknologi Bandung – Indonesia Institut Teknologi Bandung – Indonesia Udayana University - Indonesia Udayana University - Indonesia Universitas Sriwijaya – Indonesia The National University of Malaysia - Malaysia Universitas Gajah Mada – Indonesia Udayana University - Indonesia Udayana University – Indonesia Sultan Ageng Tirtayasa University - Indonesia Institut Teknologi Bandung – Indonesia Bahria University - Pakistan University Malaysia Terengganu - Malaysia University of Macau - China Institut Teknologi Bandung – Indonesia Wright State University - USA Institut Teknologi Bandung – Indonesia Institut Teknologi Bandung – Indonesia

Organizing Committee

Deris Stiawan	Universitas Sriwijaya – Indonesia
Erwin	Universitas Sriwijaya – Indonesia
Fazat Nur Azizah	Institut Teknologi Bandung – Indonesia
Fitra Arifiansyah	Institut Teknologi Bandung – Indonesia

Hari Purnama Hastie Audytra Latifa Dwiyanti M.Fadrrurroa WikanDanar Sunindyo Institut Teknologi Bandung – Indonesia Universitas Sriwijaya – Indonesia Institut Teknologi Bandung – Indonesia Universitas Sriwijaya – Indonesia Institut Teknologi Bandung - Indonesia

7/1/2020				IEEE Xplare -	Conference Tab	le of Contents		
IEEE.org	IEEE Xplore	IEEE-SA	IEEE Spectrum	More Sites S	UBSCRIBE	SUBSCRIBE Personal Sign In +3	Cart	Create Account
≡		E Xplai	Browse 🗸	My Settings 🗸	Help 🗸	Institutional Sig	n In	
				Institutiona	al Sign In			
	All		•					٩
	Search w	ithin Publication					ADVAN	ICED SEARCH
	2							
Quick Links Search for Line	omina Confere				0			
EEE Publication	ntes > bata and on Recomment	f Soffikare Engi der	seering > 2017 Inter	mational Conference	e V			
Est avando	Software E	ingineering	(ICODSE), In	ternational C	onference o	n		
Proceedings	- of this confe		a sedabla far a seba	the state of the s		۲		E E
The proceeding	as of this come	srence will be a	Ivaliable for purchas	se through Currar	Associates.			
Late and sam	wate Enginee	Engype ouse	it sale alternation	La conference s	DN			
Print on Demar	nd Purchase a	at Partner						
Proceedings	The Pessera	agar Parunapi	lar					
2017 Internat	ional Confere	nce on Data	and Software Eng	ineering (ICoDS	E) 📶		DO	: 10.1109//CoDSE42514.2017
Search with	in results	Q			Per Pag	e: IF Per Page 25	Export	Email Selected Results
Showing 26 Filter	-50 of 56			sort 1₹ Sort	Most Cited (By	Papers]	I	S Email
		🗆 An e	xtensible tool for	spatial clusterin	g			
Refine		Venr	ry Larasati Ayudiani ication Year: 2017	; Saiful Akbar Page(s): 1 - 6				
Author	~	A	bstract	(866 Kb)				
		A 1	n extensible tool	for spatial clu	stering			
Affiliation	~	Vé 20	enny Larasati Ayudia 117 International Co.	ani ; Saiful Akbar oference on Data	and Software F	naineerina		
		(10	CoDSE)			-igeneering		
Conference Location	~	Yé	sar: 2017					
Quick Links Search for Upo Conferences	coming	Cell M1 c Esti Sury	s identification of using K-nearest no Suryani Wiharto; S ani inatino Vear: 2017. J	acute myeloid le sighbour based arngadi Palgunad	ukemia AML M on morphologi fi ; Yudha Rizki F	10 and AML cal images Putra ; Esti		
Recommender	r	A	bstract	(1327 Kb)				
IEEE Author C	enter	• c	ells identification	n of acute mye	loid leukemia	a AML MO		
Proceedings		a m	orphological ima	g K-nearest ni ages	eignbour bas	ed on		
conference will	ps of this be available	E	sti Suryani Wiharto	; Sarngadi Palgun	adi ; Yudha Rizi	ki Putra ; Esti		
for purchase th	rough	S	uryani 117 International Co.	eference on Data	and Software E	naineerina		
Curran Associa	ates.	(10	CoDSE)	nielence un blata	anu oolavale e	sigmeening		
Data and Soft Engineering (ware ICoDSE).	Ye	sar: 2017					
2017 Internation Conference o	onal n	Clas	sification and clus	stering to identif	fy spoken diale	cts in	_	
Print on Demar	nd Purchase	Jaco	ueline Ibrahim ; Der	ssi Puji Lestari				
at Partner		Publ	ication Year: 2017, F	Page(s): 1 - 6				
		A	nee.get	(011110)				

https://ieeexplore.ieee.org/xpl/conhome/8276184/proceeding?sortType=paper-citations&pageNumber=2

External Hard-drive Purchase at Partner

IEEE Xplore - Conference Table of Contents Classification and clustering to identify spoken dialects in Indonesian Jacqueline Ibrahim ; Dessi Puji Lestari 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017 Designing dashboard visualization for heterogeneous stakeholders (case study: ITB central library) Tjan Marco Orlando ; Wikan Danar Sunindyo Publication Year: 2017, Page(s): 1 - 6 Abstract (1279 Kb) Designing dashboard visualization for heterogeneous stakeholders (case study: ITB central library) Tjan Marco Orlando ; Wikan Danar Sunindyo 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017 Enhancing clustering quality of fuzzy geographically weighted clustering using Ant Colony optimization Arie Wahyu Wijayanto ; Siti Mariyah ; Ayu Purwarianti Publication Year: 2017, Page(s): 1 - 6 Abstract (894 Kb) Enhancing clustering quality of fuzzy geographically weighted clustering using Ant Colony optimization Arie Wahyu Wijayanto ; Siti Mariyah ; Ayu Purwarianti 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017 Evaluation of greedy perimeter stateless routing protocol on vehicular ad hoc network in palembang city Reza Firsandaya Malik ; Muhammad Sulkhan Nurfatih ; Huda Ubaya ; Rido Zulfahmi ; Erizal Sodikin Publication Year: 2017, Page(s): 1 - 5 Abstract (794 Kb) Evaluation of greedy perimeter stateless routing protocol on vehicular ad hoc network in palembang city Reza Firsandaya Malik ; Muhammad Sulkhan Nurfatih ; Huda Ubaya ; Rido Zulfahmi ; Erizal Sodikin 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017 Extensible analysis tool for trajectory pattern mining Vanya Deasy Safrina ; Saiful Akbar Publication Year: 2017, Page(s): 1 - 6 (1306 Kb) Abstract Extensible analysis tool for trajectory pattern mining Vanya Deasy Safrina ; Saiful Akbar 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017 Graph analysis on ATCS data in road network for congestion detection Apip Ramdlani ; G. A. Putri Saptawati ; Yudistira Asnar Publication Year: 2017, Page(s): 1 - 6 Abstract (686 Kb) Graph analysis on ATCS data in road network for congestion detection Apip Ramdlani ; G. A. Putri Saptawati ; Yudistira Asnar 2017 International Conference on Data and Software Engineering (ICoDSE)

https://ieeexplore.ieee.org/xpl/conhome/8276184/proceeding?sortType=paper-citations&pageNumber=2

	Year: 2017
0	Graph clustering using dirichlet process mixture model Imelda Atastina ; Benhard Sitohang ; G. A. S. Putri ; Veronica S. Moertin Publication Year: 2017, Page(s): 1 = 5 Abstract (879.Kh)
0	Graph clustering using dirichlet process mixture model
	Imetra Atastina ; Benhard Sitonang ; G. A. S. Putin ; Veronica S. Moertini 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017
	Hybrid recommender system using random walk with restart for social tagging system
	Arif Wijonarko ; Dade Nurjanah ; Dana Sulistyo Kusumo Publication Year: 2017, Page(s): 1 • 6 Abstract (420 Kb)
0	Hybrid recommender system using random walk with restart for social tagging system
	Arif Wijonarko ; Dade Narjanah ; Dana Sulistyo Kusumo 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017
	Implementation of landmarc method with adaptive K-NN algorithm on distance determination program in UHF RFID system Ahmad Fali Okilas ; Fithri Haim Ahmad ; Reza Firsandaya Malik Distancias Yaan 2012 Desetek 1
	Abstract (635 Kb)
0	Implementation of landmarc method with adaptive K-NN algorithm on distance determination program in UHF RFID system
	Ahmad Fali Okilias ; Fithri Halim Ahmad ; Reza Firsandaya Malik 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017
0	Implementation of regular expression (regex) on knowledge management system K-m Dithe Tenies Reve det Tenne
	Publication Year: 2017, Page(s): 1 - 5 Abstract (612 Kb)
0	Implementation of regular expression (regex) on knowledge management system
	Ken Ditha Tania ; Bayu Adhi Tama 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017
0	Interaction perspective in mobile banking adoption: The role of usability and compatibility
	Hotna Marina Sitorus ; Rajesri Govindaraju ; Iwan I. Wiratmadja ; Iman Sudirman Publication Year: 2017, Page(s): 1 - 6
0	Abstract (431 Kb) Interaction perspective in mobile banking adoption: The role of usability and compatibility
	Hotna Marina Sitorus ; Rajesri Govindaraju ; Iwan L Wiratmadja ; Iman Sudirman
	ALL & BRANK TO BRANK TO BE A STATE OF A

Interaction quality and the influence on offshore IT outsourcing

https://eeexplore.ieee.org/xpl/conhome/8276184/proceeding?sortType=paper-citations&pageNumber=2

IEEE Xplore - Conference Table of Contents

	success
	Yogi Yusuf Wibisono ; Rajesri Govindaraju ; Dradjad Irianto ; Iman
	Sudirman
	Publication Vear 2017 Page/s): 1 - 6
	Ababaal (Ababaal (Ababaa)
_	Abstract (304 kb)
υ.	Interaction quality and the influence on offshore II
	outsourcing success
	Yogi Yusuf Wibisono ; Rajesri Govindaraju ; Dradjad Irianto ; Iman
	Sudirman
	2017 International Conference on Data and Software Engineering
	(CoDSE)
	Var. 2017
	1041.2017
_	Modelling online assessment in management subjects through
-	educational data mining
	Mewati Auth - Hannes Toha - Maresha Caroline Wijanto - Steven Yong
	Dublication Vaar 2017 Daga(a): 1 - 6
	Abetract (246 Kb)
_	Madelline anline anneaet in management subjects
U	would be a set of the
	through educational data mining
	Mewati Ayub ; Hapnes Toba ; Maresha Caroline Wijanto ; Steven
	Yong
	2017 International Conference on Data and Software Engineering
	(ICoDSE)
	Year: 2017
	Moodle plugins for quiz generation using genetic algorithm
	Muhammad Rian Fakhrusy ; Yani Widyani
	Publication Year: 2017, Page(s): 1 - 6
	Abstract (924 Kb)
	Moodle plugins for quiz generation using genetic
_	algorithm
	Muhammad Rian Fakhrusy ; Yani Widyani
	2017 International Conference on Data and Software Engineering
	(ICoDSE)
	Year: 2017
_	
U	On the implementation of search based approach to mutation testing
	Mohamad Tulož - Banhard Sitohana - Bara Mandradinan
	nonamau rulot ; sennaro stonang ; sayu Hendradjaya Debiastina Visar 2017, Dessiah 1, 6
	Publication rear: 2017, Page(s): 1 • 6
_	Abstract (1199 Kb)
U	On the implementation of search based approach to
	mutation testing
	Mohamad Tuloli : Benhard Sitohang : Ravu Hendradiava
	2017 International Conference on Data and Software Engineering
	(PaDSE)
	Year: 2017
	Profile hidden Markov model for malware classification - usage
	of system call sequence for malware classification
	Ramandika Pranamulia ; Yudistira Asnar ; Riza Satria Perdana
	Publication Year: 2017, Page(s): 1 - 5
	Abstract (384 Kb)
	Profile hidden Markov model for malware classification
_	- usage of system call sequence for malware
	classification
	Ramandika Pranamulia - Yudistira Asnar - Riza Satria Perdana
	2017 International Conference on Data and Software Environment
	(CADSE)
	New 2017
	10ar: 2017
_	Scheme manping for relational database transformation to
U	ontology: A survey
	Paramita Mayadewi ; Benhard Sitohang ; Fazat N. Azizah

https://eeexplore.ieee.org/xpl/conhome/8276184/proceeding?sortType=paper-citations&pageNumber=2

IEEE Xplore - Conference Table of Contents

	Publication Year: 2017, Page(s): 1 • 6 Abstract (281 Kb) Scheme mapping for relational database transformation to ontology: A survey Paramita Mayadewi ; Benhard Stohang ; Fazat N. Azizah 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017
	Software requirement analysis of "family tracking mobile application" on cross platform with hybrid approach Anggy Trisnadoli ; hdah Lestari
0	Publication Year: 2017, Page(s): 1 • 6 Abstract (399 Kb) Software requirement analysis of "family tracking mobile application" on cross platform with hybrid approach
	Anggy Trisnadoli ; Indah Lestari 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017
0	Strategic intelligence model in supporting brand equity assessment
	Public Adamyatic, Imaaliya Coma Kinodaa Publication Year: 2017, Page (s): 1 + 6 Abstract (959 Kb)
	Strategic intelligence model in supporting brand equity assessment
	Agung Aldhiyat ; Masayu Leylia Khodra 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017
0	The effectiveness of using software development methods analysis by the project timeline in an Indonesian media company Putri Sanggabuana Setiawan ; Muhammad Ikhwan Jambak ; Muhammad Ihsan Jambak
	Publication Year: 2017, Page(s): 1 • 6 Abstract (192 Kb)
0	The effectiveness of using software development methods analysis by the project timeline in an Indonesian media company Putri Sanggabuana Setiawan ; Muhammad Ikhwan Jambak ; Muhammad Ihsan Jambak 2017 International Conference on Data and Software Engineering
	(ICoDSE) Year: 2017
0	Utility function based-mixed integer nonlinear programming (MINLP) problem model of information service pricing schemes Robinson Sitepu ; Fibri Maya Puspita ; Shintya Apriliyani Publication Year: 2017, Page(s): 1 • 6
0	Abstract (297 Kb) Utility function based-mixed integer nonlinear programming (MINLP) problem model of information service pricing schemes
	Robinson Sitepu ; Fitri Maya Puspita ; Shintya Apriliyani 2017 International Conference on Data and Software Engineering (ICoDSE) Year: 2017
_	Web application furz testing

Web application fuzz testing Ivan Andrianto ; M. M. Inggriani Liem ; Yudistira Dwi Wardhana Asnar Publication Year: 2017, Page(s): 1 • 6

https:///eeexplore.ieee.org/xpl/conhome/8276184/proceeding?sortType=paper-citations&pageNumber=2

71/2020	IEEE	Xplore - Conference Table of Contents	1				
	Abstract	(620 Kb)					
	 Web application fuzz tes 						
	kan Andrianto ; M. M. Inggriani Liem ; Yudistira Dwi Wardhana Asnar						
	(ICoDSE)	on Data and Soliware Engineering					
	Year: 2017						
-	Committee Publication Year: 2017, Page(s): (275 Kb)	1-2					
	Committee						
	2017 International Conference (ICoDSE) Year: 2017	on Data and Software Engineering					
-	L	Load More					
	< 1	2 3 3					
IEEE Personal Account	Purchase Details	Profile Information	Need Help?	Follow			
CHANGE USERNAME/PASSWORD	PAYMENT OPTIONS	COMMUNICATIONS PREFERENCES	US & CANADA: +1 800 678 4333	fin ¥			
	VIEW PURCHASED DOCUMENTS	PROFESSION AND EDUCATION	WORLDWIDE: +1 732 981 0060				
		TECHNICAL INTERESTS	CONTACT & SUPPORT				
About IEEE Xplore Contact Us He A not-for-profit organization, IEEE is	elp Accessibility Terms of Use Nondiscrimi the world's largest technical professional org	ination Policy Sitemap Privacy & Opting Out partization dedicated to advancing technology	of Cookies for the benefit of humanity				
Copyright 2020 IEEE - All rights n	eserved. Use of this web site signifies your ag	preement to the terms and conditions.					
IEEE Account	Purchase Details	Profile Information	Need Help?				
> Change Username/Password	Payment Options	Communications Preferences	» US & Canada: +1 800 6	78 4333			
>Update Address	> Order History	Profession and Education	» Worldwide: +1 732 981	0060			
	» View Purchased Documents	Technical Interests	Contact & Support				
About IEEE Xplore Contact Us Help	Accessibility Terms of Use Nondiscrimin	nation Policy Sitemap Privacy & Opting Out	of Cookies				
Anot-for-profit organization, IEEE is the Copyright 2020 IEEE - All rights rese	e world's largest technical professional organi erved. Use of this web site signifies your agree	ization dedicated to advancing technology for ement to the terms and conditions.	the benefit of humanity.				

https://ieeexplore.ieee.org/kpl/conhome/8276184/proceeding?sortType=paper-citations&pageNumber=2

Utility Function Based-Mixed Integer Nonlinear Programming (MINLP) Problem Model of Information Service Pricing Schemes

Robinson Sitepu, Fitri Maya Puspita, Shintya Apriliyani Mathematics and Natural Sciences Sriwijaya University South Sumatera,Indonesia fitrimayapuspita@unsri.ac.id

Abstract. The development of the internet in this era of globalization has increased fast. The need for internet becomes unlimited. Utility functions as one of measurements in internet usage, were usually associated with a level of satisfaction that user get for the use of information services used specifically relating to maximize profits in achieving specific. There are three internet pricing scheme used, that is flat fee, usage based and two part tariff by applying pricing scheme Internet by using one of the utility function is Cobb-Douglass with monitoring cost and marginal cost. The internet pricing scheme will be solved by LINGO 13.0 in form of non-linear optimization problems to get optimal solution. internet pricing scheme by considering marginal and monitoring cost of Cobb Douglass utility function, the optimal solution is obtained using the either usage-based pricing scheme model or two-part tariff pricing scheme model for each services offered, if we compared with flat-fee pricing scheme. It is the best way for provider to offer network based on two part tariff scheme. The results show that by applying two-part tariff scheme, the providers can maximize its revenue either for homogeneous and heterogeneous consumers.

Key words : Cobb Douglass, flat fee, usage based, two-part tariff, monitoring cost, marginal cost.

I. INTRODUCTION

The development of the internet in this era of globalization has increased rapidly. The need for internet usage becomes unlimited; this becomes a challenge for internet service provider companies or ISP in satisfy their customers. According to [1] in making the model of internet pricing scheme, there should be a match between the price given and the satisfaction obtained by consumer. The level of satisfaction can be related to the utility function. Utility functions were usually associated with a level of satisfaction that user get for the use of information services used specifically relating to maximize profits in achieving specific [2]. So well-known utility function used by researchers are Cobb-Douglass [3] Quasi-Linear, Perfect Substitute utility function [4] and a function of bandwidth [5] [6-8] utility functions. There are three internet pricing scheme used, that is flat fee, usage based and two-part tariff by applying pricing scheme Internet by using one of the utility function is Cobb-Douglas modified utility function to maximize benefits to the ISP [9]. Wu and Banker [9] chose three internet pricing scheme that are flat fee, usage based and two-part tariff by applying modified utility function of Cobb Douglass in order to maximize the profits by ISP.

QoS (Quality of Service) is the transmission rates, error rates and other level of measurable characteristics to support the level of progress at a service provider [10]. Basically, QoS allows to provide better services for specific requests. To show the efficiency of ISP in service there must be an interaction between price and QoS [11]. Based on the research [12] the optimal internet pricing scheme for homogenous consumer case and heterogeneous consumer (High end and Low end) is obtained in utility functions of Cobb-Douglass with usage based scheme model by ignoring the monitoring cost and marginal cost. From the analysis result done by [13] it is found that utility function of Cobb-Douglass produce maximum profit for ISP with usage based pricing scheme for homogenous consumer and heterogeneous (High end and Low end) with monitoring cost and marginal cost. Based on the research conducted [14] based on the models application on the each traffic data it's find that the use of Cobb-Douglass utility function optimal pricing scheme more than the Quasi Linear utility function.

In general, the marginal cost are defined as the costs adjusted to the level of production of goods which is resulting differences in fixed costs due to the addition of the number of units produced, while the cost of monitoring is the cost incurred by the company to monitor and control the activities carried out by the agency in managing company. In fact, the marginal cost and the monitoring cost an important in consideration for internet service provider in maximizing profits.

So the contribution of this paper is to formulate the pricing scheme previously discussed differentially into mixed integer nonlinear programming to enable us to seek other option in solving pricing scheme for information services.

(2)

II.RESEARCH METHOD

In this paper, the internet pricing scheme will be solved by LINGO 13.0 in form of non-linear optimization problems to get optimal solution. Models are form based on the parameters and variables used to solve the optimization problem. Data required for the model is from the local server data at Palembang. The data used in this research is the data of bandwidth usage on digilib and mail applications with three internet pricing scheme used, those are flat fee, usage based and two-part tariff by considering marginal and monitoring costs based on Cobb Douglass utility function. It takes internet data during peak hours and non-peak hours. The choice of optimal internet pricing scheme with the considering monitoring cost and marginal cost based on the Cobb-Douglass utility function is solved by optimization as a Mixed Integer Nonlinear Programming (MINLP) problem. The solution obtained will help to determine the optimal price on the ISP pricing scheme.

III. RESULT AND DISCUSSION

In this section, the optimization problems are divided into two categories, which are consumer and provider problems.

A. Optimization of Consumers' problem $\begin{array}{l} \underset{X_{i},Y_{i},Z_{i}}{\text{Max}} U_{i_{(X_{i},Y_{i})}} - P_{X}X_{i} - P_{Y}Y_{i} - PZ_{i} \\ \text{Subject to:} \end{array}$ (1)

$$X_i \le \overline{X}_i Z_i$$

$$Y_i \le \overline{Y}_i Z_i$$

$$U_{i_{(X_i, Y_i)}} - P_X X_i - P_Y Y_i - P Z_i \ge 0$$

$$Z_i = 0 \text{ or } 1$$

B. Optimization of Providers' problem $\max_{P,P_X,P_Y} \sum_i (P_x X_i^* + P_y Y_i^* + P_z X_i^*)$ $PZ_i^*)$ with $(X_i^*, Y_i^*, Z_i^*) = \operatorname{argmax} U_i (X_i, Y_i) - P_x X_i - P_y Y_i - PZ_i$

Subject to:

$$X_{i} \leq \overline{X}_{i} Z_{i}$$

$$Y_{i} \leq \overline{Y}_{i} Z_{i}$$

$$U_{i}(X_{i}, Y_{i}) - P_{x} X_{i} - P_{y} Y_{i} - P Z_{i} \geq 0$$

$$Z_{i} = 0 \text{ or } 1$$

C. Cobb-Douglass Utility Function

According to [15] the Cobb-Douglass utility function is :

$$U(X,Y) = X^{a}Y^{b}; a, b > 0$$
(3)

with *a* and *b* are constants

Table I describes the used traffic data on digilib where usage data is divided based two categories is during peak hours (09.00-16.59 WIB) denoted by X and during non-peak hours (17.00-0859 WIB) denoted by Y.

	Digilib (byte)	Digilib (kbps)
$\overline{X} = \overline{X}_1$	18,224.03	17.80
\overline{X}_2	13,770.41	13.45
X_m	4,123.52	4.03
$\overline{Y} = \overline{Y}_1$	35,720.24	34.88
$\overline{\overline{Y}_2}$	28,155.86	27.50
Y _m	9,209.93	8.99

TABLE I. INTERNET USAGE DATA DURING PEAK AND NON-PEAK HOURS

Table II describes the used traffic data on mail where again, the usage data is divided based two categories is during peak hours (09.00-16.59 WIB) denoted by X and during non-peak hours (17.00-0859 WIB) denoted by Y.

TABLE II.	INTERNET USAGE I	DATA DURING	PEAK AND	NON-PEAK	HOURS
	FOR	MAIL TRAFFIC	3		

	Mail (byte)	Mail (kbps)
$\overline{X} = \overline{X}_1$	3,687,676.42	3,601.25
\overline{X}_2	1,441,260.93	1,407.48
X _m	431,669.78	421.55
$\overline{Y} = \overline{Y}_1$	2,983,577.94	2,913.65
$\overline{\overline{Y}_2}$	2,716,046.03	2,652.39
Ym	1,135,254.76	1,108.65

Table III explain the parameters used in the consumer's optimization problem, respectively. Each parameter is used to design the whole improved model.

TABLE III. PARAMETERS FOR CONSUMER'S OPTIMIZATION PROBLEM

Symbol		Meaning
Р	:	The costs incurred when following the services
		provided
P_x	:	The price provided by the service provider (ISP)
		during peak hours (09.00 – 16.59).
P_{v}	:	The price provided by the service provider (ISP)
,		during not busy hours. (17.00 – 08.59).
$U_i(X_i, Y_i)$:	The utility function from consumer i with X_i is
		the
		level of service usage during peak hours and Y_i
		is the level of service usage during not busy
		hours.

In Table IV the parameters for the optimization problem of providers are presented. Each parameter is used to set up the model.

Symbol	Meaning		
$X_i * = X_{i(P, P, P)}$:	: The level of consumer service		
$(x_{\chi}, y_{\chi}, y_{\chi})$	consumption <i>i</i> during peak hours.		
$Y_i^* = Y_{i(p_i, p_j, p_j)}$:	The level of consumer service		
(r_{χ},r_{χ},r)	consumption <i>i</i> during not busy hours.		
$Z_i^* = Z_{i(p_i, p_j, p_j)} \qquad : \qquad$	Consumer variable <i>i</i> to show the		
(r_{χ}, r_{χ}, r)	participation of the scheme		
$U_{i(\mathbf{x},\mathbf{x})}$:	The utility function from consumer <i>i</i>		
(x_i, r_i)	with X_i is the level of service usage		
	during peak hours and Y_i is the level of		
	service usage during not busy hours.		
\overline{X}_{i} :	The highest level consumers <i>i</i> in using		
	the service during peak hours.		
\overline{Y}_{i} :	The highest level consumers <i>i</i> in using		
i.	the service during not busy hours.		

TABLE IV. PARAMETERS FOR OPTIMIZATION OF PROVIDER PROBLEM

Table V describes the decision variables use for consumer's optimization problem. Each variable is designed to fit into the model.

TABLE V. DECISION VARIABLE FOR CONSUMER'S OPTIMIZATION PROBLEM

Symbol		Meaning
X_i		The level of consumption consumer i on the peak
-		hours.
Y_i		The level of consumption consumer <i>i</i> on the non-peak
		hours.
Z_i		The decision variable which have value 1 if consumers
		chosen to join the program and have value 0 if
		consumers didn't.
\overline{X}_{i}		The maximum level of consumption consumer <i>i</i> on the
-		peak hours.
\overline{Y}_{l}	:	The maximum level of consumption consumer i on the
		non-peak hours.

Table VI describes the decision variables use for provider's optimization problem. Each variable is designed to fit into the model.

TABLE VI. DECISION VARIABLE FOR PROVIDER'S OPTIMIZATION PROBLEM

Symbol		Meaning
Р	:	The cost required to join the service program.
P_x	:	The price of the service specified by ISP during peak
		hours.
P_y	:	The price of the service specified by ISP during non-
-		peak hours.

D. Digilib Traffic Data

In this section we will explain about provider optimization with three pricing scheme are flat fee, usage based and twopart tariff which applied to digilib traffic data for homogeneous consumers and heterogeneous consumers. Digilib traffic data is the traffic consumer bandwidth usage on digilib applications. The parameters value usage for will to show in the table VII-IX.

TABLE VII. PARAMETER VALUES FOR HOMOGENEOUS CONSUMERS FOR DIGILIE TRAFFIC

	Pricing Scheme		
Parameters			
	Flat Fee	Usage Based	Two Part Tariff
А	5	5	5
В	4	4	4
X	17.80	17.80	17.80
Ŧ	34.88	34.88	34.88

By substituting the parameter values in Table VII, it can be modeled on the homogeneous consumer based on Cobb-Douglass utility function Eq (3) with flat fee pricing scheme equation as shown by the Eq (4):

$$Max Px X + Py Y + PZ + (X + Y)C - (X^{5}Y^{4})$$
(4)

Subject to:

$$X \le 17.80 \, Z \tag{5}$$

$$Y \le 34.88 Z \tag{6}$$

$$Z = 1 \tag{7}$$

TABLE VIII. PARAMETER VALUES FOR HIGH END AND LOW ENI
HETEROGENEOUS CONSUMERS FOR DIGILIB TRAFFIC

Parameters	Pricing Scheme		
	Flat Fee	Usage Based	Two Part Tariff
a_1	5	5	5
<i>a</i> ₂	4	4	4
b_1	3	3	3
<i>b</i> ₂	2	2	2
\overline{X}_1	17.80	17.80	17.80
\overline{X}_2	13.45	13.45	13.45
\overline{Y}_1	34.88	34.88	34.88
$\overline{\overline{Y}_2}$	27.50	27.50	27.50

By substituting the parameters value in Table VIII, flat fee pricing scheme model for High end and Low end Heterogeneous consumers shown at Eq.(7).

$$Max PxX_{1} + PyY_{1} + PxX_{2} + PyY_{2} + PZ + (X_{1} + Y_{1})C + (X_{2} + Y_{2})C - (X_{1}^{5}Y_{1}^{3})$$

$$(X_2^{4}Y_2^{2}) (8)$$

Subject to

$$X_1 \le 17.80 Z$$
 (9)

$$Y_1 \le 34.88 Z$$
 (10)

$$X_2 \le 13.45 Z$$
 (11)

$$Y_2 \le 27.50Z$$
 (12)

$$Z = 1 \tag{13}$$

TABLE IX. PARAMETER VALUES FOR HIGH DEMAND AND LOW DEMAND HETEROGENEOUS CONSUMERS OF DIGILIB TRAFFIC

Parameters		Pricing Scheme			
	Flat Fee	Usage Based	Two Part Tariff		
<i>a</i> ₁	5	5	5		
<i>a</i> ₂	5	5	5		
<i>b</i> ₁	4	4	4		
<i>b</i> ₂	4	4	4		
\overline{X}_1	17.80	17.80	17.80		
\overline{X}_2	13.45	13.45	13.45		
\overline{Y}_1	34.88	34.88	34.88		
$\overline{\overline{Y}_2}$	27.50	27.50	27.50		

Based on the Table IX it can be modelled as flat fee pricing scheme model for high demand and low demand heterogeneous consumers based on Cobb-Douglas utility function shown Eq. (11) as following.

$$Max PxX_{1} + PyY_{1} + PxX_{2} + PyY_{2} + PZ + (X_{1} + Y_{1})C + (X_{2} + Y_{2})C - (X_{1}^{5}Y_{1}^{4})$$

$$+(X_2^5Y_2^4)$$
 (14)

Subject to :

$$\begin{array}{l} X \le 17.80 \ Z \\ Y < 24.98 \ Z \end{array} \tag{15}$$

$$I \ge 54.00 Z$$
 (10)
 $V < 12.45 Z$ (17)

$$X_2 \le 13.45 Z$$
 (17)
 $Y_2 \le 27.50 Z$ (18)

$$Z = 1$$
 (19)

E. Mail Traffic Data

In this section we will to explain about optimization of provider with three pricing scheme which applied to Mail traffic data for homogeneous consumers and heterogeneous consumers. Mail traffic data is the traffic consumer bandwidth usage on mail service applications. The parameter value usage is shown in Table X-XII.

TABLE X. PARAMETER VALUES FOR HOMOGENEOUS CONSUMERS FOR MAIL TRAFFIC

Parameters	Pricing Scheme				
	Flat Fee	Usage Based	Two Part Tariff		
а	5	5	5		
b	4	4	4		
X	3,601.25	3,601.25	3,601.25		
Ŧ	2,913.65	2,913.65	2,913.65		

By substituting the parameters value in Table X, it can be modelled on the homogeneous consumer based on the (3)equation of Cobb-Douglass utility function as shown by the Eq. (19):

$$(X^5Y^4)$$
 (19)

Subject to:

$X \le 3,601.25 Z$	(20)
$Y \le 2,913.65 Z$	(21)
Z = 1	(22)

TABLE XI PARAMETER VALUES FOR HIGH END AND LOW EN
HETEROGENEOUS CONSUMERS OF MAIL TRAFFIC

Parameters	Pricing Scheme			
	Flat Fee	Usage Based	Two Part Tariff	
<i>a</i> ₁	5	5	5	
<i>a</i> ₂	4	4	4	
b_1	3	3	3	
<i>b</i> ₂	2	2	2	
\overline{X}_1	3,601.25	3,601.25	3,601.25	
\overline{X}_2	1,407.48	1,407.48	1,407.48	
\overline{Y}_1	2,913.65	2,913.65	2,913.65	
$\overline{\overline{Y}_2}$	2,652.39	2,652.39	2,652.39	

By substituting the parameters value in Table XI, Model with flat fee pricing scheme for High end and Low Heterogeneous consumers is shown in Eq. (23)

$$Max PxX_{1} + PyY_{1} + PxX_{2} + PyY_{2} + PZ + (X_{1} + Y_{1})C + (X_{2} + Y_{2})C - (X_{1}^{5}Y_{1}^{3})$$

$$+(X_2^{4}Y_2^{2}) (23)$$

Subject to :

$X_1 \le 3,601.25 Z$	(24)
$Y_1 \leq 2,913.65 Z$	(25)
$X_2 \le 1,407.48 Z$	(26)
$Y_2 \le 2,652.39 Z$	(27)
Z = 1	(28)

TABLE XII. PARAMETER VALUES FOR HIGH DEMAND AND LOW DEMAND HETEROGENEOUS CONSUMERS FOR MAIL TRAFFIC

Parameters	Pricing Scheme		
	Flat Fee	Usage Based	Two Part Tariff
<i>a</i> ₁	5	5	5
a_2	5	5	5
b_1	4	4	4
b_2	4	4	4
\overline{X}_1	3,601.25	3,601.25	3,601.25
\overline{X}_2	1,407.48	1,407.48	1,407.48
\overline{Y}_1	2,913.65	2,913.65	2,913.65
$\overline{\overline{Y}_2}$	2,652.39	2,652.39	2,652.39

Based on the Table XII it can be modelled with flat fee pricing scheme for heterogeneous consumers' high demand and low demand like stated in Eq. (29):

$$Maks = PxX_1 + PyY_1 + PxX_2 + PyY_2 + PZ + (X_1 + Y_1)C + (X_2 + Y_2)C - (X_1^5Y_1^4)$$

$$+(X_2^5Y_2^4)$$
 (29)

Subject to :

$X_1 \le 3,601.25 Z$	(30)
$Y_1 \leq 2,913.65 Z$	(31)
$X_2 \le 1,407.48 Z$	(32)
$Y_2 \le 2,652.39 Z$	(33)
Z = 1	(34)

Table XIII-XV show the result by LINGO 13.0 of three optimal pricing schemes for each homogeneous consumer and heterogeneous consumer on the digilib and mail traffic based on Cobb-Douglass utility function with monitoring cost and marginal cost.

TABLE XIII. LINGO 13.0 SOLUTION OF DIGILIB TRAFFIC FOR HOMOGENEOUS CONSUMER

Solver Status	Pricing Scheme		
	Flat Fee	Usage Based	Two part tariff
Model class	NLP	NLP	NLP
State	Local optimal	Local optimal	Local optimal
Objective	359.07	1,047.48	1,057.94
Infeasibility	0	0	0
Iterations	19	24	24
Extended Solver	Pricing Scheme		
Status	Flat Fee	Usage Based	Two part tariff
Update Interval	2	2	2
GMU(K)	20	21	21

Table XIII shown the solution of LINGO 13.0 of three optimal pricing schemes for homogeneous consumer on digilib traffic data based on Cobb-Douglass utility function. From the Table it can be seen that the two-part tariff pricing scheme it the most optimal with an objective value is 1,057.94.

TABLE XIV. LINGO 13.0 Solution FOR HIGH END AND LOW END HETEROGENEOUS CONSUMERS OF DIGILIB TRAFFIC

Solver Status	Pricing Scheme		
	Flat Fee	Usage Based	Two part tariff
Model class	NLP	NLP	NLP
State	Local optimal	Local optimal	Local optimal
Objective	635.58	1,327.96	1,337.96
Infeasibility	0	0	0
Iterations	25	36	35
Extended Solver	Pricing Scheme		
Status	Flat Fee	Usage Based	Two part tariff
Update Interval	2	2	2
GMU(K)	22	22	21

Table XIV shown the solution of LINGO 13.0 of three optimal pricing schemes for heterogeneous consumer on digilib traffic data based on Cobb-Douglass utility function. From the Table it can be seen that the two-part tariff pricing scheme it the most optimal compared to flat fee and usage based with an objective value is 1,337.96. If the classification is based on the heterogeneous consumers on willingness to pay in digilib traffic, then Table XIV explains the higher benefit is obtained again in two part tariff pricing scheme.

HOMOGENEOUS CONSUMER				
Solver Status	Pricing Scheme			
	Flat Fee	Usage Based	Two part tariff	
Model class	NLP	NLP	NLP	
State	Local optimal	Local optimal	Local optimal	
Objective	29,146.5	87,409.5	87,419.5	
Infeasibility	0	0	0	
Iterations	21	31	31	
Extended Solver	Pricing Scheme			
Status	Flat Fee	Usage Based	Two part tariff	
Update Interval	2	2	2	
GMU(K)	20	21	21	

TABLE XV. LINGO 13.0 SOLUTION OF MAIL TRAFFIC FOR HOMOGENEOUS CONSUMER

Table XV shown the solution by LINGO 13.0 of three optimal pricing schemes for homogeneous consumer on mail traffic data based on Cobb-Douglass utility function. From the Table XV can be concluded that the two-part tariff pricing scheme it the most optimal among the three pricing scheme with an objective value is 87,419.5. By applying two part tariff scheme, again the provider gain more benefit compared to others.

Table XVI explain the recapitulation of result conducting by using LINGO 13.0, as we can see that for highest revenue obtained by the provider if they offer two part tariff pricing scheme, for high end and low end user for each traffic data in network.

	Type of			
Data	Pricing	Consumers		Income
	flat-fee	Homogeneous	359.0728	
		Heterogeneous High end & Low end	635.5801	1,629.07
		Heterogeneous High demand & Low demand	634.4187	
		Homogeneous	1,047.47	
Digilib	Usage based	Heterogeneous High end & Low end	1,327.96	3,699.20
		Heterogeneous High demand & Low demand	1,323.76	
	Two-part Tariff	Homogeneous	1,057.94	
		Heterogeneous High end & Low end	1,337.96	3,729.67
		Heterogeneous High demand & Low demand	1,333.66	

TABLE XVI. RECAPITULATION OF DIGILIB TRAFFIC DATA

From Table XVI the maximum solution is obtained by applying the two part tariff scheme for heterogeneous high and low consumers due to the variety of willingness to pay of the consumers in applying the network. The two part tariff scheme can be considered a best option for provider to be promoted due to the subscription fee and usage based scheme that allow provider to maintain its network

Data	1 ype of Priging	Consumars		Incomo
Data	rneng	Consumers	00.146.5	Income
		Homogeneous	29,146.5	
	flat-fee	Heterogeneous High end & Low end	55,670.48	140,487.39
		Heterogeneous High demand & Low demand	55,670.41	
		Homogeneous	87,409.52	
Mail	Usage based	Heterogeneous High end & Low end	113,933.7	315,276.62
		Heterogeneous High demand & Low demand	113,933.4	
		Homogeneous	87,419.52	
	Two-part Tariff	Heterogeneous High end & Low end	113,943.7	315,306.62
		Heterogeneous High demand & Low demand	113,943.4	

TABLE XVII. RECAPITULATION OF MAIL TRAFFIC DATA

From Table XVII the maximum solution is obtained by applying the two part tariff scheme for heterogeneous high and low consumers due to the variety of willingness to pay of the consumers in applying the network.

IV. CONCLUSION

Based on the optimization result of the internet pricing scheme by considering marginal and monitoring cost of *Cobb Douglass* utility function, the optimal solution is obtained using the either *usage-based* pricing scheme model or *two-part tariff* pricing scheme model for each services offered, if we compared with *flat-fee* pricing scheme. It is the best way for provider to offer network based on two part tariff scheme.

ACKNOWLEDGMENT

The research leading to this study was financially supported by Sriwijaya University for support through Hibah PNBP Unggulan Kompetitif Tahun 2017.

References

- X. Wang and H. Schulzrinne, "Pricing network resources for adaptive applications in a differentiated services network," in *Proceedings of IEEE INFOCOM 2001*, Anchorage, AK, April 2001., 2001.
- [2] C. Curescu, "Utility-based Optimisation of Resource Allocation for Wireless Networks," in *Department of Computer and Information Science* vol. Dissertation Linköping: Linköpings universitet, 2005, p. 178.
- [3] Indrawati, Irmeilyana, F. M. Puspita, and M. P. Lestari, "Cobb-Douglass Utility Function in Optimizing the Internet Pricing Scheme Model," *TELKOMNIKA*, vol. 12, 2014.
- [4] R. Sitepu, F. M. Puspita, Irmeilyana, and A. N. Pratiwi, "Improved Model Pada Skema Pembiayaan Layanan Informasi Dengan Biaya Pengawasan (Monitoring Cost) Dan Biaya Marjinal (Marginal Cost) Untuk Fungsi Utilitas Perfect Substitute," in Seminar dan Rapat Tahunan 2016 Bidang MIPA BKS-PTN Barat Universitas Sriwijaya Palembang, 2016.
- [5] R. Sitepu, F. M. Puspita, A. N. Pratiwi, and I. P. Novyasti, "Utility function-based pricing strategies in maximizing the information service provider's revenue with marginal and monitoring Costs," *International Journal of Electrical and Computer Engineering (IJECE)* vol. 7, 2017.
- [6] W. Yang, H. L. Owen, D. M. Blough, and Y. Guan, "An Auction Pricing Strategy for Differentiated Service Network," in *Proceedings of the IEEE Global Telecommunications Conference*, 2003, pp. 4148-4152.
- [7] K. Seman, F. M. Puspita, B. M. Taib, and Z. Shafii, "An improved optimization model of internet charging scheme in multi service networks," *TELKOMNIKA*, vol. 10, pp. 592-598, 2012.
- [8] F. M. Puspita, K. Seman, and B. M. Taib, "A Comparison of Optimization of Charging Scheme in Multiple QoS Networks," in *1st* AKEPT 1st Annual Young Reseachers International Conference and Exhibition (AYRC X3 2011) Beyond 2020: Today's Young Reseacher Tomorrow's Leader 19-20 DECEMBER 2011, PWTC, KUALA LUMPUR, 2011, pp. 704-711.
- [9] S.-y. Wu and R. D. Banker, "Best Pricing Strategy for Information Services," *Journal of the Association for Information Systems*, vol. 11, pp. 339-366, 2010.
- [10] W. Yang, H. Owen, and D. M. Blough, "A Comparison of Auction and Flat Pricing for Differentiated Service Networks," in *Proceedings of the IEEE International Conference on Communications*, 2004, pp. 2086-2091.
- [11] D. Barth, K. Deschinkel, M. Diallo, and L. Echabbi, "Pricing, QoS and Utility models for the Internet," Rapport de recherche interne # 2004/60, Laboratoire Prism 2004.
- [12] Indrawati, F. M. Puspita, Irmeilyana, and O. Sanjaya, "Pembiayaan Internet Menggunakan Fungsi Utilitas Cobb-Douglass," in *Seminar dan Rapat Tahunan Bidang MIPA, Universitas Tanjung Pura, Pontianak Kalimantan Barat* Universitas Tanjung Pura, Pontianak Kalimantan Barat, 2015.
- [13] R. Sitepu, F. M. Puspita, H. Tanuji, and I. P. Novyasti, "Cobb-Douglas Utility Function Of Information Service Pricing Scheme Based On Monitoring And Marginal Costs," in 2nd International Conference on Education, Technology and Science, (ICETS) Jambi University, 2016.
- [14] Indrawati, Irmeilyana, F. M. Puspita, and M. P. Lestari, "Optimasi Model Skema Pembiayaan Internet Berdasarkan Fungsi Utilitas Quasi-Linier," in Seminar Hasil Penelitian dalam rangka Dies Natalis Universitas Sriwijaya Universitas Sriwijaya, 2013.
- [15] E. Hutchinson, Economics, 2011.

