

2013

# PROCEEDINGS

## International Seminar on Climate Change & Food Security

October 24th-25th, 2013  
Palembang, South Sumatra



FACULTY OF AGRICULTURE  
SRIWIJAYA UNIVERSITY



# **Proceedings of International Seminar on Climate Change & Food Security**

Edited by:

Desi Aryani  
Dwi Wulan Sari  
Elly Rosana  
Selly Oktarina

**FACULTY OF AGRICULTURE  
SRIWIJAYA UNIVERSITY  
2013**

# **Proceeding of 2013 International Seminar on Climate Change and Food Security**

ISBN: 978-979-8389-19-1

## **Organizing Committees**

### **Conference Chairs**

Prof. Dr. Andy Mulyana, M.Sc.

### **Program Chairs**

Dr. Andy Wijaya

Dr. Yunita

Dr. Yulia Pujiastuti

Dr. Edward Saleh

Dr. Lifianthi

Riswani, M.Si.

Dr. Dessy Adriani

Thirtawati, M.Si.

Henny Malini, M.Si.

### **Technical Committee**

Prof. Fachrurrozie Sjarkowi

Dr. Sabaruddin

Dr. Kiki Yuliati

Dr. Mad Nasir Shamsudin

Dr. Negin Vaghefi

Dr. Olaf de Jongh

Dr. Perdinan

Dr. Rizaldi Boer

### **Faculty of Agriculture, Sriwijaya University**

Address:

*Jalan Palembang-Prabumulih, KM 32 Inderalaya (OI) 30662*

*Tel: (0711) 580069, 580225; Fax: (0711) 580276*

# **Climate Change & Food Security**

Selected peer reviewed papers from the  
2013 International Seminar on Climate Change and Food Security  
(ISCCFS 2013)  
October 24-25, 2013, Palembang, Indonesia

**FACULTY OF AGRICULTURE  
SRIWIJAYA UNIVERSITY**

# **WELCOME SPEECH DEAN OF FACULTY OF AGRICULTURE, SRIWIJAYA UNIVERSITY**

Assalamu'allaikum Wr. Wb.

Honorable Rector Sriwijaya University, represented by Vice rector 4, Dr. Muslim, South Sumatra government officers.

Honorable invited Speakers: Prof. Nasir Shamsudin, Dr. Negin Vaghevi, Dr. Perdinan, Dr. Olaf de Jongh.

Honorable committee of the conference led by Prof. Andy Mulyana.

Distinguished paper presenters, participants, Guests, Ladies and Gentlemen

Good Morning,

Praise to Allah, the Most Gracious and the Most Merciful, which allow us to gather in this important activity.

It gives me great pleasure to speak to you this morning, to welcome you most at the official opening of the International Seminar on climate change and food security with the theme of **Adapting Agriculture to Climate Change**. This seminar is organized by Faculty of Agriculture, Sriwijaya University in Management in Southeast Asia Pacific (CCROM – SEAP) – IPB (Bogor Institute of Technology). This conference is part of many celebration activities of 50<sup>th</sup> anniversary of Faculty of Agriculture, Sriwijaya University, the Faculty of Agriculture Sriwijaya University was established in 26<sup>th</sup> September 1963.

Ladies and gentlemen,

Nowadays there are at least four hot topics that take more attention to everybody in the world. Those are: food, fuel or energy, water, and climate change. We can't escape from these problems. We have to find out solutions how we deal with these challenges.

This conference is one of our efforts to do that by sharing our ideas, analysis, recommendations or proposals in order to ensure and sustain the food security for the people today and the next generations.

Besides invite speakers, in this conference there will be 38 other papers on issues related to the topics that will be presented by the participants coming from several countries in two class sessions in the afternoon starting at 1.30 PM. On this occasion I would like to thank to the invite speakers, Prof. Mad Nasir Shamsudin, He is previous dean of Faculty of Agriculture, University Putra Malaysia, Dr. Negin Vaghefi, she come from Faculty of Agriculture

Mazandaran University Iran, Dr. Perdinan from Centre for Climate Risk and Opportunity Management in Southeast Asia Pacific (CCROM – SEAP) - Bogor Institute of Technology, Olaf de Jongh, Netherlands Senior Expert.

I want to express our thankfulness to CCROM – SEAP IPB for the collaboration and support to this seminar. Hopefully our mutual cooperation and relationship will be continued in the future. I would also like to thank the program chairs, staff of Faculty of Agriculture Sriwijaya University, and the member of the program committees for their hard work. We are grateful to all those who have contributed to the success of this conference.

Finally, I humbly request to Rector to deliver his speech and also open this conference. So, enjoy your time in this conference, we hope, you will find your time with us exciting.

Thank you very much.

Wassalamu'allaikum Wr. Wb.

## **OPENING SPEECH RECTOR OF SRIWIJAYA UNIVERSITY**

Good morning and Assalamu'allaikum Wr. Wb.

Honorable Governor of South Sumatera or the representative  
Dean of Faculty of Agriculture, Sriwijaya University  
Distinguished keynote speakers  
Respected Guests  
Dear participants, ladies and gentlemen

First of all, allow me on behalf of our rector to extend our warmest welcome to all of the participant in this International Seminar on Climate Change and Food Security (ISCCFS) 2013.

In this opportunity, I would like to express my profound gratitude especially to CCROM – SEAP – IPB for the excellent collaboration. Also dean of Agriculture, Sriwijaya University and the organizing committee of this Seminar, who are work hard to prepare and realize this big and prestige seminar. My thanks also go to all presenters for their valuable and meaningful contribution to this seminar.

Distinguish guest ladies and gentlemen,  
Recently, the issue of Climate change and food security are still hot issue to be discussed. Issue on the climate change, global food, economic, and fuel crisis have become a major concern in sustaining wood food security. Food security is a complex sustainable development issues. Some approaches, strategies and policy implementation are important to guarantee and strengthen food security such as; maximizing and maintenance of water supply sustainable manner, agriculture innovation, management and maintenance of water supply systems, introducing improved varieties and cultural practices et cetera.

Climate change and agriculture are interrelated processes, both of which take place on a global scale. Climate change will after all four dimensions of food security: food availability, food accessibility, food utilization and food systems stability. It will also have an impact on human health, livelihood assets, food production and distribution channels, as well as changing purchasing power and market flows. Assessment of the effects of global climate changes on agriculture might help to properly anticipate and adapt farming to maximize agriculture production. At the same time, agriculture has been shown to produce significant effects on climate change, primarily through the production and release of greenhouse gases such as carbon dioxide, methane, and nitrous oxide.

We believe and feel confident that this seminar will stimulate a discussion and share the ideas of multi-disciplinary researchers, scientists, practitioners and policy makers will be a major contribution in the prevention and settlement of various problems due to climate change and food security.

Collaboration and mutualistic group works are needed to overcome the existing and potential problems related to climate change and food security. I hope this seminar could figure out some solution and applicable recommendations for sustaining our food security which insure some anticipating and adapting strategies to the climate change influences.

Distinguished guests, ladies and gentlemen

I wish you all an enjoyable time and success during this seminar. And we all wish a better life with clean, health, and save our environment and food security now and in the future.

I hope you enjoy the beauty of Palembang City as one of the oldest city in Indonesia which also have variety of interesting culture and places.

Finally, I declare this international seminar on climate change and food security in Palembang is officially opened.

May our God always guide and bless all of us, Aamiin.

Thank you very much,

Wassalamu'allaikum Wr. Wb.



## PREFACE

Dear Readers,

The Organizing Committee would like to express our thank and appreciation to all invited speakers, paper presenters and guests for participating in the 2013 International Seminar on Climate Change and Food Security (ISCCFS 2013) held during October 24-25, 2013 in Palembang, Indonesia.

ISCCFS 2013 is sponsored by Faculty of Agriculture, Sriwijaya University, in accordance with the celebration of 50 years' birthday of the Faculty, in collaboration with Centre for Climate Risk and Opportunity Management in Southeast Asia Pasific (*CCROM* - SEAP)-IPB, Bogor. The theme of the Seminar **Adapting Agriculture to Climate Change**, with four topics discussed on the issues of (1) Climate Change Economics. (2) Climate Change Adaptation in Food and Agriculture Perspective, (3) Biodiversity and Food Security, and (4) Innovation to Address Climate Change Challenges.

As worldwide known, today we hardly achieve an equilibrium position between producing sufficient food and feeding growing population. Extreme weather events such as droughts and floods are predicted to become frequent, adding to the global burden of hunger caused by poverty, improper governance, social and economic conflicts, and poor market access. We also already realized that Greenhouse gases (GHGs) in agricultural production are emitted by fertilizers, ruminant digestion, rice cultivation, land clearing for agriculture. Therefore, adapting to climate change to achieve and secure food security as well as trade commitments become both challenges and opportunities for our agriculture system in the future.

This is mean that agriculture is both part of the problem and part of the solution to climate change. However because of the multiple socio-economic and bio-physical factors affecting food systems and hence food security, the capacity to adapt food systems to reduce their vulnerability to climate change is not uniform in one to another region. We must therefore seize every opportunity to shift away from inefficient and Environmental unfriendly farm practices, supply chains and diet choices towards long-term sustainable, profitable and healthy system. Dependence of agriculture on the climate condition implies that agriculture has an important role to play in adaptation to climate change.

That is way we also believe that the ideas of multi-disciplinary researchers, scientists, practitioners and policy makers will be a major contribution in the

prevention and settlement of various problems due to climate change and food security.

The purposes of this seminar are to: identify major barriers to achieve food security with consideration to current and evolving climate change; to identify required interventions (i.e. policy issues regarding planning, programming, resource mobilization and allocation, delivery services as well as monitoring and evaluation) that could reduce these barriers and promote sustainable food availability as a basic pillar of food security; and share lesson-learned related to cope with climate change to achieve food security.

We would like to thank the seminar chairs, staff of Faculty of Agriculture Sriwijaya University, and the member of the program committees for their hard work. We are also grateful to everyone who has contributed to the success of ISCCFS 2013. We hope that all participants and other interested readers would benefit scientifically from the proceedings and also find them stimulating in the process. Finally, we would like to wish you success in your technical presentations and social networking.

We hope you have a unique, rewarding and enjoyable days at ISCCFS 2013 in Palembang, Indonesia.

With our warmest regards,  
The Organizing Committees  
October 24-25, 2013  
Palembang, Indonesia

# TABLE OF CONTENTS

## KEYNOTE SPEECH

- Food Security and Climate Change in Developing Economies: Evidences and Policy Responses 1  
Mad Nasir Shamsudin (Universiti Putra Malaysia)
- Economic Impact of Climate Change on Rice Production 3  
Negin Vaghefi (Faculty of Agriculture Mazandaran University Iran)
- Innovation to address the Potential Impacts of Climate Change on Agriculture in Indonesia: Research Needs 4  
Perdinan (CCROM-SEAP/PERHIMPI)

## SUPPORTING PAPERS

### Session 1

- Pro-Poor Technology in Small Scale Farming for Adaptation to Climate Anomalies 13  
Maman Rahmansyah, Arwan Sugiharto and I Made Sudiana
- Farming System in The Region as a Dry Climate Impacts of Climate Change Adaptation in Southeast East Nusa 17  
Harmi Andrianyta and Titim Rachmawati
- Rice Supply on Climate Anomaly Condition in Central Java Province 22  
Nandika Pratiwi
- Potency and Intitutional Performance on Integration System of Beef Cattle and Oil Palm (SISKA) For Increasing the Beff Cattle Population 27  
Sriati, Armina Fariani, Gatot Muslim, Imron Zahri, and Elly Rosana

Dynamic Supply Response of Rice in Jambi Province Edison	32
Anticipation and Adaptation of Climate Change for Food Crops in Indonesia Supli Effendi Rahim	37
Impact of Climate Change on Soybean Production: a Nutrition and Food Security Perspective in Indonesia Lazarus Dawa	41
Rice Production Enhancement Through Spatial Utilization "Land for Plant Life" in Industrial Crop Forest (ICF ) Zone for Avoiding of Peat Fire Najib Asmani, Armaizal, and Iwan Setiawan	46
Diversification of Staple Foods as a Solution to Overcome Food Vulnerability Caused by Global Climate Change Yunita	49
Are There Any Relationship Between Rice Barns Development and Welfare of Farmers in South Sumatra, Indonesia? Dessy Adriani and Andy Mulyana	53
Diversification of Food Consumption in South Sumatera: an Analysis Based-on Desirable Dietary Pattern Faharuddin and Andy Mulyana	59
Food Insecurity and Global Food System: Political Decision? Nina Lisanty	64
Rice Consumption Analysis for Different Income Groups in Palembang, Indonesia Maryati Mustofa Hakim	68

Communication Analysis of Edamame ( <i>Glycin max (L) Meriil</i> ) Supply Chain Management: Case of Farmer Group in West Bandung Region, West Java, Indonesia Sri Fatimah and Amelia N. Hayati	72
Factors Influence Farmers' Decision to Convert Rainfed Lowland in South Sumatera, Indonesia Erni Purbiyanti, Maryanah Hamzah and Eka Mulyana	78
The Farmer Choices in Utilizing Organic Fertilizers: Tidal Swamp Rice Farmers Case Siti Komariah Hildayanti, Andy Mulyana, Sriati, and Nuni Gofar	83
Efficiency Technical and Economic Analysis of Tall Variety Farming at Different Tidal Land Typologies in South Sumatra Province Yudhi Zuriah WP and M. Yamin	87
Labor Allocation and Leisure Time of Oil Palm Farmers on Indonesia's Wet and Dry Lands Lifianthi, Selly Oktarina and Desi Aryani	92
The Economic Behavior of Rubber Farm Household in term of Achieving of Their Family Food Security in Musi Banyuasin Regency, South Sumatra Province, Indonesia Laila Husin	99
The Comparative Analysis of Production and Consumption Behavior of Rice Farmer Households Based on Land Typology and Capital Resources Andy Mulyana, Yunita, Riswani, and Maryati Mustofa Hakim	104
 <b>Session 2</b>	
Coastal Sand Soils and Their Assessment for Upland Rice Cultivation In Terengganu, Malaysia H.M. Edi Armanto, Adzemi Bin Mat Arshad, Elisa Wildayana and Usman M. Ishaq	109

The System of Biological-Environment Adaptive Control as Alternative Technology to Address Climate Change Tamrin	116
The Effect of <i>Eco</i> -Microbe Application for Water Quality Bioremediation, Pilot Test at FRIM Kepong, Malaysia Mohd. Ghazali, H*., Ahmad Azarudin, M. N., Marryanna, L., Siti Aisah, S., Saiful Iskandar, K., Abd Rahman, K. and Mohamad, M.S.	121
Quality Assessment of Delayed-Drying Rice Filli Pratama	125
<b>The Point of Zero Charge of Coal Fly Ash due to Chicken Manures Addition and Incubation Time</b> <b>Agus Hermawan, Sabaruddin, Marsi, and Renih Hayati</b>	<b>130</b>
The Decrease of Pempek Lenjer Quality During Storage at Room Temperature Railia Karneta, Amin Rejo, Gatot Priyanto, and Rindit Pambayun	136
Effect of Foaming Agents On <i>Pandan</i> Leaf Powder Characteristics Processed by Foam Mat Drying Method Prima Septika Dewi, Agus Wijaya and Gatot Priyanto	141
The Effects of Climate Change on Plant Diseases and Possible Means for Their Mitigation Nurhayati	147
Monensin Clearance Trait and Its Effect on Methanogenesis in The Rumen Arfan Abrar, Takamitsu Tsukahara, Noriko Matsukawa, Tomomi Ban-Tokuda, Makoto Kondo, Wang Chau, and Hiroki Matsui	150
Climate Change Impacts on The Walang Rice Pest ( <u><i>Leptocorisa oratorius</i></u> F.) in Tidal Rice Field on CI 200 Zaid Subrata, Kurniawan Subatra, and Imelda Marpaung	153

Estimates on Carbon Stored of Standing Trees as a Climate Change Mitigation Efforts Yuanita Windusari, Zulkifli Dahlan, and Yuniar Pratiwi	158
Minimal Cooking Time Determination of Pepes Nile Tilapia Processed by Microwave Oven Riya Liuhartana, Gatot Priyanto, and Basuni Hamzah	163
Toxicity Characteristics of <i>Bacillus Thuringiensis</i> Strain MSP-02 Agricultural Insect Pests Yulia Pujiastuti, A. Muslim, Hisanori Bando, and Shin-Ichiro Asano	169
Improvement of Rice Growth and Productivity Through Balance Application of Inorganic Fertilizer and Biofertilizer in Inceptisol Soil of Lowland Swamp Area Neni Marlina, Nuni Gofar, A.Halim, PKS, and A.Madjid	173
Water Management of Swampland as Adaptation Toward The Climate Change in South Sumatra Puspitahati, Edward Saleh, and Purnomo RH	178
Tactics of Equitable Livelihood for Food Producers Towards Hedonistic Society's Life Marwan Sufri	183
Effect of Micro Climatic Condition of Oil Palm on Growth and Yield of Rice Plant in Tidal Swamp M. Umar Harun	188
Climate Change Influences The Distribution Of Parasitic Plants On Duku Tree ( <i>Lansium Domesticum</i> Coor.) Chandra Irsan	193
<b>APPENDIX</b>	198

# WATER MANAGEMENT OF SWAMPLAND AS ADAPTATION TOWARD THE CLIMATIC CHANGE IN SOUTH SUMATRA

Puspitahati<sup>\*1</sup>, Saleh, E<sup>\*1</sup> and Purnomo, RH<sup>\*1</sup>

<sup>1</sup>Department of agriculture Engineering, Sriwijaya University

<sup>\*)</sup> Email [pusphyt4@yahoo.com](mailto:pusphyt4@yahoo.com) ; [edusaleh@yahoo.com](mailto:edusaleh@yahoo.com)


## ABSTRACT

Increasing of population spurs the increase for foods and shelters requirement. Agricultural extensification on non-tidal lowlands or swampland, especially in South Sumatra, should be done in order to fulfill yearly increase for foods requirement. However, swampland frequently had been changed into non-agricultural usages such as for settlement and office areas. Moreover, the decrease of land and water resources quality had occurred due to climatic change such as *El Nino* (drieness) and *EL Nina* (flood). The hotter temperature and uncertain seasonal change results in planting and harvesting failures, diseases outbreak and agricultural land degradation. Swampland can be utilized by using optimum water management method. This paper has an objective to give overview in term of strategic alternative and opportunity of water management technology and irrigation system as an adaptation toward climate change in South Sumatra. The method used in this paper was literatures review and secondary data from several studies related to non-tidal lowland or swampland. The conclusion from this paper were as follows : 1). Water management strategy in swampland can be conducted by using several technological alternatives and irrigation system taken into account swampland characteristics and soil properties as well as topography in this area; 2). Water management was conducted by controlling water table depth that can be determined from hydrological, climatological and water requirement aspects. By considering these perspectives, water management on swampland can adapt to the climatic change.

**Keywords :** swampland, water management, irrigation system, climate change

## INTRODUCTION

The current increase of Indonesia population requires additional requirement of foods and settlements. Self sufficiency of rice that had been achieved in Indonesia will no longer prevail because the rate of population increase was faster than the rate of food supply. Rice productivity, population numbers and rice consumption predicted from years 1950 to 2050 can be seen in the following figure.



Source : Suryadi, F.X. 2013. *Capacity building in Lowland development, food production and food security*. Lowland Symposium, 2013.

Article was presented at the International Seminar on climate change and food security on October 24<sup>th</sup>-25<sup>th</sup>, 2013 at the University of Sriwijaya Palembang, Indonesia



The decrease of land and water resources quality had occurred due to climate change such as *El Nino* (drieness) and *EL Nina* (flood). The hotter temperature and uncertain seasonal change results in planting and harvesting failures, diseases outbreak and agricultural land degradation.

Food crisis had also occurred due to function shifting of agricultural land into settlement area and non-agricultural area. The National Food Security Council had reported that agricultural land conversion in 2009 had magnitude of 110 thousand hectares per year that was used for other activities (Sutjahjo, 2011). Pressure for function shifting of irrigation paddy field had increased every year that was used for non-agricultural activities (Sutanto, 2010). According to Irawan and Friyatno (2005), the rate of land function shifting in outside Java (132 thousand hectares per year) was higher than that of Java island (56 thousand hectares per year). In order to balance this land function shifting, the government had conducted agricultural intensification in Java and Bali islands. On the other hand, government had conducted agricultural extensification in Sumatra, Kalimantan, Sulawesi and Papua islands due to availability of extensive swampland in these areas. The area of swampland in Indonesia was about 33,393,570 hectares consisting of 20,096,800 hectares (60.2%) tidal lowland and 13,296,770 hectares (39.8%) non-tidal lowland (swampland). Total area that had been developed by government was 1.8 million hectares consisting of 1,452,569 hectares tidal lowland and 347,431 hectares non-tidal lowland (swampland) (Dit. Rawa dan Pantai, Departemen PU, 2009 in Susanto, 2010). Total area of swampland in South Sumatra that had been reclaimed up to 2010 was 373,000 hectares (BSWVII, 2010).

Lowland area, especially swampland, has high potential to be used as strategic choice for development of agricultural production area to cope with climate change and food security (Alihamsyah, 2002). Swampland can be developed as productive agricultural area by using proper management and by considering land characteristics as well as appropriate application of technology (Ismail *et al.*, 1993). Activity and operation at swampland are highly depended on water management system. Lack of water or excessive of water will create disaster. Crops that experience water deficit will result in decrease of product quality and quantity. Excessive water will create the decrease of harvesting yield and diseases outbreak. Extreme condition of excessive water will results in soil leaching, erosion and flood.

There are many constraints for water management on swampland so that the previous water management was not optimum. The important point for successful agricultural effort on lowland swamp is water management technology and irrigation system in this area. Therefore, proper water management technology and irrigation system on swampland are very important.

Based on the above description, this paper has an objective to give overview in term of strategic alternative and opportunity of water management technology and irrigation system as an adaptation toward climate change in South Sumatra. The method used in this paper was literatures review and secondary data from several studies related to swampland.

## **DISCUSSION**

### **Water management condition in swampland**

Lowland area is the land that is always wet or water logged for all year long or several months in a year or has shallow water table, or even flooded (Daryono, 2009). Lowland area can be differentiated into two categories, i.e. tidal lowland and non-tidal lowland (swampland). Tidal lowland is the land in which its flooding condition is affected by sea water tidal movement, whereas lowland swamp is the land found in the right and left sides of

Article was presented at the International Seminar on climate change and food security on October 24<sup>th</sup>-25<sup>th</sup>, 2013 at the University of Sriwijaya Palembang, Indonesia

main rivers and their branches, having flat topography, water flooded during wet season and dry or constantly flooded during dry season (Susanto,2010). Based on land surface variation, altitude and flooding period, swampland can be classified into three types : bund swampland, middle swampland and deep swampland (Ditjen Pengairan, DPU, 1996). Bund and middle swamplands have higher potential to be developed as rice crops and paddy field areas, whereas deep swampland can be utilized as fresh water fishes or water fowl husbandry such as ducks (Direktorat Rawa, 1991). swampland is the land that has water regime affected by topography and rainfall which occurred either locally or from surrounding areas and has relatively low topography, but it has high potential in term of land and water resources for agricultural, fishery and husbandry production. Nearly 91 percent of cultivated swampland was for rice production with one time planting pattern and the rest of 9 percent had two times planting. The province that had the most extensive area with one time planting pattern of rice was South Sumatra which covered about 146,279 ha (Alihamsayah , 2004).

The current problems related to utilization of swampland for agricultural sector are as follows : 1). Uncontrolled water management or water gates, 2). Low level of soil fertility, 3). Biological problems related to pests, diseases and weeds, 4). Socioeconomic problems such as manpower or labor, capital deficiency, educational level, farmers empowerment, institutions, soil status, farm labors, lack of coordination as well as structures and infrastructures (Direktorat Rawa, 1991).

Problems related to swampland in South Sumatra were low production due to improper water management system in addition to biophysical factors and low fertility of soil. These problems were initiated during swamp reclamation process by digging out huge channels such as primary, secondary and tertiary channels (Subagyo, 2006). Water gates on tertiary channels were in improper function which results in uneven water availability. Water flow can not be controlled so that land was flooded during rainfall for long period and produced farm enterprise failure.

Rice is the main commodity cultivated on swampland in South Sumatra. Rice variety having relatively high yield was IR42 especially in Lematang with average yield of 4 to 5 ton/ha. Second crops having good adaptation such as corn, soybean and greenpeal were cultivated on shallow swamp. Tubers crops and chilly were also cultivated on swampland in South Sumatra.

## **Potential of Technology and Irrigation System on Swampland**

Operational activities on swampland were highly depended on water management system. Water flooding during wet season and dryness condition during dry season results in oxidation and reduction processes within soil which produce low soil pH and low nutrients availability for crops. Swampland having shallow water flooding can be managed as rain-fed paddy field or combination of paddy field and bund (*surjan* system). This technology had been developed by Balai Penelitian Pertanian Lahan Rawa (Balitra). Results study by Waluyo *et al.* (2002) showed that application of surjan system on swampland produced more efficient utilization of land because land can be cultivated all year long. Moreover, crops rotation will produce more fertile soil, increase land productivity and it is hoped capable to increase farmers income.

The other alternative technologies for water management on swampland were consisted of : a). Water channel system equipped with partition gate (*stop log*) on the left and right sides of tertiary channel; b). Channel system with partition gate (*stop log*) on the left side of tertiary channel and flap gate on the right side of tertiary channel. These technologies showed that stop log can maintain water level elevation in tertiary channel during dry season;

Article was presented at the International Seminar on climate change and food security on October 24<sup>th</sup>-25<sup>th</sup>, 2013 at the University of Sriwijaya Palembang, Indonesia

water circulation can be developed through flap gate installation which facilitate land leaching process; land drainage function can be achieved as well as primary and secondary channels can be used as transportation lanes without deepening process on both channels during wet season or dry season. Therefore, water management system equipped with water gates having proper types and numbers is capable to provide supply function and create flow circulation which results in optimum performance for water management network (Budi, 2007).

Technology for swampland management can be put into effect through amelioration, balance fertilizing as well as soil and water treatments (Adnyana *et al.*, 2005). Water management technology is directed toward maximum utilization of water resources to fulfill crop water requirement as well as to regulate the balance between water inflow and outflow. Proper arrangement of water channel is very important to control water flow. Water management on land can be done by using surjan system, kemalir system and caren system. Water inflow and outflow processes can be easily controlled by using these systems. Technology of water balance is the one that capable to regulate water inflow and water outflow. One of important conclusion from hydrologic cycle is that water quantity in certain area is determined by water balance of land . Water balance technology for land is capable to determine agroclimatic condition, especially the dynamics of soil water content on swampland which subsequently can be used to design the general planting pattern. Water balance needs input and output data in forms of rainfall, evapotranspiration and soil water content (Salwati *et al*, 2007).

The choice of water management network type is depended on swampland characteristics as well as rainfall and land topography. Some swampland s used *handil* system as traditional water management system having very simple design in form of channel that protrude into river estuary (Muhammad, 2001:100). Handil generally has 2-3 m width, 0.5-1 m depth and entrance length from river estuary of 2-3 km. Anjir system, which is also called as canal system, is water system having big channel that connects two main rivers. This channel has function to irrigate and distribute the inflow water from river in case of high tidal period as well as to collect drainage water during low tide period through handils which are developed a long anjirs. Therefore, river water can be utilized for crops in more extensive and unimpeded ways. Anjir provision made areas in the right and left sides of channel can be irrigated by handils development (tertiary channels) which are perpendicular to canal. Garpu system is water management system designed with channels which are developed from river edge protrude into inland in forms of navigation channels and primary channels followed by secondary channels which may consisted of two branches channel so that water network resemble garpu or fork (Noor, 2001 : 103).

### **Water management strategy on lowland swamp**

Alternative for water management strategies on swamplands were as follows :

1. The choice of system and technology for water management on swampland should be in accordance to tipology and water flow within this area because swampland conditions are different from one area to the others, especially for swamplands in South Sumatra that have different characteristics. Physical and chemical conditions of soil, rainfall, crop types and topography affect the discharge magnitude for irrigation water supply.
2. The land function shifting can be minimized by analyzing land change for several years obtained from landsat image which was interpreted in form of land cover map and development of Regional Space Order Plan for South Sumatra Province so that

land can be used according to its allotment. Therefore, swampland can adapt toward the change of climate and weather.

3. Water management should take into account the calculation of design flood discharge in order to determine water table level on swampland so that water table level can be controlled in proper manner. swampland condition is affected by climate and weather. Therefore, water balance calculation should be done in term of rainfall, evapotranspiration and water availability. This was conducted through analysis of hydrology, climatology and water requirement. Planting pattern regulation is required in order to facilitate water management so that crop water requirement is in accordance to availability of water supply. Planting pattern give the description of periods and crop types to be planted during one year period. Water management pattern was conducted through two activities as follows. Water at wet season (rice planting period) is used for leaching process in order to improve quality of water and soil. Water gate structures were provided at secondary channel to minimize water losses from paddy field areas as well as development of land surface levelling. Soil water during dry season (secondary crops planting period) should be maintained by operating water gate structures on tertiary channels in order to control water table level.

## **CONCLUSION AND RECOMMENDATION**

### **CONCLUSION**

1. Water management strategy on swampland can be conducted by using several alternatives of technology and irrigation system by taking into account land tipology, swampland characteristics, soil condition, water flow regimes and swampland topography so that it can be converted from marginal condition into optimal condition.
2. Water management was done by controlling water table level. Water table level can be determined from hydrological, climatological and water requirement aspects. Therefore, water management at swampland can adapt toward climate change.

### **RECOMMENDATION**

Water management technology on the swampland should be take into account condition of land tipology and water regime in order to control water table level. Proper water management is the key point for successful development on swampland

## **REFERENCES**

- Alihamsyah, T.2004. Potential and Land Reform to Increase Rice Production Swamp. Rice and rice economy of Indonesia. Department of research and agricultural development.Jakarta
- Daryono, H .2009. *Potency, problems, policy and peatlands management needed for sustainable peat swamp forest*. Litbang Forest and conservation centre.
- Ismail, I.G.,T.Alihamsyah, I.P.Widjaja-Adhi, Suwarno, T.Herawati,R Tahir dan D.E. Sianturi. 1993. A week Swampland Agriculture Research; contribution and Development Prospects. Crop food research center .Bogor
- Noor ,M. 2001. Peatland Agriculture Potential and Constraints. Yogyakarta.Kanisius

Article was presented at the International Seminar on climate change and food security on October 24<sup>th</sup>-25<sup>th</sup>, 2013 at the University of Sriwijaya Palembang, Indonesia

- NP.Sri Ratmini.2012.*Characteristic and Management peatland for Agricultural evelopment*. BPTP Sumatera Selatan.
- Susanto. 2010. *Management strategies of wetlande for sustainable agricultural development*. Majoring of soil.Agriculture Faculty.Sriwijaya University
- Suciantini *et al.* 2010.*Climate Risk Assesment on Agricultural System in Swamp Areas (Case Study in Delta Telang I, Delta Telang II and Delta Air Saleh, Banhyuasim South Sumatera)*
- Triadi L, Budi. 2007. Implementation of automatic valve in South Kalimantan Tidal Swamp, Paper of Kolokium Puslitbang SDA 2007. Bandung.
- Waluyo, Suparwoto, Harnisah, Y.S.Pramudyati and A. Bamualim.2002. Development of Rice-Based Farming Systems in Swampland South Sumatra. Specific Technology Seminar.Location at jakarta

Article was presented at the International Seminar on climate change and food security on October 24<sup>th</sup>-25<sup>th</sup>, 2013 at the University of Sriwijaya Palembang, Indonesia