

Improving the Models of Internet Charging in Single Link Multiple Class QoS Networks

Irmeilyana Saidi Ahmad ¹

Email: imel_unsri@yahoo.co.id

Indrawati Indrawati ¹

Email: indrawati1006@gmail.com

Fitri Maya Puspita ^{1,*}

Email pipitmac140201@gmail.com

Lisma Herdayana ¹

Email lisma_herdayana@ymail.com

¹ Faculty of Mathematics and Natural Sciences, Universitas Sriwijaya, Jln. Raya Palembang-Prabumulih, Indralaya, Ogan Ilir Sumatera Selatan, 30662 Indonesia

Abstract

In this paper, an improved internet charging scheme in multiple QoS networks will be discussed. The objective is to obtain better solution than previous results conducted by previous research. ISPs need a new charging scheme to maximize the revenue and provide better services to customers. The model is set up by fixing the fixed base price, varying the quality premium and fixing the sensitivity price for user in each class. The model is considered as Mixed Integer Nonlinear Programming (MINLP) and that can be solved by LINGO 11.0 to obtain the optimal solutions. We compare three cases of original, modified one and modified two models depending with the fixing or varying parameters or variables. The results show that by improving the pricing scheme model, the user's sensitivity price in modified two cases will yield maximum profit for ISPs.

82.1. Introduction

Previous works on pricing scheme of QoS networks is due to [1–4]. They described the pricing scheme based auction to allocate QoS and maximize ISP's revenue. The solution of the optimization problem goes from single bottleneck link in the network and then they generalized into multiple bottleneck links using heuristic method. In their study, they used single QoS parameter-bandwidth. In their discussion, they focus on auction algorithm to find the optimal solution. Based on their idea, it is attempted to improve their mathematical formulation and combine it with mathematical formulation discussed by Byun and Chatterjee [5] (see in [6–11]) to show that by improving the models, ISP improve the profit, with the advantages of availability of base price, quality premium and quality premium to be measured.

AQ1

Recent studies have also been conducted to address problem of multiple service network, other kind of pricing scheme in network. Sain and Herpers [12] discussed problem of pricing in multiple service networks. They solve the internet pricing by transforming the model into optimization model and solved using Cplex software. Also, [13–15] discussed the new approach and new improved model of and got better results in getting profit maximization of ISP.

Although QoS mechanisms are available in some researches, there are few practical QoS network. Even recently a work in this QoS network proposed by [1–4], it only applies simple network involving one single route from source to destination.

So, the contribution is created by improving the mathematical formulation of to be simpler formulation in single link by taking into consideration the utility function, base price as fixed price or variable, quality premium as fixed prices and variable, index performance, capacity in one link, bandwidth required and also the user price sensitivity. The problem of internet charging scheme is considered as Mixed Integer Nonlinear Programming (MINLP) to obtain optimal solution by using LINGO 11.0 software. In this part, the comparison of two models is conducted in which whether decision variable is to be fixed of user admission to the class or not. This study focuses to fix the user's price sensitivity in each class. We consider cases of base price to be fixed and the quality premium to be fixed or vary depends on what target ISP would achieve. The Objective of ISP is to obtain maximum profit.

82.2. Research Method

Processing math: 94%

The idea basically generates from [1–5] and are improved in single link multi class QoS networks. We attempt to improve the models when we consider the cases to fix the user price sensitivity in each class.

The steps are taken as follows.

1. Determine the parameters and decision variables for original and modified models.
2. Determine the constraints for the models.
3. Determine the model formulation of Steps 1 and 2.
4. Form the model formulation of base price and quality premium as the constant value and base price as the constant and quality premium as the variable.
5. Analyze the results and conclude the results.

82.3. Results and Discussion

82.3.1. Assumptions

Assume that there is only one single network from source to destination since concentrate on service pricing scheme. Assume that the routing schemes are already set up by the ISP. As [2] pointed out, we have 2 parts of utility function namely, base cost which does not depend on resource consumption and cost which depends on resource consumption. The parameters and decision variables we set up are presented in Tables 82.1 and 82.2.

Table 82.1

Parameters for each case of internet charging scheme

Parameter for original model	
Q	Total bandwidth
V_i	Minimum bandwidth needed by user i
α_j	Base price for class j
Parameter for model modified 1 (α, β constants)	
α_j	Base price for class j
β_j	Premium quality having service performance f_j
Q	Total bandwidth
V_i	Minimum bandwidth needed by user i
c_j	Upper bound value for user i sensitivity price in class j
d_j	Upper bound for quality index in class j
Parameter for model modified 2 (α constant, β variable)	
Q	Total bandwidth
V_i	Minimum bandwidth needed by user i
α_j	Base price for class j
c_j	Upper bound value for user i sensitivity price in class j
d_j	Upper bound value for quality index in class j
f_i	Lower bound for premium quality in class j
g_i	Upper bound for premium quality in class j

Table 82.2

Decision variables for each case of internet charging scheme

Variable for original model	L_{Mj} : Minimum bandwidth for class j
	W_j : Sensitivity price for class j
	X_j : Final bandwidth for class j
Variable for modified model with α and β parameters	L_{Mj} : Minimum bandwidth for class j
	W_j : Sensitivity price for class j
	X_j : Final bandwidth for class j
	I_j : Quality index of class j
Variable for modified model with α parameter and β variable	L_{Mj} : Minimum bandwidth for class j
	W_j : Sensitivity price for class j
	X_j : Final bandwidth for class j
	I_j : Quality index of class j
	β_j : Premium quality of class j having service performance of I_j

82.3.2. Model Formulation

The model formulation follows from [10] except for and W_j we modify by varying or fixing the prices, for each case of original, modified and modified 1 with additional constraints if we set up and W_j as the parameters as follows.

82.1
82.2

82.3.3. The Solution for Original Model

In Table 82.3, the values of decision variables are given for original model. Final bandwidth (X_j) of user i is 1.234568. Minimum bandwidth for and is 1.234568 kbps. Sensitivity prices for class 1 and class 2, respectively (W_1 dan W_2) are 1.234568. We varies the base price 0.2/kbps and 0.3/kbps for all cases to promote the ISP goal to compete in market. Table 82.4 presents the solver status of the solver. Best objective is reached on value of 1.

Table 82.3

Decision variable values for original model proposed by [2]

Decision variables values

Processing math: 94%

Decision variables values			
α_1	0.2		1.234568
α_2	0.3		1.234568
β_1	–		1.234568
β_2	–		1.234568
Z_{11}	1		1.234568
Z_{12}	1		1.234568
Z_{21}	1	X_1	1.234568
Z_{22}	1	X_2	1.234568
	1.234568	I_1	–
	1.234568	I_2	–
	1.234568	W_1	1.234568
	1.234568	W_2	1.234568

Table 82.4

Solver status of original model proposed by [2].

Solver status	Model class	INLP
	State	Local optimal
	Infeasibility	0
	Iterations	4
Extended solver state	Solver type	Branch and bound
	Active	0
	Update interval	2
	GMU (K)	28
	ER (sec)	1
	Best objective	1
	Objective bound	1
	ESS	0
	TSI	4

Generated Memory Used (GMU) in Table 82.4 shows that the number of allocated memory used to run the solver. For original model, we have GMU of 28 K. Elapsed Runtime (ER) explains that the total time needed to solve the models and is affected by other application running in the system. ER is 1 s in 4 iterations. We got total profit of only 1 unit price.

82.3.4. The Solutions for Modified Model with α and β Fixed

We modified the models into 3 groups when W_j and as parameters, W_j as and as variable and lastly when W_j as variable with as parameter. Table 82.5 explains the variable values for modified models. We obtain final bandwidth () for each user is 400.346 kbps. Premium quality for user 1 is 0.01 and for user 2 of 0.02. Minimum bandwidth and is 0.01 kbps. The price sensitivity for class 1 and 2 respectively (W_1 and W_2) are 13 when W_j as variable and as parameter. We obtain $W_1 = 10$ and $W_2 = 12$ when W_j and W_{ij} as parameters also W_j as variable and W_{ij} as parameter. It means that ISP can vary the base price of 0.2 unit price/kbps and 0.3 unit price/kbps, for all cases to compete in the market.

Table 82.5

Decision variable values for modified model with α and β fixed

Variable	Modified model with α and β fixed		
	W_j Par Par	W_j Par Var	W_j Var Par
α_1	0.2	0.2	0.2
α_2	0.3	0.3	0.3
β_1	0.01	0.01	0.01
β_2	0.02	0.02	0.02
Z_{11}	1	1	0
Z_{12}	1	1	0
Z_{21}	1	1	1
Z_{22}	1	1	1
W_1	10	10	13
W_2	12	12	13
	12	10	12
	12	12	12
	15	10	15
	15	12	15
	400.346	400.346	400.346
	400.346	400.346	400.346
	400.346	400.346	400.346
	400.346	400.346	400.346
	0.01	0.01	0.01
	0.01	0.01	0.01
X_1	400.346	400.346	400.346
X_2	400.346	400.346	400.346
I_1	0.9	0.9	0.9
I_2	0.8	0.8	0.8

The highest GMU in this model is 29 K for each case as stated in Table 82.6. ER is 1 s when W_j and W_{ij} as parameter. Also, ER = 0 s for W_j as variable and as parameter, and last case when W_j as variable and W_{ij} as parameter. ESS is 0 since the solver applies the branch and bound solver. We can see that ISP can gain the maximum profit of 551.62 unit price if ISP sets W_j as variable and as parameter to enable ISP to recover cost.

Table 82.6

Solver status for modified model with α and β fixed

Solver status	W_j Par and Par	W_j Par Var	W_j Var Par
Model class	INLP		

Processing math: 94%

Solver status	W_j Par and Par	W_j Par Var	W_j Var Par
State	Local optimal		
Infeasibility	7.38964e-012	7.38964e-012	0
Iterations	5	5	7
Solver type	Branch and bound		
Active	0	0	0
Update interval	2	2	2
GMU (K)	29	29	29
ER (sec)	1	0	0
Best objective	467.34	467.34	551.62
Objective bound	467.34	467.34	551.62
ESS	0	0	0
TSI	5	5	7

82.3.5. The Solutions for Modified Model with α Fixed and β Vary

When we set up the modified model with α fixed and β vary, we group it into three categories namely when W_j and as parameter, W_j as parameter and as variable, dan lastly when W_j as variable and as variable. Table 82.7 shows the result of decision variables when we set up the modified model with α fixed and β vary. Final bandwidth () obtained by the users is 400.346 kbps. Premium quality for user 1 is 0.04 and for user 2 is 0.03. Minimum bandwidth for and is 0.01 kbps. Price sensitivity for class 1 and 2 (W_1 dan W_2) respectively is 13 when W_j as variable and as parameter while $W_1 = 10$ dan $W_2 = 12$ when W_j and W_{ij} as parameter and also when W_j as variable and W_{ij} as parameter. ISP enables to vary the base into 0.2/kbps dan 0.3/kbps to promote the available classes.

Table 82.7

Decision variables for modified model with α fixed and β vary

Var	Modified Model with α Fixed and β Vary		
	W_j Par Par	W_j Par Var	W_j Var Par
α_1	0.2	0.2	0.2
α_2	0.3	0.3	0.3
β_1	0.04	0.04	0.04
β_2	0.03	0.03	0.03
Z_{11}	1	1	0
Z_{12}	1	1	0
Z_{21}	1	1	1
Z_{22}	1	1	1
W_1	10	10	13
W_2	12	12	13
	12	10	12
	12	12	12
	10	15	

Processing math: 94%

Modified-Model with α Fixed and β Vary

Var	W_j Par Par	W_j Par Var	W_j Var Par
	15	12	15
	400.346	400.346	400.346
	400.346	400.346	400.346
	400.346	400.346	400.346
	400.346	400.346	400.346
	0.01	0,01	0.01
	0.01	0,01	0.01
X_1	400.346	400,346	400.346
X_2	400.346	400,346	400.346
I_1	0.9	0.9	0.9
I_2	0.8	0.8	0.8

The highest GMU presented in Table 82.8 is 30 K when W_j as parameter and W_{ij} as variable, meanwhile GMU = 29 K when W_j and as parameter, also when W_j as variable and W_{ij} as parameter. ER is 0 s for the case when W_j and W_{ij} as parameter, while ER = 1 s for W_j as variable and as parameter, also W_j as variable and W_{ij} as parameter. ESS is 0 for all cases. ISP can obtain maximum profit of 551.69 unit price when ISP sets up the case when W_j as variable and as parameter to enable ISP to recover cost.

Table 82.8

Solver status of modified model with α fixed and β vary

Solver status	W_j Par Par	W_j Par Var	W_j Var Par
Model Class	INLP		
State	Local optimal		
Infeasibility	7.38964e-012	7.38964e-012	0
Iterations	5	5	7
<i>Extended solver state</i>			
Solver type	Branch and bound		
Active	0	0	0
Update interval	2	2	2
GMU (K)	29	30	29
ER (sec)	0	1	1
Best objective	467.41	467.41	551.69
Objective bound	467.41	467.41	551.69
ESS	0	0	0
TSI	5	5	7

From Tables 82.4, 82.6 and 82.8 we can check that the best objective is achieved when ISP sets up either to fix the base price and quality premium to recover cost and to let user to choose the class; or to fix the base price and vary quality premium to

recover cost and ISP can promote certain services by adding the condition to the models by setting up the sensitivity price for user j to be fixed and the sensitivity price for user i in class j to be varied.

82.4. Conclusion

From the above discussion, we can see that by considering the new parameters, decision variables and the constraints, we can obtain the better maximum profit. ISP can adopt either the model of modified by fixing α and β ; or fixing α and varying β for W_j as variable and fixing α parameter to attain maximum value of 323.78 bps for each file and web traffic data.

Acknowledgments

The research leading to this study was financially supported by Directorate of Higher Education Indonesia (DIKTI) for support through Hibah Bersaing Tahun II, 2014.

References

1. Yang, W., Owen, H.L., Blough, D.M., Guan, Y.: An auction pricing strategy for differentiated service network. In: Proceedings of the IEEE Global Telecommunications Conference, IEEE (2003)
2. Yang, W.: Pricing network resources in differentiated service networks, in school of electrical and computer engineering. Ph.d. Thesis, Georgia Institute of Technology, pp. 1–111 (2004)
3. Yang, W., Owen, H., Blough, D.M.: A comparison of auction and flat pricing for differentiated service networks. In: Proceedings of the IEEE International Conference on Communications (2004)
4. Yang, W., Owen, H.L., Blough, D.M.: Determining differentiated services network pricing through auctions. In: Networking-ICN 2005, 4th International Conference on Networking April 2005 Proceedings, Part I. Reunion Island, France, Springer-Verlag Berlin Heidelberg (2005)
5. Byun, J., Chatterjee, S.: A strategic pricing for quality of service (QoS) network business. In: Proceedings of the Tenth Americas Conference on Information Systems, New York (2004)
6. Puspita, F.M., Seman, K., Sanugi, B.: Internet charging scheme under multiple QoS networks. In: The International Conference on Numerical Analysis & Optimization (ICeMATH 2011) 6–8 June 2011. Yogyakarta, Indonesia: Universita Ahmad dahlan, Yogyakarta (2011)
7. Puspita, F.M., Seman, K., Taib, B.M.: A comparison of optimization of charging scheme in multiple QoS networks. In: 1st AKEPT 1st Annual Young Reseachers International Conference and Exhibition (AYRC X3 2011) Beyond 2020: Today's Young Reseacher Tomorrow's Leader 19–20 December 2011. PWTC, Kuala Lumpur (2011)
8. Puspita, F.M., Seman, K., Taib, B.M., Shafii, Z.: Models of internet charging scheme under multiple QoS networks. In: International Conferences on Mathematical Sciences and Computer Engineering 29–30 November 2012. Kuala Lumpur, Malaysia (2012)
9. Puspita, F.M., Seman, K., Taib, B.M., Shafii, Z.: The improved formulation models of internet pricing scheme of multiple bottleneck link QoS networks with various link capacity cases. In: Seminar Hasil Penyelidikan Sektor Pengajian Tinggi Kementerian Pendidikan Malaysia ke-3 2013: Universiti Utara Malaysia
10. Puspita, F.M., Seman, K., Taib, B.M., Shafii, Z.: Improved models of internet charging scheme of single bottleneck link in multi QoS networks. *J. Appl. Sci.* **13**(4), 572–579 (2013)
11. Puspita, F.M., Seman, K., Taib, B.M., Shafii, Z.: Improved models of internet charging scheme of multi bottleneck links in multi QoS networks. *Aust. J. Basic Appl. Sci.* **7**(7), 928–937 (2013)
12. Sain, S., Herpers, S.: Profit maximisation in multi service networks—An optimisation model. In: Proceedings of the 11th European Conference on Information Systems ECIS 2003. Naples, Italy (2003)
13. Puspita, F.M., Seman, K., Taib, B.M., Shafii, Z.: A new approach of optimization model on internet charging scheme in multi service networks. *Int. J. Sci. Technol.* **2**(6), 391–394 (2012)
14. Puspita, F.M., Seman, K., Taib, B.M., Shafii, Z.: An improved optimization model of internet charging scheme in multi service networks. *TELKOMNIKA* **10**(3), 592–598 (2012)

15. Puspita, F.M., Seman, K., Taib, B.M., Shafii, Z.: An improved model of internet pricing scheme of multi service network in multiple link QoS networks. In: The 2013 International Conference on Computer Science and Information Technology (CSIT-2013). Universitas Teknologi Yogyakarta (2013)