## DEterminat HIV aids

by Rini Mutahar

Submission date: 12-May-2023 01:33PM (UTC+0700) Submission ID: 2091120775 File name: special202011\_30.pdf (138.6K) Word count: 2460 Character count: 12478



# Determinants of Indonesian People Attitudes Towards People Living with HIV/AIDS (PLWHA)

Rini Mutahar, Najmah, Yenni 20 Faculty of Public Health, University Sriwijaya Palembang, Indonesia.

#### ABSTRACT

| Introduction | Negative attitudes toward people with HIV/AIDS (PLWHA) can occur from          |  |  |  |  |
|--------------|--|--|--|--|--|
|              | various groups. Negat 22 attitude from the community can affect the            |  |  |  |  |
|              | psychological condition of people living with HIV. In addition, the reduction  |  |  |  |  |
|              | of stigma and discrimination in societ 16 an important indicator to measure    |  |  |  |  |
|              | the success of prevention programs of HIV/AIDS. The objective of the study     |  |  |  |  |
|              | was to determine the factors associated with the Indonesian people towards     |  |  |  |  |
|              | 19 WHA.  |  |  |  |  |
| Objective    | The purpose of this study assess the factors associated with the Indonesian    |  |  |  |  |
| •            | 7 ople attitudes towards PLWHA.  |  |  |  |  |
| Methodology  | This study use secondary data sourced from the Indonesia Demographic           |  |  |  |  |
|              | Health Survey 2007 which was a cross-sectional study. The study population     |  |  |  |  |
|              | was married men and women between the ages of 15-54 years and they have        |  |  |  |  |
|              | ever been heard about HIV/AIDS. The total respondents were 20.465 people.      |  |  |  |  |
| Results      | More than half respondent (58,3,1%) showed behavioral discrimination o         |  |  |  |  |
|              | stigma to PLWHA (people with HIV/AIDS) or show a negative attitude.            |  |  |  |  |
|              | Most of respondents (61.1%) said it would keep confidential HIV-positive       |  |  |  |  |
|              | status for his family. They worry that if HIV-positive status to know other    |  |  |  |  |
|              | people will show a variety of unfair treatment towards them like a shunned,    |  |  |  |  |
|              | mocked up to the restriction of their rights. The majority of respondents also |  |  |  |  |
|              | expressed do not want to buy vegetables from vendors who are HIV positive.     |  |  |  |  |
|              | The study found that Indonesian people attitudes towards PLWHA was             |  |  |  |  |
|              | significant associated with age, sex, place of residence, education,           |  |  |  |  |
|              | socioeconomic status, knowledge and perception.                                |  |  |  |  |
| Conclusions  | Increased community knowledge necessary to reduce the negative stigma          |  |  |  |  |
|              | against PLWHA and provides a balanced source of information not only           |  |  |  |  |
|              | about the dangers of HIV/AIDS but also social aspects such as the behavior     |  |  |  |  |
|              | of PLWHA's own discrimination or stigma the 7 receive.                         |  |  |  |  |
| Keywords     | HIV/AIDS, attitudes; PLWHA, people with HIV/AIDS                               |  |  |  |  |
|              |  |  |  |  |  |

#### INTRODUCTION

Acquired Immune Deficiency Syndrome (AIDS), is now regarded as the most severe pandemic 4 er occurred in the past two decades. AIDS is a collection of symptoms a disease caused by Human Immunodeficiency Virus (HIV) which damage the human immune system that weakens the immune system and infection and illness. Until now, HIV/AIDS is not just a health issue but has become a direct political and even economic issues are very serious in countries that are developing and can lead to poverty<sup>1</sup>.

Inc10esia is one country that experienced the highest increase in cases. The number of cases that occurred in Indonesia until the end of December 2008 has reached 16,110 cases of AIDS and 6,554 HIV cases. While the number of recorded deaths due to AIDS has reached 3,362 people. From all these AIDS patients, 12,061 patients were male with the highest spread through sexual contact<sup>2</sup>.

The high HIV-AIDS cases givide a very large impact on the social aspects of People Living with HIV/AIDS (PLWHA) as a variety of negative attitudes towards them. A study by Lau, J T F. Et al, obtained the result that 42% of respondents indicated a negative attitude towards PL 6 HA. Negative attitude means 42% of respondents would avoid physical contact with PLWHA, 35% of respondents believed that all infected medical staff should be dismissed and 47% would agree to enact laws that prohibit PLWHA visiting Hong Kong<sup>3</sup>.

There are many factors that affect a person's attitude towards PLWHA. A study conducted by Sullivan shows that there is a correlation between level of education, sosioeconomic, knowledge and occupation with attitude towards PLWHA. PLWHA should not to be shunned because they need the support and enthusiasm in continuing their life<sup>4</sup>.

#### 10

Hence, the objectives of this study were to assess the factors associated with the Indonesian people attitudes towards PLWHA.

#### 7IETHODS

This study uses secondary data of Indonesia Demographic Health Survey (IDHS) 2007, which was designed with cross sectional design. IDHS 2007 is the fifth IDHS held after IDHS 1991, 1994, 1997 and 2003. ID[1] implemented by the Central Statistics Agency (BPS) in cooperation with the National Family Planning Coordinating B[23] (BKKBN) and the Ministry of Health. IDHS is part of the internat[13] program Demographic and Health Survey (Demographic and Health Survey) designed to collect data for fertility, family planning (FP), as well as HIV/AIDS.

This study represents further analysis of data SDKI 2007 therefore the population and sample in this study is the population and sample of **5** HS 2007. Target population in this study is all men and women population aged 15-49 years in Indonesia. The population is the so **5** the of all respondents in the IDHS 2007. The study population was men and women aged 15-49 years who ever married and ever heard about HIV/AIDS. Researchers decided to take the entire population sample of this study based on inclusion criteria, :

- 1. Samples were of respondents IDHS 2007, which states ever heard of HIV / AIDS.
- 2. Respondents who answered a questionnaire about AIDS with the full will be selected as samples.

Variable attitudes derived by giving a score on each question item on the questionnaire and then sum. Respondents have a positive attitude, if the total score of respondents lower than the mean, and vice versa.

Data IDHS 2007 using a complex sampling design, so in this analysis considering the weights (weight) on each variable.

#### RESULTS

 Table 1 Characteristics of the study population

| Variables          | n      | %    |
|--------------------|--------|------|
| Age                |        |      |
| $\geq$ 34          | 10,532 | 51.5 |
| < 34               | 9,933  | 48.5 |
| Sex                |        |      |
| Women              | 14,477 | 70.7 |
| Men                | 8,716  | 29.3 |
| Place of residence |        |      |
| Urban              | 11,381 | 55.6 |
| Rural              | 9,084  | 44.4 |
| Education          |        |      |
| Low                | 6,385  | 31.2 |
| High               | 14,080 | 68.8 |

| Social economic |        |      |  |
|-----------------|--------|------|--|
| High            | 11,749 | 57.4 |  |
| Low             | 8,716  | 42.6 |  |
| Total           | 20,465 | 100  |  |

Among the respondents, 51.5% were aged more than 34 years. Most of the respondents (70.76%) were women. More than half respondents lives in urban area (55.6%) and 31.2% had finished secondary school. As shown in table 2, over 50% of the respondents gave a correct answer to questions on HIV related knowledge. About 33.4% 24 perceived that they can get AIDS from 3 osquito bites; nearly 40% perceived that they can get AIDS by sharing food w12 person who has AIDS. About 77.6% perceived that a healthy person can have AIDS.

#### Table 2 HIV related knowledge, perceptions and attitudes about PLWHA

| Questions  | Yes          | No           | Don't Know  |
|--|--------------|--------------|-------------|
|  | (%)          | (%)          | (%)         |
| 2 nowledge about HIV AIDS  |              |              |             |
| 1. Reduce risk of getting AIDS by not having sex at all                              | 13181 (64,4) | 5126 (25,0)  | 2158 (10,5) |
| <ol> <li>Reduce chances of AIDS by always<br/>using condoms during sex</li> </ol>    | 13459 (65,8) | 4089 (20,0)  | 2917 (14,3) |
| <ol> <li>Reduce chance of AIDS: have 1 sex<br/>partner with no other part</li> </ol> | 15346 (75,0) | 3312 (16,2)  | 1807 (8,8)  |
| 4. AIDS transmit. during pregnancy   | 17582 (85,9) | 1248 (6,1)   | 1635 (8,0)  |
| 5. AIDS transmit. during delivery  | 15114 (73,9) | 2671 (13,1)  | 2681 (13,1) |
| 6. AIDS transmit. by breastfeeding   | 16739 (81,8) | 1765 (8,6)   | 1961 (9,6)  |
| Perception toward HIV AIDS   |              |              |             |
| 1. Get AIDS from mosquito bites  | 6841 (33,4)  | 10176 (49,7) | 3348 (16,8) |
| 2. Get AIDS by sharing food with person who has AIDS                                 | 8067 (39,4)  | 9807 (47,9)  | 2591 (12,7) |
| 3. (12) a healthy person have AIDS   | 15877 (77,6) | 2226 (10,9)  | 2362 (11,5) |
| 4. Can get AIDS by witchcraft or<br>supernatural means                               | 1440 (7,0)   | 17001 (83,1) | 2024 (9,9)  |
| Attitudes Towards PLWHA  |              |              |             |
| 1. Allowed to keep AIDS infection secret   | 6711 (32,8)  | 12503 (61,1) | 1251 (6,1)  |
| 2. Willing to care for relative with AIDS  | 14006 (68,4) | 4812 (23,5)  | 1647 (8,0)  |
| 3. Person with AIDS allowed to continue teaching                                     | 9357 (46,6)  | 8435 (41,2)  | 2493 (12,2) |
| 4. Would buy vegetables from vendor with AIDS  | 7458 (36,4)  | 11651 (56,9) | 1356 (6,6)  |

 Table 3
 Relationship between socio demographic factors, knowledge, perception, and stress status

| Variable           | Category | P value | 94        | CI 95%  |
|--------------------|----------|---------|-----------|---------|
| Age                | ≥ 34     | 0,000   | Reference | 1,4-1,6 |
| -                  | < 34     |         | 1,5       |         |
| Place of residence | Rural    | 0,000   | Reference | 1,3-1,5 |
|                    | Urban    |         | 1,4       |         |
| Sex                | Women    | 0,000   | Reference | 0,8-0,9 |
|                    | Men      |         | 0,8       |         |
| Sosioeconomic      | Low      | 0,000   | Reference | 1,3-1,5 |
|                    | High     |         | 1,4       |         |
| Education          | High     | 0,000   | Reference | 0,6-0,6 |
|                    | Low      |         | 0,6       |         |
| Knowledge          | Low      | 0,000   | Reference | 1,2-1,4 |
|                    | High     |         | 1,3       |         |
| Perception         | Positive | 0,000   | Reference | 0,6-0,7 |

#### Negative

Table 3 presents the odds ratio of attitudes towards PLWHA by type of demographic, **15** ception and knowledge. Young people were more likely than older people (OR = 1.5; 95% CI 1.4 - 1.6) to have negative attitude towards PLWHA. People who lives in urban area had 1.4fold increase in the risk for negative attitudes towards PLWHA compared to people who lives in rural area (OR = 1.4; 95% CI 1.3 - 1.5). Women were less likely than men (OR = 0.8; 95% CI 0.8-0.9) to have negative attitude towards PLWHA. People9 with high economic status had a risk 1.4 times more likely to be negative attitudes towards people living with HIV than the people with low economic status (OR = 1.4; 95% CI 1.3 - 1.5).

#### DISCUSSION

This study was an analysis of secondary data that is IDHS 2007. IDHS 2007 is the fifth survey conducted in Indonesia. The sample used in SDKI 2007 obtained through several stages of stratification. So that the resulting number of samples can represent the entire population of Indonesia.

However, the study has several limitations, self reported data may be subjected to presentation bias, and the existence of bias would be underestimated the degree of discriminatory attitudes. Secondly, the cross sectional study would not allow for inference of causality.

In this study, 20.465 respondents who were selected. Among the respondents, 58.31% showed behavioral discrimination or stigma to PLWHA (people with HIV / AIDS) or show a negative attitude. The results showed that the attitude of the Indonesia people of PLWHA have significant relationship among all variables, namely age, gender, place of residence, level of knowledge and perception.

Based on the results of the analysis conducted found that most of respondents (61.1%) said it would keep confidential HIV-positive status for his family. They worry that if HIV-positive status to know other people will show a variety of unfair treatment towards them like a shunned, mocked up to the restriction of their rights.

The majority of respondents also expressed do not want to buy vegetables from vendors who are HIV positive. Given the negative attitude will give a tremendous impact on people living with physical and psychological aspects to them. As already known that those with positive HIV status will experience a variety of opportunistic infections associated with HIV infection. Deteriorating physical condition will be further exacerbated by the emergence of a variety of discrimination or stigma from the people around 0,7

them. In addition, the reduction of stigma or discrimination in society is an important indicator to measure the success of HIV prevention programs and AIDS<sup>5</sup>.

The study found a significant relationship between age and attitudes towards PLWHA. This is consistent with previous studies<sup>3, 4</sup>. The more a person is exposed to a stimulus or object, will increasingly influence the judge or someone acting on the stimulus or object. Age a person will relate to cognitive development, moral reasoning, psychosexual development and social development<sup>6,7</sup>.

The study also found people with low educational level were less likely than people with high economic status (OR = 0.6; 95% CI 0.6-0.7) to have negative attitude towards PLWHA. The results of this study was also supported by several studies<sup>4,8</sup>. Characteristics affect the formation of attitude because someone has a different way and abilities in shaping perceptions. What information you want, how to interpret that information and what information is still remembered, depending on individual characteristics, such as education level, age, gender, personality, and others. Therefore, low education level of someone who is not necessarily a negative attitude towards ODHA<sup>9</sup>.

More than half respondents with high knowledge level show negative attitudes to PLWHA. The higher the better one's knowledge of the behavior of the person but in this case occurred otherwise. This may just be because the more someone knows about HIV AIDS, then they will be more wary of it. If someone does not know what they are likely to be HIV AIDS ordinary like dealing with other diseases in general.

#### CONCLUSIONS

More than half respondent (58,3,1%) showed behavioral discrimination or stigma to PLWHA (people with HIV/AIDS) or show a negative attitude. Factors that significant with Indonesia people attitudes towards PLWHA are age, gender, education, sosioeconomic status, place of residence, knowledge and perception. Increased community knowledge necessary to reduce the negative stigma against PLWHA and provides a balanced source of information not only about the dangers of HIV/AIDS but also social aspects such as the behavior of PLWHA's own discrimination or stigma they receive.

#### REFERENCES

1. National AIDS Commission. Strategi Nasional Penanggulangan HIV/AIDS 2003-2007. Kementerian Koordinator Bidang Kesejahteraan Rakyat. Jakrta,


2003. Available from: http://spiritia.or.id/art/pdf/a1056.pdf.[Acce ssed 3rd March 2010].

- Ministry of Health, 2008. Statistik Kasus HIV/AIDS di Indonesia. From :http://spiritia.or.id/Stats/StatCurr.pdf [Accessed 3rd Feb 2011].
- Lau, J T F, et al. Discriminatory attitudes towards people living with HIV AIDS and associated factors : a population based study in the Chinese general population [on line]. Sex. Transm. Inf. 2005;81;113-119.
- Sullivan, S.G. et.al. Stigmatizing attitudes and behaviors toward PLWHA in rural China[on line]. *AIDS Care*, 2010 Jan; 22(1):104-11.
- Central Statistics Agency. Indonesia Demographic Health Survey 2007. Survei Demografi Kesehatan Indonesia (SDKI) Indonesia, 2007.
- Notoatmodjo, Soekidjo. Promosi Kesehatan Dan Ilmu Perilaku. Jakarta: Rineka Cipta, 2007.
- Hadi, et al. Pengetahuan, Sikap dan Perilaku Remaja Jakarta Tentang Seks Aman dan Faktor yang Berhubungan. Jakarta : Fakultas Kedokteran Universitas Pembangunan Nasional, 2008
- Perrin, Georges. 2010. A Comparativa Analysis of the Attitudes towards People Living with HIV/AIDS between Haiti and the Dominican Republic, [on line]. From : [Accessed 9<sup>th</sup> June 2010].
- Simamora, Bilson. 2008. Panduan Riset Perilaku Konsumen. [on line] dari http://www. books.google.co.id [29 juli 2010].

### DEterminat HIV aids

#### ORIGINALITY REPORT

| ORIGINALIT | Y REPORT                  |                               |                           |                      |
|------------|---------------------------|-------------------------------|---------------------------|----------------------|
| SIMILARIT  | <b>%</b><br>TY INDEX      | 10% INTERNET SOURCES          | <b>7%</b><br>PUBLICATIONS | 6%<br>STUDENT PAPERS |
| PRIMARY SC | OURCES                    |                               |                           |                      |
|            | Submitte<br>Student Paper | d to Far Easter               | n University              | 2%                   |
|            | Submitte<br>Student Paper | d to North We                 | st University             | 1 %                  |
| 5          | www.thai                  | science.info                  |                           | 1 %                  |
| 4          | 123dok.co                 | om                            |                           | 1 %                  |
| j j        | •                         | tive-health-<br>omedcentral.c | om                        | 1 %                  |
|            | Submitte<br>Student Paper | d to Kingston l               | Jniversity                | 1 %                  |
|            | www.digi                  | lib.ui.ac.id                  |                           | 1 %                  |
|            | Submitte<br>Educatior     | -                             | Kong Institute            | of <b>1</b> %        |
|            |                           |                               |                           |                      |



Internet Source

17



|    |   | <b>\</b> |
|----|---|----------|
| 18 | www.seu-roma.it<br>Internet Source  | <1 %     |
| 19 | e-journal.akperakbid-bhaktihusada.ac.id   | <1%      |
| 20 | komsi.staff.gunadarma.ac.id   | <1 %     |
| 21 | www.tandfonline.com   | <1%      |
| 22 | Choi-Fung Ho, Sheila Twinn, Karis K.F. Cheng.<br>"Quality of life constructs of Chinese people<br>living with HIV/AIDS", Psychology, Health &<br>Medicine, 2010<br>Publication  | <1 %     |
| 23 | Ingrid E. Swenson. "Factors influencing infant<br>mortality in Vietnam", Journal of Biosocial<br>Science, 07/1993<br>Publication  | <1%      |
| 24 | Enyinnaya Ukaegbu, Raushan Alibekova, Syed<br>Ali, Byron Crape, Alpamys Issanov. "Trends of<br>HIV/AIDS knowledge and attitudes among<br>Nigerian women between 2007 and 2017<br>using Multiple Indicator Cluster Survey data",<br>BMC Public Health, 2022<br>Publication | <1%      |

| Exclude quotes       | Off |
|----------------------|-----|
| Exclude bibliography | On  |

Exclude matches Off