



hary\_widjajanti unsri &lt;hary\_widjajanti@unsri.ac.id&gt;

---

## [STI] Article Review Request

1 pesan

---

Prof. Aldes Lesbani <scitechindones@gmail.com>  
Kepada: Hary Widjajanti <hary\_widjajanti@unsri.ac.id>

8 Juli 2022 pukul 22.10

Hary Widjajanti:

I believe that you would serve as an excellent reviewer of the manuscript, "Synthesis and Study of Structural Properties of Calcium Oxide Nanoparticles Produced by Laser-Induced Plasma and its Effect on Antibacterial Activity," which has been submitted to Science and Technology Indonesia. The submission's abstract is inserted below, and I hope that you will consider undertaking this important task for us.

Please log into the journal web site by 2022-07-15 to indicate whether you will undertake the review or not, as well as to access the submission and to record your review and recommendation.

The review itself is due 2022-07-20.

Submission URL: <https://scitechindonesia.com/index.php/jsti/reviewer/submission?submissionId=531&reviewId=553&key=RPKP24>

Thank you for considering this request.

Prof. Aldes Lesbani  
[admin@scitechindonesia.com](mailto:admin@scitechindonesia.com)

"Synthesis and Study of Structural Properties of Calcium Oxide Nanoparticles Produced by Laser-Induced Plasma and its Effect on Antibacterial Activity"

A LIBS technique was used to investigate the antibacterial activity of calcium nanoparticles (CaO NPs). CaO NPs were prepared using a Q-switched Nd: YAG pulsed laser with a fundamental wavelength of 1064 nm at different energies (400-600 mJ) and constant frequency (6 Hz). A calcium powder sample was prepared after being pressed into a disc with a diameter of 1 cm. Analyzing (XRD) diffraction showed crystalline structure of CaO NPs, crystalline size was  $30.99\pm 2$  and  $34.20\pm 2.2$  nm for laser energy 500 and 600 mJ. (FE-SEM) to reveal the topography of produced CaO NPs, the results showed a homogenous compact and dense surface with formation CaO NPs like flakes, cubes and tubes. Atomic force microscopy (AFM) has shown that the CaO NPs were nanoscale and had a coordinated surface structures. The results also revealed the stabilizing zeta potential of the prepared CaO NPs, average (ZP)  $-18.3\pm 1.6$  mV in 600 mJ and  $-8.8\pm 2.3$  mV for 500 mJ. Different laser energies used in preparing CaO NPs resulted in varying *Klebsiella pneumonia* and *Staphylococcus aureus* bacterial killing percentages. Complete bacterial inhibition or cell growth inactivation was found when the laser energy in preparing the CaO NPs was 600 mJ.

**Science and Technology Indonesia**

*A Peer-Reviewed Research Journal of Science and Technology*

p-ISSN: 2580-4405 | e-ISSN: 2580-4391

**E-mail:** [admin@sciencetechindonesia.com](mailto:admin@sciencetechindonesia.com) | [sciencetechindonesia@gmail.com](mailto:sciencetechindonesia@gmail.com)

**Homepage:** <http://sciencetechindonesia.com/index.php/jsti>



hary\_widjajanti unsri &lt;hary\_widjajanti@unsri.ac.id&gt;

---

**[STI] Submission Review Reminder**

1 pesan

---

**Prof. Aldes Lesbani** <scitechindones@gmail.com>  
Kepada: Hary Widjajanti <hary\_widjajanti@unsri.ac.id>

11 Agustus 2022 pukul 15.30

Hary Widjajanti:

Just a gentle reminder of our request for your review of the submission, "Synthesis and Study of Structural Properties of Calcium Oxide Nanoparticles Produced by Laser-Induced Plasma and its Effect on Antibacterial Activity," for Science and Technology Indonesia. We were hoping to have this review by 2022-07-20, and would be pleased to receive it as soon as you are able to prepare it.

Submission URL: <https://scitechindonesia.com/index.php/jsti/reviewer/submission?submissionId=531&reviewId=553&key=J2UG9V>

Please confirm your ability to complete this vital contribution to the work of the journal. I look forward to hearing from you.

Prof. Aldes Lesbani  
[admin@scitechindonesia.com](mailto:admin@scitechindonesia.com)

**Science and Technology Indonesia**

*A Peer-Reviewed Research Journal of Science and Technology*

p-ISSN: 2580-4405 | e-ISSN: 2580-4391

**E-mail:** [admin@scitechindonesia.com](mailto:admin@scitechindonesia.com) | [scitechindonesia@gmail.com](mailto:scitechindonesia@gmail.com)

**Homepage:** <http://scitechindonesia.com/index.php/jsti>



**hary\_widjajanti unsri** <hary\_widjajanti@unsri.ac.id>

---

**sti-review-assignment-531-manuscript-3090**

1 pesan

---

**hary\_widjajanti unsri** <hary\_widjajanti@unsri.ac.id>  
Kepada: sciencetechindonesia@gmail.com

13 Agustus 2022 pukul 19.13

Dear Chief Editor STI,

I send sti-reviewed-assignment-531-manuscript-3090.

Best regards,  
Hary Widjajanti

---

 **sti-review-assignment-531-manuscript-3090.docx**  
1494K



**hary\_widjajanti unsri** <hary\_widjajanti@unsri.ac.id>

---

## Thank Reviewer

2 pesan

---

**Aldes Lesbani** <sciencetechindonesia@gmail.com>  
Kepada: hary\_widjajanti unsri <hary\_widjajanti@unsri.ac.id>

14 Agustus 2022 pukul 22.30

Dear Dr. Hary Widjajanti,

Thank you for completing the review of the submission, "Synthesis and Study of Structural Properties of Calcium Oxide Nanoparticles Produced by Laser-Induced Plasma and its Effect on Antibacterial Activity," for Science and Technology Indonesia. We appreciate your contribution to the quality of the work that we publish.

Sincerely Yours,

Editor-in-Chief

**Prof. Aldes Lebani, Ph.D.**

Science & Technology Indonesia

<http://sciencetechindonesia.com>

---

 **Certificate (Dr. Hary Widjajanti).pdf**  
175K

---

**hary\_widjajanti unsri** <hary\_widjajanti@unsri.ac.id>  
Kepada: Aldes Lesbani <sciencetechindonesia@gmail.com>

25 Agustus 2022 pukul 18.58

Dear Editor in Chief Prof. Aldes lesbani, Ph. D

I have received the sertificate. Thank you very much for your appreciation to me.

Best regards

Hary Widjajanti

[Kutipan teks disembunyikan]

# Synthesis and Study of Structural Properties of Calcium Oxide Nanoparticles Produced by Laser-Induced Plasma and its Effect on Antibacterial Activity

## Abstract

A LIBS technique was used to investigate the antibacterial activity of calcium nanoparticles (CaO NPs). CaO NPs were prepared using a Q-switched Nd: YAG pulsed laser with a fundamental wavelength of 1064 nm at different energies (400-600 mJ) and constant frequency (6 Hz). A calcium powder sample was prepared after being pressed into a disc with a diameter of 1 cm. Analyzing (XRD) diffraction showed crystalline structure of CaO NPs, crystalline size was  $30.99 \pm 2$  and  $34.20 \pm 2.2$  nm for laser energy 500 and 600 mJ. (FE-SEM) to reveal the topography of produced CaO NPs, the results showed a homogenous compact and dense surface with formation CaO NPs like flakes, cubes and tubes. Atomic force microscopy (AFM) has shown that the CaO NPs were nanoscale and had a coordinated surface structures. The results also revealed the stabilizing zeta potential of the prepared CaO NPs, average (ZP)  $-18.3 \pm 1.6$  mV in 600 mJ and  $-8.8 \pm 2.3$  mV for 500 mJ. Different laser energies used in preparing CaO NPs resulted in varying *Klebsiella pneumoniae* and *Staphylococcus aureus* bacterial killing percentages. Complete bacterial inhibition or cell growth inactivation was found when the laser energy in preparing the CaO NPs was 600 mJ.

**Keywords:** CaO NPs, CaO AFM, CaO Induced Plasma, CaO NPs FE-SEM, CaO NPs Zeta Potential, Laser Ablation.

## 1. INTRODUCTION

Nanotechnology has rekindled interest in medical and biological research, with the goal of advancing the area of nanomedicine as a result of its introduction (Mukherjee and Bhattacharyya 2020). Numerous types of nanomaterials that improve the efficacy of delivery methods used in treating a wide range of disorders have been produced throughout the years (Nasrollahzadeh et al. 2019). Even though nanoparticles offer substantial benefits owing to their unique nanoscale features, there are still major problems in the improvement and development of nanoformulations with composites and other materials, as well as in the creation of new nanomaterials (Chin, Juwono, and Yong 2022; Kargozar and Mozafari 2018). Calcium oxide nanoparticles (CaO NPs) have a wide range of medicinal and biological uses because of its non-toxicity, biocompatibility,

and high porosity and surface area to volume ratio (d'Amora et al. 2020). Calcium oxide nanoparticles constitute a part of the alkaline metal group, which are reactive, soft metals, calcium is the fifth most abundant element in the Earth's crust (Chen et al. 2020). Calcium exhibits dull grey-silver appearance (Habte et al. 2019). In addition to various biological and industrial usages as an alloying agent (Habte et al. 2019; Shen et al. 2020). CaO NPs, nanodots or nanopowders are cubic or hexagonal high surface area particles (Hussein et al. 2020). Nanoscale calcium particles are typically 10–80 nm with specific surface areas in the range 30–60 m<sup>2</sup>/g (Vergaro et al. 2015). Various nano/microparticles have been developed and optimized to increase efficacy and maintain the targeting of cancer cells, among these materials. (Kiranda et al. 2018; Singh et al. 2018) synthesis

## GENERAL COMMENT

Please follow the STI journal :Commented [R1] template

*pneumoniae* :Commented [R2]

How many percent? :Commented [R3]

and showed CaO NPs are an extremely important biomaterial determined by their properties such as morphology (shape), structure (size), specific surface area, and chemical purity. Maleki Dizaj et al. (2019) also Succeeded in synthesis CaO NPs and indicated possibility to use in drug delivery because of their outstanding biocompatibility and ability to rapidly enter bacteria and cancer cells, calcium oxide nanoparticles and microparticles are believed to be the best carriers for drug delivery. Mukherjee and Bhattacharyya (2020) have successfully explain using LIBS and increased need for new high-productivity sterilization and disinfection technologies that are easy to implement and do not require high temperatures, this trend has taken on a significant amount of significance in recent years. As a result of their distinct features from their bulk equivalents, nanomaterials have attracted a significant deal of attention in recent years(Nasrollahzadeh et al. 2019). Nanomaterials, which are incredibly small in size and have a large surface area, have demonstrated significant biological activity in the human body(Contera, Bernardino de la Serna, and Tetley 2020). Essential in biomedicine(Ciofani 2018). In spite of this, our present understanding of the behavior of nanomaterials in relation to human health is still insufficient(Abedin, Asmatulu, and Andalib 2021). The growth of nanotechnology for biomedical applications necessitates the development of a chemical-free production technique(Chin et al. 2022). As well as having the potential to change health, nanotechnology has already posed significant regulatory issues for the scientific communities working in the

### 2.2. CaO NPs Preparation

A pressure of 10 tons was applied on a 2 g sample of pure micro-calcium powder using a hydraulic press. The calcium sample was prepared and compressed under 8 tons of

field of nanomedicine(Kabir et al. 2018). Materials with unique qualities at the nanoscale can address critical medical demands; these materials are already being utilized as the base for a novel therapy or medicine for biological and other applications(Nikaeen, Abbaszadeh, and Yousefinejad 2020). For this reason, we employed CaO NPs to increase the killing impact of LIBS on oral bacteria (*Staphylococcus aureus* and *Klebsiella pneumoniae*) in the teeth. The combined laser-induced plasma and CaO NPs treatment, on the other hand, produced severe bacteria cell damage, resulting in the loss of intracellular components from many bacterial cells and death of bacteria(Ahmadian et al. 2018).

## 2. EXPERIMENTAL SECTION

### 2.1. Laser-Induced Plasma System Setup

An Nd-YAG laser with a fundamental wavelength of 1064 nm and at varying energies (400–600 mJ) at 6 Hz was used in the study. Calcium powder with a purity content of 99.99%, purchases from (E. MERCK, D-6100 Darmstadt, F.R. Germany, Manufactured in Germany, 945/ZA7777553). A calcium sample was placed 10 cm away from the laser head to expose it to bombardment and prepare calcium oxide nanoparticles. The angle of the bombing operation of the calcium sample was 90° vertically. The experiment was performed at normal atmospheric pressure. Figure-1 shows the laser-induced plasma system with the calcium sample target.

pressure for 15 min. The sample used for laser bombardment was circular with a diameter of 1 cm. Where the calcium sample was placed in a 10 ml beaker with distilled water at a distance of

*pneumoniae*:Commented [R4]

10 cm from the aperture of the laser system, then laser bombardment of the calcium sample was performed at different number pulses (100–300) of the used energies (400–600 mJ). During the bombardment, the molecules from the laser-induced plasma interact with the liquid inside the beaker, producing a series of reactions with the calcium surface and leading to a change in the color of the liquid and resulting in calcium oxide nanoparticles with characteristics that depend on the different energies used to prepare nanoparticles. The characterisation of the produced CaO NPs nanoparticles was carried out in Iran at the University of Kashan for XRD (XPRT PAANALITICAL PHILLIPS HOLLAND), FE-SEM, EDS (TESCN MIRA3 FRENCH), and TEM, with Zeta Potential (HORBIA Scientific SZ-100 Poland).


### 2.3. Types of Bacteria Used

Two strains of bacteria used in the study, Gram-negative *Klebsiella pneumoniae* and gram-positive *Staphylococcus aureus*, were obtained from the Central Environmental Laboratory at the University of Baghdad-College of Science. Nutritional broths were prepared by dissolving 37 g powder in 1 liter of distilled water. For the purpose of bacteria growth, we used, which is Mueller Hinton Agar, both types of bacteria isolated then identified by biochemical test and Vitek system from clinical blaque tooth and prepared with the nutritional broth Mueller Hinton Agar.

### 2.4 Inoculum Preparation and CaO NPs Exposure

Two strains of bacteria, *Klebsiella pneumoniae* and *Staphylococcus aureus*, were cultured on

nutritional broth for 24 hours at 37 °C to prepare the inoculum. The samples were suspended overnight in sterile water to prepare the final inoculum concentration that contains CaO NPs. The quantity of the microorganisms was expressed in terms of colony-forming units (CFU). The initial cell concentrations of *S. aureus* and *K. pneumoniae* bacteria were  $9 \times 10^{10}$  and  $9.9 \times 10^{10}$  CFU/mL, respectively. The laser-induced plasma system was used to generate CaO NPs, which were then carefully swabbed the bacterial on a petri dish after adding 0.1 ml of Cao NPs to a petri dish containing bacteria grown in a nutrient broth. The treated dishes were then placed in an incubator for 24 h at 37 °C. The extent of inhibitory or killing activity was then determined for all the treated dishes. This method was used to evaluate the response of both types of bacteria to CaO NPs.



**Figure 1.** Schematic the of Laser-Induced Plasma Setup for Preparing Calcium Oxide Nanoparticles.

## 3. RESULTS AND DISCUSSION

### 3.1. Investigation of the Crystal Structure

bacterial cell :Commented [R6]

Write down the reference :Commented [R7]


*pneumoniae* :Commented [R5]

It is shown in Figure-2 that the CaO NPs X-ray diffraction (XRD) pattern had an angular range of 30° to 80°. The spectrum of calcium oxide nanoparticles produced by laser-induced plasma at 500 and 600 mJ for 300 shots, and it absolutely fits crystalline structure of CaO the reference card no. (82-1691) with the appearance of a number of different peaks at 500 and 600 mJ which observed at  $2\theta = (34.38^\circ)$  ( $38.02^\circ$ ) ( $54.83^\circ$ ) ( $65.13^\circ$ ) ( $67.59^\circ$ ), the clear figure of the XRD spectrum indicates that the intensity of the peaks at laser energy 600 mJ is slightly higher than the intensity of the peaks at 500 mJ preparing the CaO nanoparticles, and these results are consistent with the results of EDX spectrum analysis. Whereas, the increase in the laser energy and the interaction of laser pulses with the calcium sample in the beaker had an effect on the size of the prepared CaO nanoparticles. The crystal size of the synthesized CaO nanoparticles was calculated from the Debye–Scherrer equation (Preetham et al. 2016):

$$D(A^\circ) = k \lambda / \beta \cos \theta \quad (1)$$

Where in this expression, D crystal size,  $\beta$ : full width at half maximum of the peak (FWHM),  $\lambda$  represent X-ray wavelength (1.54 Å), K is the shape factor which is always close to unity (0.9). As it the apparent peaks in the figure also confirm its agreement with the research and literature published by other researchers to prepare calcium oxide nanoparticles (Preetham et al. 2016), where the crystallite size of the prepared nanoparticles is estimated to be about  $30.991 \pm 2$  nm at 600 mJ and  $34.202 \pm 2.2$  nm at 500 mJ. Clearly, from Figures-2 A and 2B, the highest peak was at  $38.02^\circ$  for the laser energies 500 and 600 mJ, while the lowest peak was at the angle  $67.59^\circ$ , where the anisotropy increases

with an increase in particle size. In addition, the presence of stacking errors may reduce a coherent scattering area along the direction or at the top ( $38.02^\circ$ ) compared to other directions (Anantharaman, Ramalakshmi, and George 2016).




**Figure 2.** XRD Patterns of Calcium Nanoparticles Prepared by Laser-Induced Plasma at A) 600 and B) 500 mJ

### 3.2 Atomic Force Microscopy of Calcium Oxide Nanoparticles


Calcium nanorods with an average diameter of 46.56 nm, an average particle size of 22.19 nm, and roughness of 11.38 nm were formed at 500 mJ; Some spherical calcium nanoparticles were observed, as depicted in Figures-3 and fig. 4. The particle size distribution of CaO NPs ranged from 55 to 125 nm with a mean value of 49.87 nm, as shown in Figure-3. At 600 mJ, the CaO NPs had an average diameter of 30.62 nm, an average particle size of 14.76 nm, a roughness of 7.518 nm, and mean value of particle size of 41.09 nm from the distribution plot, as shown in

Equation formula : **Commented [R8]**

Figure 4. The formation of calcium nanoparticles at an energy of 600 mJ is similar to layer-by-layer formation and appears more interconnected and uniform. The interaction occurs extremely quickly when the laser beam exiting the lens comes in contact with the calcium sample in the beaker, resulting in clusters of uniform size and symmetry, this compatible with (Bala et al. 2017).



**Figure 3.** 3D Image AFM of Calcium Oxide Nanoparticles Prepared by Laser-Induced Plasma at 500 mJ.




**Figure 4.** 3D Image AFM of Calcium Oxide Nanoparticles Prepared by Laser-Induced Plasma at 600 mJ.

### 3.3 Scanning Electron Microscopy (SEM) Analysis of CaO NPs

The surface morphology of calcium oxide nanoparticles prepared by laser-induced plasma at 500 and 600 mJ are shown in Figures-5 and 6, respectively. Energy-dispersive X-ray spectroscopy (EDX) was also performed to determine the concentration of elements in a solution of calcium oxide nanoparticles, where it is confirmed formation CaO, analyzing the chemical composition of produced CaO samples was done using the EDX technique. The EDX

spectrum shows that the nanoparticles include peaks associated to Ca and O elements. There were no additional impurities in the nanoparticles, as confirmed by the EDX examination. The EDX spectra show that the LIBS approach synthesis CaO nanoparticles. The results reveal that raising the laser energy produced exceedingly small particles, agreeing with previous research(Hussein et al. 2020). Two laser (500 and 600) mJ were employed to record percentages of the Ca and O components as shown in Figure-7. In the FE-SEM of calcium oxide nanoparticles, the photos depict the magnification that was used showed morphology and uniform surface area. We can see from the images and zoom view that the results in formation nanostructure of calcium oxide particles for used energies, the image shows a variety of shapes of synthesised calcium oxide nanoparticles with a number of spaces between the nanoparticles, which become denser when the laser energy used increased from 500 to 600 mJ. These nanoparticles were characterized by tubes with diameters in the nanoscale that formed grids connected like flakes, cubes, tubes and flowers. The calcium oxide nanoparticles exhibited a uniform distribution, as shown in Figures-5 and fig. 6.




**Figure 5.** FE-SEM Images of Calcium Oxide Nanoparticles Prepared by Laser-Induced Plasma at 500 mJ.

Give a description of the picture, :Commented [R9]  
what is picture 1 and picture 2


synthesised :Commented [R11]

Give a description of the picture, :Commented [R10]  
what is picture 1 and picture 2

Give a description of the picture, :Commented [R12]  
what is picture 1 and picture 2





**Figure 6.** FE-SEM Images of Calcium Oxide Nanoparticles Prepared by Laser Induced Plasma at 600 mJ.



**Figure-7.** EDX Spectrum of Calcium Oxide Nanoparticles Prepared at Laser Energies 500 and 600 mJ.

### 3.4. Zeta Potential (ZP) of CaO NPs

When the dispersion medium and stationary fluid layer are coupled to a dispersed particle, the zeta potential is the difference in potential between the two media. The stability of colloidal dispersions is indicated by the value of the zeta potential. Electrostatic stabilization is achieved in colloids with high zeta potential (negative or positive), whereas coagulation and flocculation are achieved in colloids with low zeta potentials (Clogston and Patri 2011). Figure-8 shows the zeta-potential of calcium oxide nanoparticles prepared by laser-induced plasma at 500 and 600 mJ. Where the average measurements of zeta potential (ZP) values  $-8.8 \pm 2.3$  mV at laser energy 500 mJ, whereas average zeta potential  $-18.3 \pm 1.6$  mV at 600 mJ, indicate they have high degree of stability, the high values of ZP mean that the synthesized CaO NPs are highly charged particles and in



**Figure-8.** Zeta Potential of Calcium Oxide Nanoparticles Prepared by Laser Induced Plasma at 500 and 600 mJ.

turns will prevent the aggregation and agglomeration via their large repulsion force. At first laser energy 500 mJ calcium oxide nanoparticles with ZP of  $-8.8 \pm 2.3$  mV indicates that they have low dispersion, which leads to some particles aggregation and or agglomeration, coagulation, or flocculation due to Van der Waals attraction force, whereas CaO NPs at laser energy 600 mJ have ZP  $-18.3 \pm 1.6$  mV considered better colloidal stability condition. Nanoparticles agglomerate due to their high free surface energy and huge surface area.

Give a description of the picture, :Commented [R13] what is picture 1 and picture 2

### 3.5. CaO NPs Cell Growth Inactivation of

#### *S. aureus* and *K. pneumoniae*

Figure-9 shows the *Staphylococcus aureus* and *Klebsiella pneumoniae* after being cultured on a petri dish in nutrient media for 24 hours in the incubator and before exposing both types of bacteria to CaO NPs. The number of colonies was  $9 \times 10^{10}$  colonies/mL for *Staphylococcus aureus* and  $9.9 \times 10^{10}$  colonies/mL for *Klebsiella pneumoniae*. The effects of CaO NPs differed based on the type of bacteria used, as well as the laser energy used in the creation of the CaO and the laboratory conditions. According to NPs the results, different laser energies inhibited bacteria cells in different laser shots, indicating that the quantity of CaO NPs created as well as the size of the nanoparticles is a significant influence on the inhibition rates for both types of bacteria. The calcium ions dissolved in the distilled water during the preparation of nanoparticles had a significant effect and were responsible for inhibiting bacteria during nanoparticle preparation using different laser energies.




Figure 9. *Staphylococcus Aureus* and *Klebsiella Pneumoniae* bacteria Before CaO NPs Treatment.

It is expected that the positively charged surface of gram-negative bacteria, which is at near to neutral pH due to the presence of lipopolysaccharides, will interact with the negatively charged surface of nanoparticles, resulting in the suppression of enzyme synthesis in the bacteria (Singh et al. 2021). Metal oxide nanoparticles induce ROS production in bacteria (Rambabu et al. 2021). Evidence suggests that metal ions produced by nanoparticles interfere with and block enzymes in the respiratory chain (Gur et al. 2022). As a result of this process, singlet oxygen, hydroxyl radicals, hydrogen peroxide, superoxide anions, and other ROS are generated and stored, the interaction of nanoparticles with bacterial cells causes cell membrane leakage, induces oxidative stress, and ultimately leads to cell death. CaO NPs prepared at 400, 500 and 600 mJ, concentration of solutions of CaO NPs showed proportional directly with number of pulses, where at 400 mJ with different pulses (100, 200 and 300) the concentration of the prepared CaO NPs was 33, 47.4 and 64.3 mg/L respectively, and the concentration in 500 mJ for the same shots was 49.6, 71.2 and 84.75 mg/L respectively, also at 600 mJ the concentration 55.8, 79.7 and 94 mg/L for the same pulses. Therefore, 100 shots resulted in the least concentrated and least effective bacterial activity in all laser energies. The three different number of shots were used for each type of bacteria. The gram-positive bacteria, *Staphylococcus aureus*, showed a stronger cohesion in their cell wall than the gram-negative bacteria *Klebsiella pneumoniae*, as shown in Figure-10. In *Staphylococcus aureus*

Commented [R14]: Compare with the results of other people's research

Already written in the method, no :Commented [R15] need to write again


The sentence is too long, split it :Commented [R18] into several sentences

concentration :Commented [R19]

*aureus* :Commented [R16]

*pneumoniae* :Commented [R17]

bacteria, at the laser energy 400 mJ the number of colony was  $5.1 \times 10^{10}$  and  $1.3 \times 10^{10}$  Colony/mL at the concentration of 33 and 47.4 mg/L for number of pulses (100-200) respectively, and at 300 pulse we get perfect killing at the same energy 400 mJ. Also at 500 mJ the number of colony was  $4.4 \times 10^{10}$  and  $1.8 \times 10^{10}$  Colony/mL at the concentration of 49.6 and 71.2 mg/L for number of pulses (100-200) respectively, and at 300 pulses we get also perfect killing. As well as, at laser energy 600 mJ for different laser shots we get on perfect killing for *Staphylococcus aureus* bacteria.



**Figure-10.** Plots of *S. Aureus* and *K. Pneumoniae* bacteria Before and After Treatment by CaO NPs at Different Laser Energies (400-600 mJ) and Varying pulses (100-300).

The first concentration 33 mg/L at 400 mJ and 100 pulse, the CaO NPs did not reach higher


concentration, therefore, the number of calcium ions emitted from the sample in the solution was very low, and the same was true for the second concentration 47.4 mg/L for 200 pulse, the concentration of CaO NPs in the solution increased in order to increase the laser energy and number of shots, so the number of emitted and interacting ions was more than in the first time, and at the last 300 pulse, the concentration of CaO NPs increased, so the result of the effectiveness and impact of these particles was higher than in the previous two cases. At 500 mJ, the concentration of nanoparticles increased from that of 400 mJ for all number of shots because of increased laser energy. Thus at 100 pulse at 500 mJ, the concentration of CaO NPs was 49.6 mg/L, higher than that at 400 mJ for the same number of pulses, increasing the effectiveness of the nanoparticles in killing bacteria. Because an increased inhibition with increased laser energy, we may conclude that calcium oxide nanoparticles in laser-induced plasma systems work best when exposed to diverse laser energies at different pulses. Toxic effects are mostly induced by direct contact between calcium oxide nanoparticles and the cell wall of the bacteria; therefore, the cell wall plays a key role in preventing cell rupture and the subsequent exocytosis of cell components that leads to bacterial death (Gudkov et al. 2021). Figure-10 indicates that for *Klebsiella pneumoniae* bacteria, the numbers of colonies were  $4.3 \times 10^{10}$  and  $1.8 \times 10^{10}$  colonies/mL when the CaO NPs concentrations were 33 (100 pulse) and 47.4 mg/L (200 pulse), respectively, at 400 mJ. All the bacteria were killed when the CaO NPs were prepared at 300 pulse. At 500 mJ, the numbers of colonies were  $4.9 \times 10^{10}$  and  $1.5 \times 10^{10}$  colonies/mL when the CaO NPs concentrations were 49.6 (100 pulse) and 71.2 mg/L (200

Give a description of the picture, :Commented [R20] what is picture 1 and picture 2

Which is *Staphylococcus aureus* and which is *Klebsiella pneumoniae*?

In the graph it is called the killing percentage (arrow), the data should be in %, but if the unit is cfu/mL it means the number of bacteria


pulse), respectively. Similar to the CaO NPs prepared at 400 mJ, all the bacteria were killed when the CaO NPs were prepared at 300 pulse at 500 mJ. At 600 mJ, all the *Klebsiella pneumoniae* bacteria were killed, regardless of the shots. The cell wall in this bacteria is less resistant than that of gram-positive bacteria, as shown in Figure-11; the percentage of bacterial inhibition or cell growth inactivation increased when the laser energy for preparation of CaO NPs increased. The cell wall of *Klebsiella pneumoniae* bacteria offered less impedance to the positive cell wall(Gur et al. 2022; Wang, Yang, and Liu 2022).



**Figure 11.** *Staphylococcus Aureus* Bacteria After Treatment by CaO NPs at Different Laser Energies (400-600 mJ) and Laser pulses (100-300).

In gram-positive bacteria, the cell walls are coated with thick peptidoglycan, but in gram-negative bacteria, an additional outer membrane formed of lipopolysaccharides is present. Carbohydrates (cellulose) and proteins create a multi-sheath stiff complex that makes up the cell wall(Xie et al. 2011). In *Klebsiella pneumoniae* bacteria, the peptidoglycan layer is much thinner than that in *Staphylococcus aureus*. Due to the lack of the thick peptidoglycan layer in gram-

positive *Klebsiella pneumoniae* bacteria, they are more susceptible to cell wall disintegration when CaO NPs interact with the cell wall. Gram-negative *Klebsiella pneumoniae* bacteria may also be vulnerable to nanoparticles because they are coated with lipopolysaccharide molecules that have a negative charge, as shown in Figure 12(Li et al. 2014).



**Figure 12.** *Klebsiella pneumoniae* Bacteria After CaO NPs Treatment at Different Laser Energies (400-600 mJ) and Laser pulses (100-300).

#### 4. CONCLUSION

Calcium oxide nanoparticles (CaO NPs) were synthesized by laser-induced plasma at different laser energies (400-600 mJ) and pulses (100-300). The XRD pattern showed crystalline structure and several peaks from CaO NPs at (500-600 mJ); the results showed crystalline size 30.99 nm in 600 mJ whereas crystalline size was 34.20 nm in 500 mJ. EDX revealed the presence of calcium and oxygen at different percentages in 500 and 600 mJ. FE-SEM images revealed the morphology of nanoparticles and agglomeration of CaO NPs, including in the form of tubes and flakes, where the average diameter was 46.56 and 30.62 nm for 500 and 600 mJ, respectively,

Not listed in the reference :Commented [R21]

as clearly nanoscale and had a coordinated surface structures as in AFM images, with a degree of stability of average zeta potential  $-18.3 \pm 1.6$  mV in 600 mJ and  $-8.8 \pm 2.3$  mV for 500 mJ for laser energy, two types of bacteria were exposed to CaO NPs, and different bacterial killing percentages with complete bacteria killing were obtained at 600 mJ and different bacterial killing percentages for other energies used (400-500) mJ.

## 5. ACKNOWLEDGEMENT

We would like to express gratitude and grateful thanks and deeply extend thanks to the plasma laboratory in physics department-college of sciences/Baghdad University. And finally, we offer gratitude to everyone who gave us the inspiration to continue the thorough knowledge path.

### Conflicts of interest

No conflict of interest among authors.

### References

Abedin, Farhana, Eylem Asmatulu, and Mohammad Nahid Andalib. 2021. "Nanomaterials and Human Health: An Overview." *Nanotoxicology and Nanoecotoxicology* Vol. 2 165–80.

Agarwal, Happy, Soumya Menon, S. Venkat Kumar, and S. Rajeshkumar. 2018. "Mechanistic Study on Antibacterial Action of Zinc Oxide Nanoparticles Synthesized Using Green Route." *Chemico-Biological Interactions* 286:60–70.

Ahmadian, Elham, Shahriar Shahi, Javad Yazdani, Solmaz Maleki Dizaj, and Simin Sharifi. 2018. "Local Treatment of the Dental Caries Using Nanomaterials." *Biomedicine & Pharmacotherapy* 108:443–47.

Anantharaman, Ashwini, S. Ramalakshmi, and Mary George. 2016. "Green Synthesis of Calcium Oxide Nanoparticles and Its Applications." *Int. Journal of Engineering Research and Application* 6(10):27–31.

Bala, Whitelin Annie, V. S. Benitha, K. Jeyasubramanian, G. S. Hikku, Padmavathy Sankar, and S. Vignesh Kumar. 2017. "Investigation of Anti-Bacterial Activity and Cytotoxicity of Calcium Fluoride Nanoparticles." *Journal of Fluorine Chemistry* 193:38–44.

Barhoum, Ahmed, H. M. Ibrahim, T. F. Hassanein, G. Hill, François Reniers, Thierry Dufour, Marie-Paule Delplancke, Guy Van Assche, and Hubert Rahier. 2014. "Preparation and Characterization of Ultra-Hydrophobic Calcium Carbonate Nanoparticles." P. 12037 in *IOP Conference Series: Materials Science and Engineering*. Vol. 64. IOP Publishing.

Breijyeh, Zeinab, Buthaina Jubeh, and Rafik Karaman. 2020. "Resistance of Gram-Negative Bacteria to Current Antibacterial Agents and Approaches to Resolve It." *Molecules* 25(6):1340.

Chen, Peiyuan, Yonghui Wang, Shicheng He, Pengju Wang, Ying Xu, and Liheng Zhang. 2020. "Green Synthesis of Spherical Calcium Hydroxide Nanoparticles in the Presence of Tannic Acid." *Advances in Materials Science and Engineering* 2020. doi: 10.1155/2020/9501897.

Chin, Bridgid L. F., Filbert H. Juwono, and Kelvin S. C. Yong. 2022. "Nanotechnology and Nanomaterials for Medical Applications." Pp. 63–87 in *Nanotechnology for Electronic Applications*. Springer.

Ciofani, Gianni. 2018. *Smart Nanoparticles for Biomedicine*. Elsevier.

Clogston, Jeffrey D., and Anil K. Patri. 2011.

The sentence is too long, split it :Commented [R22] into several sentences

Commented [R25]: This reference source is not referred in this article

Commented [R26]: This reference source is not referred in this article

Commented [R23]: This reference source is not referred in this article

Commented [R24]: This reference source is not referred in this article

- “Zeta Potential Measurement.” Pp. 63–70 in *Characterization of nanoparticles intended for drug delivery*. Springer.
- Contera, Sonia, Jorge Bernardino de la Serna, and Teresa D. Tetley. 2020. “Biotechnology, Nanotechnology and Medicine.” *Emerging Topics in Life Sciences* 4(6):551–54.
- d’Amora, Marta, Freddy Liendo, Fabio A. Deorsola, Samir Bensaid, and Silvia Giordani. 2020. “Toxicological Profile of Calcium Carbonate Nanoparticles for Industrial Applications.” *Colloids and Surfaces B: Biointerfaces* 190(October 2019):110947. doi: 10.1016/j.colsurfb.2020.110947.
- Gudkov, Sergey V., Dmitriy E. Burmistrov, Dmitriy A. Serov, Maxim B. Rebezov, Anastasia A. Semenova, and Andrey B. Lisitsyn. 2021. “A Mini Review of Antibacterial Properties of ZnO Nanoparticles.” *Frontiers in Physics* 9(March):1–12. doi: 10.3389/fphy.2021.641481.
- Gur, Tuğba, Ismet Meydan, Hamdullah Seckin, Muhammed Bekmezci, and Fatih Sen. 2022. “Green Synthesis, Characterization and Bioactivity of Biogenic Zinc Oxide Nanoparticles.” *Environmental Research* 204:111897.
- Habte, Lulit, Natnael Shiferaw, Dure Mulatu, Thriveni Thenepalli, Ramakrishna Chilakala, and Ji Whan Ahn. 2019. “Synthesis of Nano-Calcium Oxide from Waste Eggshell by Sol-Gel Method.” *Sustainability* 11(11):3196.
- Hajipour, Mohammad J., Katharina M. Fromm, Ali Akbar Ashkarran, Dorleta Jimenez de Aberasturi, Idoia Ruiz de Larramendi, Teofilo Rojo, Vahid Serpooshan, Wolfgang J. Parak, and Morteza Mahmoudi. 2012. “Antibacterial Properties of Nanoparticles.” *Trends in Biotechnology* 30(10):499–511.
- Hunter, Robert J. 2013. *Zeta Potential in Colloid Science: Principles and Applications*. Vol. 2. Academic press.
- Hussein, Abbas Ibrahim, Zuryati Ab-Ghani, Ahmad Nazeer Che Mat, Nur Atikah Ab Ghani, Adam Husein, and Ismail Ab. Rahman. 2020. “Synthesis and Characterization of Spherical Calcium Carbonate Nanoparticles Derived from Cockle Shells.” *Applied Sciences* 10(20):7170.
- Jain, Devendra, Shivani, Ali Asger Bhojiya, Himmat Singh, Hemant Kumar Daima, Mandeep Singh, Santosh Ranjan Mohanty, Bjorn John Stephen, and Abhijeet Singh. 2020. “Microbial Fabrication of Zinc Oxide Nanoparticles and Evaluation of Their Antimicrobial and Photocatalytic Properties.” *Frontiers in Chemistry* 8(September):1–11. doi: 10.3389/fchem.2020.00778.
- Jubeh, Buthaina, Zeinab Breijyeh, and Rafik Karaman. 2020. “Resistance of Gram-Positive Bacteria to Current Antibacterial Agents and Overcoming Approaches.” *Molecules* 25(12):2888.
- Kabir, Ehsanul, Vanish Kumar, Ki-Hyun Kim, Alex C. K. Yip, and J. R. Sohn. 2018. “Environmental Impacts of Nanomaterials.” *Journal of Environmental Management* 225:261–71.
- Kargozar, Saeid, and Masoud Mozafari. 2018. “Nanotechnology and Nanomedicine: Start Small, Think Big.” *Materials Today: Proceedings* 5(7):15492–500.
- Kiranda, Hanan Karimah, Rozi Mahmud, Danmaigoro Abubakar, and Zuki Abubakar Zakaria. 2018. “Fabrication, Characterization and Cytotoxicity of Spherical-Shaped Conjugated Gold-

**Commented [R28]:** This reference source is not referred in this article

**Commented [R29]:** This reference source is not referred in this article

**Commented [R30]:** This reference source is not referred in this article

**Commented [R27]:** This reference source is not referred in this article

- Cockle Shell Derived Calcium Carbonate Nanoparticles for Biomedical Applications.” *Nanoscale Research Letters* 13(1):1–10. doi: 10.1186/s11671-017-2411-3.
- Li, Bei, Yuling Zhao, Changting Liu, Zhenhong Chen, and Dongsheng Zhou. 2014. “Molecular Pathogenesis of Klebsiella Pneumoniae.” *Future Microbiology* 9(9):1071–81.
- Li, Luk Chiu, and Yi Shi. 2013. “Zeta Potential.” Pp. 3875–87 in *Encyclopedia of Pharmaceutical Science and Technology, Fourth Edition*. CRC Press.
- Maleki Dizaj, Solmaz, Mohammad Barzegar-Jalali, Mohammad Hossein Zarrintan, Khosro Adibkia, and Farzaneh Lotfipour. 2015. “Calcium Carbonate Nanoparticles as Cancer Drug Delivery System.” *Expert Opinion on Drug Delivery* 12(10):1649–60.
- Maleki Dizaj, Solmaz, Simin Sharifi, Elham Ahmadian, Aziz Eftekhari, Khosro Adibkia, and Farzaneh Lotfipour. 2019. “An Update on Calcium Carbonate Nanoparticles as Cancer Drug/Gene Delivery System.” *Expert Opinion on Drug Delivery* 16(4):331–45.
- Mukherjee, Anindit, and Sohinee Bhattacharyya. 2020. “Nanotechnology in Medicine.” Pp. 57–64 in *Biotechnology Business-Concept to Delivery*. Springer.
- Naser, Dalya K., Ahmed K. Abbas, and Kadhim A. Aadim. 2020. “Zeta Potential of Ag, Cu, ZnO, CdO and Sn Nanoparticles Prepared by Pulse Laser Ablation in Liquid Environment.” *Iraqi Journal of Science* 61(10):2570–81. doi: 10.24996/ij.s.2020.61.10.13.
- Nasrollahzadeh, Mahmoud, S. Mohammad Sajadi, Mohaddeseh Sajjadi, and Zahra Issaabadi. 2019. “An Introduction to Nanotechnology.” Pp. 1–27 in *Interface science and technology*. Vol. 28. Elsevier.
- Nikaeen, Ghazal, Sepideh Abbaszadeh, and Saeed Yousefinejad. 2020. “Application of Nanomaterials in Treatment, Anti-Infection and Detection of Coronaviruses.” *Nanomedicine* 15(15):1501–12.
- Preetham, Halugondanahalli Sadashivaiah, Gattumane Motappa Madhu, Brijesh Brijesh, and K. Vasantha Kumar Pai. 2016. “High Temperature CO<sub>2</sub> Sorption Using Ca(OH)<sub>2</sub> in Pilot Scale Packed Column.” *European Journal of Chemistry* 7(2):176–81. doi: 10.5155/eurjchem.7.2.176-181.1391.
- Rambabu, K., G. Bharath, Fawzi Banat, and Pau Loke Show. 2021. “Green Synthesis of Zinc Oxide Nanoparticles Using Phoenix Dactylifera Waste as Bioreductant for Effective Dye Degradation and Antibacterial Performance in Wastewater Treatment.” *Journal of Hazardous Materials* 402:123560.
- Ranjan, Rakesh, Shirish Dadarao Narnaware, and Nitin Vasantrao Patil. 2018. “A Novel Technique for Synthesis of Calcium Carbonate Nanoparticles.” *National Academy Science Letters* 41(6):403–6.
- Shen, Chenchen, Rui Li, Jianzhong Pei, Jun Cai, Tao Liu, and Yang Li. 2020. “Preparation and the Effect of Surface-Functionalized Calcium Carbonate Nanoparticles on Asphalt Binder.” *Applied Sciences (Switzerland)* 10(1). doi: 10.3390/app10010091.
- Singh, Jitendra Pal, Weon Cheol Lim, Sung Ok Won, Jonghan Song, and Keun Hwa Chae. 2018. “Synthesis and Characterization of Some Alkaline-Earth-Oxide Nanoparticles.” *Journal of the Korean Physical Society* 72(8):890–99.
- Singh, Th Abhishek, Anirudh Sharma, Neeraj

**Commented [R31]:** This reference source is not referred in this article

**Commented [R33]:** This reference source is not referred in this article

**Commented [R32]:** This reference source is not referred in this article

Tejwan, Noyel Ghosh, Joydeep Das, and Parames C. Sil. 2021. "A State of the Art Review on the Synthesis, Antibacterial, Antioxidant, Antidiabetic and Tissue Regeneration Activities of Zinc Oxide Nanoparticles." *Advances in Colloid and Interface Science* 295:102495.

Sohn, Hong Yong, and Arun Murali. 2021. "Plasma Synthesis of Advanced Metal Oxide Nanoparticles."

Starsich, Fabian H. L., Inge K. Herrmann, and Sotiris E. Pratsinis. 2019. "Nanoparticles for Biomedicine: Coagulation during Synthesis and Applications." *Annual Review of Chemical and Biomolecular Engineering* 10:155–74.

Vergaro, Viviana, Elisabetta Carata, Elisa Panzarini, Francesca Baldassare, Luciana Dini, and Giuseppe Ciccarella. 2015. "Synthesis of Calcium Carbonate Nanocrystals and Their Potential Application as Vessels for Drug Delivery." *AIP Conference Proceedings* 1667(June 2015). doi: 10.1063/1.4922570.

Vimbela, Gina V., Sang M. Ngo, Carolyn Frazee, Lei Yang, and David A. Stout. 2017. "Antibacterial Properties and Toxicity from Metallic Nanomaterials." *International Journal of Nanomedicine* 12:3941–65. doi: 10.2147/IJN.S134526.

Wang, Lucy L., Chengbo Yang, and Song Liu. 2022. "Development and Antibacterial Activity of Zinc Oxide Nanoparticles Encapsulated in Core–Shell Microparticles for Managing Enterotoxigenic Escherichia Coli-Related Post-Weaning Diarrhea." *Applied Nanoscience* 1–10.

**Commented [R34]:** This reference source is not referred in this article

**Commented [R35]:** This reference source is not referred in this article





# CERTIFICATE OF RECOGNITION

p-ISSN: 2580-4405 e-ISSN:2580-4381


Indexed by SCOPUS, DOAJ, Crossref, Sinta, and Portal Garuda

THIS CERTIFICATE IS AWARDED TO

**Dr. Hary Widjajanti, M.Si.**

In recognition for your valuable contribution as reviewer in the peer reviewer process to maintain the quality and high academic standards of the journal

Indonesia, Palembang, 14 August 2022



Prof. Aldes Lesbani, Ph.D  
Editor in Chief