

## DAFTAR PUSTAKA

- [1] N. Zhu *et al.*, “A Novel Coronavirus from Patients with Pneumonia in China, 2019,” *N. Engl. J. Med.*, vol. 382, no. 8, pp. 727–733, 2020, doi: 10.1056/nejmoa2001017.
- [2] X. Xu *et al.*, “A Deep Learning System to Screen Novel Coronavirus Disease 2019 Pneumonia,” *Engineering*, vol. 6, no. 10, pp. 1122–1129, 2020, doi: 10.1016/j.eng.2020.04.010.
- [3] H. Munusamy, J. M. Karthikeyan, G. Shriram, S. Thanga Revathi, and S. Aravindkumar, “FractalCovNet architecture for COVID-19 Chest X-ray image Classification and CT-scan image Segmentation,” *Biocybern. Biomed. Eng.*, vol. 41, no. 3, pp. 1025–1038, 2021, doi: 10.1016/j.bbe.2021.06.011.
- [4] F. Song *et al.*, “Emerging Coronavirus 2019-nCoV Pneumonia.,” *Radiology*, 2019.
- [5] T. Tinaliah and T. Elizabeth, “Peningkatan Kualitas Citra X-Ray Paru-Paru Pasien Covid-19 Menggunakan Metode Contrast Limited Adaptive Histogram Equalization,” *J. Teknol. Inf.*, vol. 4, no. 2, pp. 345–349, 2020, doi: 10.36294/jurti.v4i2.1709.
- [6] S. S. Sumijan, A. W. Purnama, and S. Arlis, “Peningkatan Kualitas Citra CT-Scan dengan Penggabungan Metode Filter Gaussian dan Filter Median,” *J. Teknol. Inf. dan Ilmu Komput.*, vol. 6, no. 6, p. 591, 2019, doi: 10.25126/jtiik.201966870.
- [7] A. Desiani, D. A. Zayanti, R. Primartha, F. Efriliyanti, and N. A. C. Andriani, “Variasi Thresholding untuk Segmentasi Pembuluh Darah Citra Retina,” *J. Edukasi dan Penelit. Inform. JEPIN*, vol. 7, no. 2, pp. 255–262, 2021.
- [8] B. Nugroho, W. S. J. Saputra, and E. Y. Puspaningrum, “Pengenalan Multi-Wajah Menggunakan Metode Ekstraksi Fitur Viola Jones Untuk Presensi Perkuliahan,” in *Seminar Nasional informatika (SANTIKA)*, 2019, pp. 6–11.
- [9] M. R. Khilmawan and A. A. Riadi, “Implementasi Pengurangan Noise pada Citra Tulang Menggunakan Metode Median Filter dan Gaussian Filter,” *JUPI (Jurnal Ilm. Penelit. dan Pembelajaran Inform.)*, vol. 3, no. 2, pp. 116–121, 2018, doi: 10.29100/jupi.v3i2.865.
- [10] M. M. Sebatubun, “Peningkatan Kualitas Citra X-Ray Paru-Paru Menggunakan Contrast Limited Adaptive Histogram Equalization dan Gaussian Filter,” in *Seminar Riset Teknologi Informasi (SRITI)*, 2016, pp. 241–247.
- [11] P. Chlap, H. Min, N. Vandenberg, J. Dowling, L. Holloway, and A. Haworth, “A review of medical image data augmentation techniques for deep learning applications,” *J. Med. Imaging Radiat. Oncol.*, vol. 65, no. 5, pp. 545–563, 2021, doi: 10.1111/1754-9485.13261.

- [12] C. Shorten and T. M. Khoshgoftaar, “A Survey on Image Data Augmentation for Deep Learning,” *J. Big Data*, vol. 6, no. 60, 2019.
- [13] T. A. Soomro *et al.*, “Deep Learning Models for Retinal Blood Vessels Segmentation: A Review,” *IEEE Access*, vol. 7, pp. 71696–71717, 2019, doi: 10.1109/ACCESS.2019.2920616.
- [14] S. Ahuja, B. K. Panigrahi, N. Dey, V. Rajinikanth, and T. K. Gandhi, “Deep transfer learning-based automated detection of COVID-19 from lung CT scan slices,” *Appl. Intell.*, vol. 51, no. 1, pp. 571–585, 2021, doi: 10.1007/s10489-020-01826-w.
- [15] V. Kumar, T. Lal, P. Dhuliya, and D. Pant, “A study and comparison of different image segmentation algorithms,” *Proc. - 2016 Int. Conf. Adv. Comput. Commun. Autom. (Fall), ICACCA 2016*, 2016, doi: 10.1109/ICACCAF.2016.7749007.
- [16] M. Kiran, I. Ahmed, N. Khan, and A. G. Reddy, “Chest X-ray segmentation using Sauvola thresholding and Gaussian derivatives responses,” *J. Ambient Intell. Humaniz. Comput.*, vol. 10, no. 10, pp. 4179–4195, 2019, doi: 10.1007/s12652-019-01281-7.
- [17] O. Ronneberger, P. Fischer, and T. Brox, “U-Net: convolutional networks for biomedical image segmentation,” *Springer Int. Publ.*, 2015, doi: 10.1007/978-3-319-24574-4.
- [18] S.-H. Wang *et al.*, “Multiple Sclerosis Identification by 14-Layer Convolutional Neural Network With Batch Normalization, Dropout, and Stochastic Pooling,” *Front. Neurosci.*, vol. 12, 2018, doi: 10.3389/fnins.2018.00818.
- [19] X. Y. Zhou and G. Z. Yang, “Normalization in Training U-Net for 2-D Biomedical Semantic Segmentation,” *IEEE Robot. Autom. Lett.*, vol. 4, no. 2, pp. 1792–1799, 2019, doi: 10.1109/LRA.2019.2896518.
- [20] S. Ioffe and C. Szegedy, “Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift,” *Proc. 32nd Int. Conf. Mach. Learn. Lille, Fr. 2015*, vol. 37, pp. 1–9, 2015, doi: 10.1080/17512786.2015.1058180.
- [21] N. M. Aboelenein, P. Songhao, A. Koubaa, A. Noor, and A. Afifi, “HTTU-Net: Hybrid Two Track U-Net for Automatic Brain Tumor Segmentation,” *IEEE Access*, vol. 8, pp. 101406–101415, 2020, doi: 10.1109/ACCESS.2020.2998601.
- [22] L. Liu, L. Mou, X. X. Zhu, and M. Mandal, “Skin Lesion Segmentation Based on Improved U-net,” *2019 IEEE Can. Conf. Electr. Comput. Eng. CCECE 2019*, pp. 1–4, 2019, doi: 10.1109/CCECE.2019.8861848.
- [23] A. L. Aswathy, A. H. S., and V. C. Vinod, “COVID-19 diagnosis and severity detection from CT-images using transfer learning and back propagation neural network,” *J. Infect. Public Health*, vol. 14, no. 10, pp.

- 1435–1445, 2021, doi: 10.1016/j.jiph.2021.07.015.
- [24] D. Sarwinda, R. H. Paradisa, A. Bustamam, and P. Anggia, “Deep Learning in Image Classification using Residual Network (ResNet) Variants for Detection of Colorectal Cancer,” *Procedia Comput. Sci.*, vol. 179, no. 2019, pp. 423–431, 2021, doi: 10.1016/j.procs.2021.01.025.
- [25] E. Paladini, E. Vantaggiato, F. Bougourzi, C. Distanto, A. Hadid, and A. Taleb-Ahmed, “Two Ensemble-CNN Approaches for Colorectal Cancer Tissue Type Classification,” *J. Imaging*, vol. 7, no. 3, p. 51, 2021, doi: 10.3390/jimaging7030051.
- [26] A. Keles, M. B. Keles, and A. Keles, “COVID-19-CNN and COVID-19-ResNet: Diagnostic Inference Engines for Early Detection of COVID-19,” *Cognit. Comput.*, no. 0123456789, 2021, doi: 10.1007/s12559-020-09795-5.
- [27] Z. Karhan and F. Akal, “Covid-19 Classification Using Deep Learning in Chest X-Ray Images,” *TIPTEKNO 2020 - Tip Teknol. Kongresi - 2020 Med. Technol. Congr. TIPTEKNO 2020*, pp. 2021–2024, 2020, doi: 10.1109/TIPTEKNO50054.2020.9299315.
- [28] K. Ali, Z. A. Shaikh, A. A. Khan, and A. A. Laghari, “Multiclass skin cancer classification using EfficientNets – a first step towards preventing skin cancer,” *Neurosci. Informatics*, vol. 2, no. 4, p. 100034, 2022, doi: 10.1016/j.neuri.2021.100034.
- [29] M. Tan and Q. V. Le, “EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks,” in *Proceedings of the 36th International Conference on Machine Learning*, 2019, pp. 6105–6114.
- [30] S. Chaudhary, V. Jakhethiya, B. N. Subudhi, U. Baid, and S. C. Guntuku, “Detecting Covid-19 and Community Acquired Pneumonia Using Chest CT Scan Images with Deep Learning,” in *ICASSP 2021 - 2021 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2021, pp. 8583–8587.
- [31] X. Chen *et al.*, “Application of EfficientNet-B0 and GRU-based deep learning on classifying the colposcopy diagnosis of precancerous cervical lesions,” *Cancer Med.*, no. July 2022, pp. 1–10, 2023, doi: 10.1002/cam4.5581.
- [32] C. Wang *et al.*, “Pulmonary image classification based on inception-v3 transfer learning model,” *IEEE Access*, vol. 7, pp. 146533–146541, 2019, doi: 10.1109/ACCESS.2019.2946000.
- [33] W. Li *et al.*, “Classification of High-Spatial-Resolution Remote Sensing Scenes Method Using Transfer Learning and Deep Convolutional Neural Network,” *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, vol. 13, no. X, pp. 1986–1995, 2020, doi: 10.1109/JSTARS.2020.2988477.
- [34] S. Sharma, “COVID-19 prediction from chest X-ray images using deep convolutional neural network,” *Artif. Intell. Mach. Learn. EDGE Comput.*,

- no. March 2020, pp. 315–324, 2022, doi: 10.1016/B978-0-12-824054-0.00022-8.
- [35] M. Mujahid, F. Rustam, R. Álvarez, J. Luis Vidal Mazón, I. de la T. Díez, and I. Ashraf, “Pneumonia Classification from X-ray Images with Inception-V3 and Convolutional Neural Network,” *Diagnostics*, vol. 12, no. 5, pp. 1–16, 2022, doi: 10.3390/diagnostics12051280.
- [36] J. Cao, M. Yan, Y. Jia, X. Tian, and Z. Zhang, “Application of a modified Inception-v3 model in the dynasty-based classification of ancient murals,” *EURASIP J. Adv. Signal Process.*, vol. 2021, no. 1, 2021, doi: 10.1186/s13634-021-00740-8.
- [37] J. Gao, C. Leung, and C. Miao, “Diabetic Retinopathy Classification Using an Efficient Convolutional Neural Network,” *Proc. - 2019 IEEE Int. Conf. Agents, ICA 2019*, pp. 80–85, 2019, doi: 10.1109/AGENTS.2019.8929191.
- [38] V. C. Osamor and A. F. Okezie, “Enhancing the weighted voting ensemble algorithm for tuberculosis predictive diagnosis,” *Sci. Rep.*, vol. 11, no. 1, pp. 1–12, 2021, doi: 10.1038/s41598-021-94347-6.
- [39] A. Desiani *et al.*, “Majority Voting as Ensemble Classifier for Cervical Cancer Classification,” *Sci. Technol. Indones.*, vol. 8, no. 1, pp. 84–92, 2023, doi: 10.26554/sti.2023.8.1.84-92.
- [40] A. Das, “Adaptive UNet-based Lung Segmentation and Ensemble Learning with CNN-based Deep Features for Automated COVID-19 Diagnosis,” *Multimed. Tools Appl.*, vol. 81, no. 4, pp. 5407–5441, 2022, doi: 10.1007/s11042-021-11787-y.
- [41] S. A. Siddiqui, N. Fatima, and A. Ahmad, “Chest X-ray and CT Scan Classification using Ensemble Learning through Transfer Learning,” *EAI Endorsed Trans. Scalable Inf. Syst.*, vol. 22, no. 6, pp. 1–9, 2022, doi: 10.4108/eetsis.vi.382.
- [42] T. Zhou, H. Lu, Z. Yang, S. Qiu, B. Huo, and Y. Dong, “The Ensemble Deep Learning Model for Novel COVID-19 on CT Images,” *Appl. Soft Comput.*, vol. 98, p. 106885, 2021, doi: 10.1016/j.asoc.2020.106885.
- [43] R. Kundu, R. Das, Z. W. Geem, G. T. Han, and R. Sarkar, “Pneumonia Detection in Chest X-Ray Images using an Ensemble of Deep Learning Models,” *PLoS One*, vol. 16, no. 9 September, 2021, doi: 10.1371/journal.pone.0256630.
- [44] K. Khaksari *et al.*, “Review of the efficacy of infrared thermography for screening infectious diseases with applications to COVID-19,” *J. Med. Imaging*, vol. 8, no. S1, pp. 1–15, 2021, doi: 10.1117/1.jmi.8.s1.010901.
- [45] K. Yuki, M. Fujiogi, and S. Koutsogiannaki, “COVID-19 pathophysiology: A review,” *Clin. Immunol.*, vol. 215, no. April, 2020, doi: 10.1016/j.clim.2020.108427.
- [46] S. Sehrawat and B. T. Rouse, “COVID-19: disease, or no disease? - that is

- the question. It's the dose stupid!," *Microbes Infect.*, vol. 23, no. 1, p. 104779, 2021, doi: 10.1016/j.micinf.2021.104779.
- [47] M. Rahimzadeh, A. Attar, and S. M. Sakhaei, "A fully automated deep learning-based network for detecting COVID-19 from a new and large lung CT scan dataset," *Biomed. Signal Process. Control*, vol. 68, no. December 2020, p. 102588, 2021, doi: 10.1016/j.bspc.2021.102588.
- [48] Y. Tang, J. E. Schmitz, D. H. Persing, and C. W. Stratton, "Laboratory Diagnosis of COVID-19: Current Issues and Challenges," *J. Clin. Microbiol.*, vol. 58, no. 6, pp. 1–9, 2020.
- [49] F. Song *et al.*, "Emerging 2019 Novel Coronavirus (2019-NCoV) Pneumonia," *Radiology*, vol. 295, no. 1, pp. 210–217, 2020, doi: 10.1148/radiol.2020200274.
- [50] N. Z. Munantri, H. Sofyan, and M. Y. Florestiyanto, "Aplikasi Pengolahan Citra Digital Untuk Identifikasi Umur Pohon," *Telematika*, vol. 16, no. 2, p. 97, 2020, doi: 10.31315/telematika.v16i2.3183.
- [51] I. R. S. Valente, P. C. Cortez, E. C. Neto, J. M. Soares, V. H. C. de Albuquerque, and J. M. R. S. Tavares, "Automatic 3D pulmonary nodule detection in CT images: A survey," *Comput. Methods Programs Biomed.*, vol. 124, pp. 91–107, 2016, doi: 10.1016/j.cmpb.2015.10.006.
- [52] A. Purnama, "Aplikasi matriks dalam pengolahan gambar," *Makal. IF2123 Aljabar*, no. May, p. 18650054, 2016.
- [53] A. Tahir *et al.*, "Coronavirus : Comparing COVID-19 , SARS, and MERS in The Eyes of AI," *arXiv*, pp. 1–35, 2021.
- [54] M. A. Kamel, M. Abdelshafy, M. AbdulRazek, O. Abouelkhir, A. Fawzy, and A. T. Sahlol, "Efficient Classification Approach Based on COVID-19 CT Images Analysis with Deep Features," 2021, doi: 10.1109/ICCCIS51004.2021.9397189.
- [55] Nurhidayah, B. Abdul Samad, and B. Abdullah, "Perbandingan Metode Contrast Enhancement pada Citra CT-Scan Kanker Paru-paru," *Gravitasi*, vol. 19, no. 2, pp. 24–28, 2020, doi: 10.22487/gravitasi.v19i2.15360.
- [56] M. Wulandari, "Index Quality Assesment Citra Terinterpolasi (SSIM dan FSIM)," *J. Terap. Teknol. Inf.*, vol. 1, no. 1, pp. 11–20, 2017, doi: 10.21460/jutei.2017.11.5.
- [57] A. Ramadhan, F. Mahmood, and A. Elci, "Image Denoising by Median Filter in Wavelet Domain," *Int. J. Multimed. Its Appl.*, vol. 9, no. 1, pp. 31–40, 2017, doi: 10.5121/ijma.2017.9104.
- [58] U. Sara, M. Akter, and M. S. Uddin, "Image Quality Assessment through FSIM, SSIM, MSE and PSNR—A Comparative Study," *J. Comput. Commun.*, vol. 07, no. 03, pp. 8–18, 2019, doi: 10.4236/jcc.2019.73002.
- [59] M. Elgendi *et al.*, "The Effectiveness of Image Augmentation in Deep

- Learning Networks for Detecting COVID-19 : A Geometric Transformation Perspective,” *Front. Med.*, vol. 8, no. March, pp. 1–12, 2021, doi: 10.3389/fmed.2021.629134.
- [60] M. M. A. Monshi, J. Poon, V. Chung, and F. M. Monshi, “CovidXrayNet: Optimizing Data Augmentation and CNN Hyperparameters for Improved COVID-19 Detection from CXR,” *Comput. Biol. Med.*, vol. 133, no. March, p. 104375, 2021, doi: 10.1016/j.combiomed.2021.104375.
- [61] D. Keidar, D. Yaron, E. Goldstein, Y. Shachar, A. Blass, and L. Charbinsky, “COVID-19 Classification of X-Ray Images Using Deep Neural Networks,” *Eur. Radiol.*, vol. 31, pp. 9654–9663, 2021.
- [62] I. R. I. Haque and J. Neubert, “Deep learning approaches to biomedical image segmentation,” *Informatics Med. Unlocked*, p. 100297, 2020, doi: 10.1016/j.imu.2020.100297.
- [63] A. Desiani, B. Suprihatin, S. Yahdin, A. I. Putri, and F. R. Husein, “Bi - path Architecture of CNN Segmentation and Classification Method for Cervical Cancer Disorders Based on Pap - smear Images,” *IAENG Int. J. Comput. Sci.*, vol. 48, no. 3, 2021.
- [64] Y. Jalali, M. Fateh, M. Rezvani, V. Abolghasemi, and M. H. Anisi, “ResBCDU-Net: A Deep Learning Framework for Lung CT Image Segmentation,” *Sensors*, vol. 21, no. 1, pp. 1–24, 2021, doi: 10.3390/s21010268.
- [65] X. Deng, Q. Liu, Y. Deng, and S. Mahadevan, “An Improved Method to Construct basic Probability Assignment based on The Confusion Matrix for Classification Problem,” *Inf. Sci. (Ny)*, vol. 340–341, pp. 250–261, 2016, doi: 10.1016/j.ins.2016.01.033.
- [66] J. Rasheed, A. A. Hameed, C. Djeddi, A. Jamil, and F. Al-Turjman, “A Machine Learning-based Framework for Diagnosis of COVID-19 from Chest X-ray Images,” *Interdiscip. Sci. Comput. Life Sci.*, vol. 13, no. 1, pp. 103–117, 2021, doi: 10.1007/s12539-020-00403-6.
- [67] M. A. Mohammed *et al.*, “A Comprehensive Investigation of Machine Learning Feature Extraction and Classification Methods for Automated Diagnosis of COVID-19 based on X-ray Images,” *Comput. Mater. Contin.*, vol. 66, no. 3, pp. 3289–3310, 2021, doi: 10.32604/cmc.2021.012874.
- [68] G. Marques, D. Agarwal, and I. de la Torre Díez, “Automated medical diagnosis of COVID-19 through EfficientNet convolutional neural network,” *Appl. Soft Comput. J.*, vol. 96, p. 106691, 2020, doi: 10.1016/j.asoc.2020.106691.
- [69] R. Yamashita, M. Nishio, R. K. G. Do, and K. Togashi, “Convolutional Neural Networks: An Overview and Its Applications in Pattern Recognition,” *Insights Imaging*, vol. 9, no. 4, pp. 21–30, 2018, doi: 10.1007/978-981-15-7078-0\_3.

- [70] S. Bharati, P. Podder, M. R. H. Mondal, and V. B. S. Prasath, "CO-ResNet: Optimized ResNet model for COVID-19 diagnosis from X-ray images," *Int. J. Hybrid Intell. Syst.*, vol. 17, no. 1–2, pp. 71–85, 2021, doi: 10.3233/his-210008.
- [71] J. Shi *et al.*, "Improvement of Damage Segmentation Based on Pixel-Level Data Balance using VGG-UNet," *Appl. Sci.*, vol. 11, no. 2, pp. 1–17, 2021, doi: 10.3390/app11020518.
- [72] W. Chen, B. Yang, J. Li, and J. Wang, "An Approach to Detecting Diabetic Retinopathy based on Integrated Shallow Convolutional Neural Networks," *IEEE Access*, vol. 8, pp. 178552–178562, 2020, doi: 10.1109/ACCESS.2020.3027794.
- [73] S. Ioffe and C. Szegedy, "Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift," in *Proceedings of the 32 nd International Conference on Machine Learning*, 2015, vol. 37, pp. 448–456.
- [74] S. Wang, K. Muhammad, J. Hong, A. Kumar, S. Y. Zhang, and S. Wang, "Alcoholism Identification via Convolutional Neural Network based on Parametric ReLU , Dropout, and Batch Normalization," *Neural Comput. Appl.*, vol. 32, pp. 665–680, 2018, doi: 10.1007/s00521-018-3924-0.
- [75] Y. Tian, "Artificial Intelligence Image Recognition Method Based on Convolutional Neural Network Algorithm," *IEEE Access*, vol. 8, pp. 125731–125744, 2020, doi: 10.1109/ACCESS.2020.3006097.
- [76] L. Alzubaidi *et al.*, "Review of Deep Learning: Concepts , CNN Architectures , Challenges , Applications , Future Directions," *J. Big Data*, vol. 8, no. 53, 2021, doi: 10.1186/s40537-021-00444-8.
- [77] H. Gholamalinezhad and H. Khosravi, "Pooling Methods in Deep Neural Networks, a Review," *arXiv*, 2020.
- [78] D. Im, D. Han, S. Choi, S. Kang, and H. J. Yoo, "DT-CNN: an energy-efficient dilated and transposed convolutional neural network processor for region of interest based image segmentation," *IEEE Trans. Circuits Syst. I Regul. Pap.*, vol. 67, no. 10, pp. 3471–3483, 2020, doi: 10.1109/TCSI.2020.2991189.
- [79] J. Yang, D. Ruan, J. Huang, X. Kang, and Y. Shi, "An Embedding Cost Learning Framework Using," *IEEE Trans. Inf. Forensics Secur.*, vol. 15, pp. 839–851, 2019, doi: 10.1109/TIFS.2019.2922229.
- [80] T. A. Soomro, O. Hellwich, A. J. Afifi, M. Paul, J. Gao, and L. Zheng, "Strided U-Net Model: Retinal Vessels Segmentation using Dice Loss," *2018 Int. Conf. Digit. Image Comput. Tech. Appl. DICTA 2018*, pp. 1–8, 2018, doi: 10.1109/DICTA.2018.8615770.
- [81] Q. Li *et al.*, "Tumor Segmentation in Contrast-Enhanced Magnetic Resonance Imaging for Nasopharyngeal Carcinoma: Deep Learning with Convolutional Neural Network," *Biomed Res. Int.*, vol. 2018, 2018.

- [82] G. Brain, A. N. Gomez, and G. Brain, “Depthwise Separable Convolutions for Neural Machine Translation,” 2018.
- [83] R. Stolkin, “Dense Connection and Depthwise Separable Convolution based CNN for Polarimetric SAR Image Classification,” *Knowledge-Based Syst.*, vol. 194, 2020, doi: 10.1016/j.knosys.2020.105542.
- [84] Z. Younas and Z. Niu, “CNN with Depthwise Separable Convolutions and Combined Kernels for Rating Prediction,” *Expert Syst. Appl.*, vol. 170, p. 114528, 2021, doi: 10.1016/j.eswa.2020.114528.
- [85] D. R. Nayak, N. Padhy, P. K. Mallick, M. Zymbler, and S. Kumar, “Brain Tumor Classification Using Dense Efficient-Net,” *Axioms*, vol. 11, no. 1, 2022, doi: 10.3390/axioms11010034.
- [86] H. Salehinejad and S. Valaee, “ISING-DROPOUT : A REGULARIZATION METHOD FOR TRAINING AND COMPRESSION OF DEEP NEURAL NETWORKS,” in *2019 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2019, pp. 3602–3606.
- [87] S. Lian, L. Li, G. Lian, X. Xiao, Z. Luo, and S. Li, “A Global and Local Enhanced Residual U-Net for Accurate Retinal Vessel Segmentation,” *IEEE/ACM Trans. Comput. Biol. Bioinforma.*, vol. 14, no. 8, pp. 1–10, 2019, doi: 10.1109/tcbb.2019.2917188.
- [88] H. Alaiz-moreton, J. Aveleira-mata, J. Ondicol-garcia, A. L. Muñoz-castañeda, and C. Benavides, “Multiclass Classification Procedure for Detecting Attacks on MQTT-IoT Protocol,” *Hindawi*, vol. 2019, 2019.
- [89] H. Shaziya, K. Shyamala, and R. Zaheer, “Automatic Lung Segmentation on Thoracic CT Scans using U-Net Convolutional Network,” in *2018 International Conference on Communication and Signal Processing (ICCSP)*, 2018, pp. 643–647.
- [90] Q. Ji, J. Huang, W. He, and Y. Sun, “Optimized Deep Convolutional Neural Networks for Identification of Macular Diseases from Optical Coherence Tomography Images,” *Algorithms*, vol. 12, no. 3, pp. 1–12, 2019, doi: 10.3390/a12030051.
- [91] H. Alhichri and A. S. Alswayed, “Classification of Remote Sensing Images Using EfficientNet-B3 CNN Model With Attention,” *IEEE Access*, vol. 9, pp. 14078–14094, 2021, doi: 10.1109/ACCESS.2021.3051085.
- [92] T. Ahmed, “Classification and Understanding of Cloud Structures via Satellite Images with EfficientUNet,” *SN Comput. Sci.*, vol. 3, no. 99, 2022, doi: <https://doi.org/10.1007/s42979-021-00981-2>.
- [93] C. Szegedy *et al.*, “Going Deeper with Convolutions,” in *2015 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2015, pp. 1–9.
- [94] A. Gupta, Anjum, S. Gupta, and R. Katarya, “InstaCovNet-19: A Deep Learning Classification Model for The Detection of COVID-19 Patients



- Using Chest X-ray,” *Appl. Soft Comput.*, vol. 99, no. xxxx, p. 106859, 2021, doi: 10.1016/j.asoc.2020.106859.
- [95] C. Land, C. Mapping, U. Multispectral, and R. S. Imagery, “Very Deep Convolutional Neural Networks for Complex Land Cover Mapping Using Multispectral Remote Sensing Imagery,” *Remote Sens.*, vol. 10, no. 7, 2018, doi: 10.3390/rs10071119.
- [96] F. Ahmad, A. Farooq, and M. U. Ghani, “Deep Ensemble Model for Classification of Novel Coronavirus in Chest X-Ray Images,” *Comput. Intell. Neurosci.*, vol. 2021, 2021.
- [97] J. F. Hern, I. Researcher, J. Chardin, and S. Borja, “An Ensemble Approach for Multi-Stage Transfer Learning Models for COVID-19 Detection from Chest CT Scans,” *Intell. Med.*, vol. 5, no. 2020, 2021, doi: 10.1016/j.ibmed.2021.100027.
- [98] I. Markoulidakis, I. Rallis, I. Georgoulas, G. Kopsiaftis, A. Doulamis, and N. Doulamis, “Multiclass Confusion Matrix Reduction Method and Its Application on Net Promoter Score Classification Problem,” *Technologies*, vol. 9, no. 4, p. 81, 2021, doi: 10.3390/technologies9040081.
- [99] A. Desiani, R. Primartha, M. Arhami, and O. Orsalan, “Naive Bayes Classifier for Infant Weight Prediction of Hypertension Mother,” *J. Phys. Conf. Ser.*, vol. 1282, no. 1, 2019, doi: 10.1088/1742-6596/1282/1/012005.
- [100] D. Chicco, M. J. Warrens, and G. Jurman, “The Matthews Correlation Coefficient (MCC) is More Informative Than Cohen’s Kappa and Brier Score in Binary Classification Assessment,” *IEEE Access*, vol. 9, pp. 78368–78381, 2021, doi: 10.1109/ACCESS.2021.3084050.
- [101] F. Li and H. He, “Assessing the Accuracy of Diagnostic Tests,” *Shanghai Arch. Psychiatry*, vol. 30, no. 3, pp. 207–212, 2018, doi: 10.11919/j.issn.1002-0829.218052.
- [102] A. R. Susanto, “Analisis Perbandingan Metode Perbaikan Kontras Citra pada Citra Medis Xray,” *J. Inform.*, vol. 12, no. 1, pp. 1–9, 2018, doi: 10.26555/jifo.W.
- [103] D. Umamaheswari and S. Geetha, “Visual Quality and Illumination Enhancement Using Gamma Corrected Gaussian Filtering Framework for Covid-19 Images,” *ICTACT J. Image Video Process.*, vol. 11, no. 1, pp. 2268–2274, 2020, doi: 10.21917/ijivp.2020.0322.
- [104] A. Roy and P. Maity, “A Comparative Analysis of Various Filters to Denoise Medical X-Ray Images,” in *2020 4th International Conference on Electronics, Materials Engineering and Nano-Technology, IEMENTech 2020*, 2020, pp. 20–24, doi: 10.1109/IEMENTech51367.2020.9270073.
- [105] M. Abdel-Basset, N. N. Mostafa, K. M. Sallam, I. Elgendi, and K. Munasinghe, “Enhanced COVID-19 X-ray Image Preprocessing Schema Using Type-2 Neutrosophic Set,” *Appl. Soft Comput.*, vol. 123, p. 108948,

- 2022, doi: 10.1016/j.asoc.2022.108948.
- [106] L. I. Kesuma, Ermatita, Erwin, P. Sari, and R. H. Purabaya, “Improved Chest X - Ray Image Quality Using Median and Gaussian Filter Methods,” 2022.
- [107] G. Tong, Y. Li, H. Chen, Q. Zhang, and H. Jiang, “Improved U-NET Network for Pulmonary Nodules Segmentation,” *Optik (Stuttg.)*, vol. 174, no. August, pp. 460–469, 2018, doi: 10.1016/j.ijleo.2018.08.086.
- [108] A. G. Smith, J. Petersen, R. Selvan, and C. R. Rasmussen, “Segmentation of Roots in Soil with U-Net,” *Plant Methods*, vol. 16, no. 1, pp. 1–15, 2020, doi: 10.1186/s13007-020-0563-0.
- [109] B. A. Akinuwesi *et al.*, “Application of intelligence-based computational techniques for classification and early differential diagnosis of COVID-19 disease,” *Data Sci. Manag.*, vol. 4, no. December, pp. 10–18, 2021, doi: 10.1016/j.dsm.2021.12.001.
- [110] S. Kadry, V. Rajinikanth, S. Rho, N. Sri, and M. Raja, “Development of a Machine-Learning System to Classify Scan Images into Normal / COVID-19 Class,” vol. 2, no. December, 2019.
- [111] D. N. Vinod and S. R. S. Prabakaran, “Data science and the role of Artificial Intelligence in achieving the fast diagnosis of Covid-19,” vol. 140, 2020, doi: 10.1016/j.chaos.2020.110182.
- [112] S. K. Sharma, U. K. Lilhore, S. Simaiya, and N. K. Trivedi, “An improved random forest algorithm for predicting the COVID-19 pandemic patient health,” *Ann. Rom. Soc. Cell Biol.*, vol. 25, no. 1, pp. 67–75, 2021.
- [113] X. Wu *et al.*, “Deep learning-based multi-view fusion model for screening 2019 novel coronavirus pneumonia: A multicentre study,” *Eur. J. Radiol.*, vol. 128, no. March, pp. 1–9, 2020, doi: 10.1016/j.ejrad.2020.109041.
- [114] V. Shah, R. Keniya, A. Shridharani, M. Punjabi, J. Shah, and N. Mehendale, “Diagnosis of COVID-19 using CT scan images and deep learning techniques,” *Emerg. Radiol.*, vol. 28, no. 3, pp. 497–505, 2021, doi: 10.1007/s10140-020-01886-y.
- [115] S. Albahli, N. Ayub, and M. Shiraz, “Coronavirus disease (COVID-19) detection using X-ray images and enhanced DenseNet,” *Appl. Soft Comput.*, vol. 110, p. 107645, 2021, doi: 10.1016/j.asoc.2021.107645.
- [116] S. R. D. Dimas, B. S. Negara, S. Sanjaya, and E. Satria, “COVID-19 Classification for Chest X-Ray Images using Deep Learning and Resnet-101,” in *2021 International Congress of Advanced Technology and Engineering, ICOTEN 2021*, 2021, pp. 20–23, doi: 10.1109/ICOTEN52080.2021.9493431.
- [117] T. Anwar and S. Zakir, “Deep learning based diagnosis of COVID-19 using chest CT-scan images,” *Proc. - 2020 23rd IEEE Int. Multi-Topic Conf. INMIC 2020*, pp. 6–10, 2020, doi: 10.1109/INMIC50486.2020.9318212.

- [118] R. A. Pratiwi, S. Nurmaini, D. P. Rini, M. N. Rachmatullah, and A. Darmawahyuni, "Deep Ensemble Learning for Skin Lesions Classification with Convolutional Neural Network," *IAES Int. J. Artif. Intell.*, vol. 10, no. 3, pp. 563–570, 2021, doi: 10.11591/ijai.v10.i3.pp563-570.
- [119] S. Tang *et al.*, "EDL-COVID: Ensemble Deep Learning for COVID-19 Case Detection from Chest X-Ray Images," *IEEE Trans. Ind. Informatics*, vol. 17, no. 9, pp. 6539–6549, 2021, doi: 10.1109/TII.2021.3057683.
- [120] P. Shrivastava, A. Singh, S. Agarwal, H. Tekchandani, and S. Verma, "Covid Detection in CT and X-Ray Images using Ensemble Learning," in *Proceedings - 5th International Conference on Computing Methodologies and Communication, ICCMC 2021*, 2021, no. Iccmc, pp. 1085–1090, doi: 10.1109/ICCMC51019.2021.9418308.
- [121] T. K. K. Ho and J. Gwak, "Feature-Level Ensemble Approach for COVID-19 Detection using Chest X-ray Images," *PLoS One*, vol. 17, no. 7 July, pp. 1–19, 2022, doi: 10.1371/journal.pone.0268430.
- [122] L. Visuna, D. Yang, J. Garcia-Blas, and J. Carretero, "Computer-Aided Diagnostic for Classifying Chest X-ray Images using Deep Ensemble Learning," *BMC Med. Imaging*, vol. 22, no. 1, pp. 1–16, 2022, doi: 10.1186/s12880-022-00904-4.
- [123] L. I. Kesuma, Ermatita, and Erwin, "ELREI : Ensemble Learning of ResNet , EfficientNet , and Inception-v3 for Lung Disease Classification based on Chest X-Ray Image," *Int. J. Intell. Eng. Syst.*, vol. 16, no. 5, pp. 149–161, 2023, doi: 10.22266/ijies2023.1031.14.
- [124] E. Allam Zanaty and S. Mostafa Ibrahim, "Medical Image Compression Based on Combining Region Growing and Wavelet Transform," *Int. J. Med. Imaging*, vol. 7, no. 3, pp. 57–65, 2019, doi: 10.11648/j.ijmi.20190703.11.