



Seedling Performance, Growth and Yield of Onion Sown by Direct Seeding in Tropical Riparian Soil

Rina Sopiana¹⁾, R.A. Suwignyo²⁾, **M. Umar Harun^{2*)}** and Susilawati²⁾

¹⁾ Doctoral Program of Agricultural Faculty, Universitas Sriwijaya, Palembang, South Sumatera, Indonesia

²⁾ Departement of Agronomy, Agricultural Faculty, Universitas Sriwijaya, Palembang, South Sumatera, Indonesia

ARTICLE INFO

Keywords:

Allium cepa

Cultivars

Latosol

Seed Sowing

Article History:

Received: June 1, 2022

Accepted: November 29, 2022

^{*)} Corresponding author:

E-mail: mumarharun@unsri.ac.id

ABSTRACT

The objective of this study was to obtain a seed-origin onion (*Allium cepa* L.) that was able to grow in the tropical riparian soil. Research designed with non-experimental. Two cultivars were studied, namely Sanren and Lokananta. Onion seeds were planted directly without transplanting, there were three plots (4 m x 1.6 m x 0.3 m) and three germination testplot (1 m x 1.6 m x 0.3 m). Soil tillage, spacing/population, fertilization, plant maintenance and pest-diseases control in accordance with the recommendations. Research result obtained Sanren had higher germination (94.40%) and vigor index (60.60) then Lokananta. The growth of two onion cultivars showed good performance because there was no transplanting. Almost all the the variables for seedlings, vegetative organs and bulbs were significantly different between two cultivars. From the boxplot test, it was found that the data were of symmetry for Sanren (number stems, dry weight of leaves, and dry weight of bulb), and the Lokananta cultivar (vigor index, number of stems, number of bulbs, plant height and leaf dry weight). There was a significant correlation for Sanren (plant height with bulbs weight and number of roots), and Lokananta cultivars (number of roots with number of stems and leaf dry weight). Fresh bulbs weight per clump from Sanren (46.71 g) and Lokananta (17.84 g).

INTRODUCTION

The technology package to improve onion production includes high quality cultivars, bulb quality, and extensification (Haile, Tesfaye, & Worku, 2017). Planting materials using seed of True Shallot Seed (TSS) exhibited more advatages compared to bulb such as seed handling much easier, free from pest, budged saving, and improved-production (Askari-Khorasgani & Pessarakli, 2019). Bulbs should be avoided in shallot reproduction as seeds show potential (Fairuzia, Sobir, Maharijaya, Ochiai, & Yamada, 2022). Saidah, Muchtar, Wahyuni, Padang, & Rahardjo (2020), underlined some of onion cultivars seeds ere available in the market viz., Tuk Tuk, Bima, Maja, Trisula, Gardeningrat, Purie Garden, and Maserapi. Lokananta and Sanren

are onion hybrid seeds that are also available to purchase. Sanren is recommended for lowlandand its potential yield ranges between 19-28 t/ha, and Lokananta is widely adaptive from low land to upper land and its potensial production a little bit higher at 20-25 t/ha (East-West Seed Indonesia, 2017). Reproduction using bulbs has been widely practised on irrigation and rain fed fields. Cultivationon field using bulbs of Pusa Red and treated with vermi compost produced 23 t/ha (Andishmand & Noori, 2021). Reproduction by seeds had been reported from different countries as Russia by Matveeva, Zvolinsky, Yu Petrov, & Zaitsev (2021). Iran used TSS from Texas early,white, Texas earlyGrano and Sapidan (Daraby, 2020), Japan issued technology packages of onion cultivation using TSS (Askari-Khorasgani & Pessarakli, 2019). In Kenya



M. Umar Harun <mumarharun@unsri.ac.id>

[AGRIVITA] Editor Decision

1 pesan

AGRIVITA <agrivita@ub.ac.id>

24 November 2022 pukul 09.18

Balas Ke: "Kuswanto Kuswanto, Prof." <kuswantoas@ub.ac.id>

Kepada: M Umar Harun <mumarharun@unsri.ac.id>

Cc: Rina Sopiana <rinasopiana@gmail.com>, "R.A. Suwigyo" <rujito@unsri.ac.id>, Susilawati Susilawati <susilawati12081967@gmail.com>

M Umar Harun:

We have reached a decision regarding your submission to AGRIVITA, Journal of Agricultural Science, "SEEDLING PERFORMANCE, GROWTH AND YIELD OF ONION SOWN BY DIRECT SEEDING IN TROPICAL RIPARIAN SOIL".

Our decision is to: revisions required

Please revise your manuscript based on the reviewer's suggestions. The revision file should be uploaded in no. 3818 in a maximum of 3 weeks after the authors receive this email. Submitting a new number is not allowed.

Kuswanto Kuswanto, Prof.
Faculty of Agriculture University of Brawijaya (Scopus ID: 57192702058)
Phone +62-341-575743
Fax +62-341-575743
kuswantoas@ub.ac.id

Agricultural Faculty University of Brawijaya
Jl. Veteran Malang 65145 East Java
Indonesia
Phone : +62-341-575743

Agrivita Editorial Team
Faculty of Agriculture University of Brawijaya
Jl. Veteran Malang 65145 East Java Indonesia
E-mail :
agrivita@ub.ac.id
agrivitaaperta@yahoo.com
website <http://www.agrivita.ub.ac.id>

**3818-18041-1-RV.docx**

122K

[HOME](#) | [ABOUT](#) | [USER HOME](#) | [SEARCH](#) | [CURRENT](#) | [ARCHIVES](#) | [ARTICLE IN PRESS](#) | [ANNOUNCEMENTS](#)
[Home](#) > [User](#) > [Author](#) > [Submissions](#) > [#3818](#) > [Summary](#)

#3818 Summary

- Summary
- Review
- Editing

Submission

Authors	Rina Sopiana, R.A. Suwignyo, M. Umar Harun, Susilawati Susilawati
Title	Seedling Performance, Growth and Yield of Onion Sown by Direct Seeding in Tropical Riparian Soil
Original file	3818-16943-1-SM.docx 2022-06-01
Supp. files	3818-17199-1-SP.pdf 2022-07-27 3818-18436-1-SP.pdf 2023-02-08
Submitter	M Umar Harun 
Date submitted	June 1, 2022 - 02:53 PM
Section	Articles
Editor	Agrivita UB  Moch. Maghfoer 
Abstract Views	1040

Author Fees

Article Submission	0.00 USD	Pay Now
Article Publication	Paid February 15, 2023 - 12:02 PM	

Status

Status	Published Vol 45, No 1 (2023)
Initiated	2023-02-16
Last modified	2023-07-31

Submission Metadata

Authors

Name	Rina Sopiana 
Affiliation	Doctoral Program of Agricultural Faculty, Universitas Sriwijaya, Palembang, South Sumatera, Indonesia
Country	Indonesia
Competing interests	—
CI Policy	
Bio Statement	—

About Agrivita

- Aim and Scope
- Editorial Team
- Publication Ethics
- Visitor Statistics
- Reviewer Acknowledgment

Issues

- Current Issue
- Back Issues
- Article in Press
- Accepted Papers

Information For Author

- Author Guidelines
- Template (docx)
- Template (pdf)

Indexed By



Name	R.A. Suwignyo 
Affiliation	Departement of Agronomy, Agricultural Faculty, Universitas Sriwijaya, Palembang, South Sumatera, Indonesia
Country	Indonesia
Competing interests	—
CI Policy	
Bio Statement	—

Name	M. Umar Harun 
Affiliation	Departement of Agronomy, Agricultural Faculty, Universitas Sriwijaya, Palembang, South Sumatera, Indonesia
Country	Indonesia
Competing interests	—
CI Policy	
Bio Statement	—

Principal contact for editorial correspondence.

Name	Susilawati Susilawati 
Affiliation	Departement of Agronomy, Agricultural Faculty, Universitas Sriwijaya, Palembang, South Sumatera, Indonesia
Country	Indonesia
Competing interests	—
CI Policy	
Bio Statement	—

Title and Abstract

Title	Seedling Performance, Growth and Yield of Onion Sown by Direct Seeding in Tropical Riparian Soil
-------	--

Abstract	The objective of this study was to obtain a seed-origin onion (<i>Allium cepa</i> L.) that was able to grow in the tropical riparian soil. Research designed with non-experimental. Two cultivars were studied, namely Sanren and Lokananta. Onion seeds were planted directly without transplanting, there were three plots (4 m x 1.6 m x 0.3 m) and three germination testplot (1 m x 1.6 m x 0.3 m). Soil tillage, spacing/ population, fertilization, plant maintenance and pest-diseases control in accordance with the recommendations. Research result obtained Sanren had higher germination (94.40%) and vigor index (60.60) then Lokananta. The growth of two onion cultivars showed good performance because there was no transplanting. Almost all the the variables for seedlings, vegetative organs and bulbs were significantly different between two cultivars. From the boxplot test, it was found that the data were of symmetry for Sanren (number stems, dry weight of leaves, and dry weight of bulb), and the Lokananta cultivar (vigor index, number of stems, number of bulbs, plant height and leaf dry weight). There was a significant correlation for Sanren (plant height with bulbs weight and number of roots), and Lokananta cultivars (number of roots with number of stems and leaf dry weight). Fresh bulbs weight per clump from Sanren (46.71 g) and Lokananta (17.84 g).
----------	--

Indexing

Academic discipline and sub-disciplines	—
Keywords	Allium cepa; Cultivars; Latosol; Seed Sowing
Language	en



SJR Rank



User

You are logged in as... mumarharun

- My Journals
- My Profile
- Log Out

Author

- Submissions
- Active (0)
 - Archive (3)
 - New Submission

Notifications

- View (23 new)
- Manage

Visitors

Keywords

Mitra Usaha Tani Agroforestry
Biochar Biofertilizer Biological
control Botanical insecticides
Chrysanthemum Climate
change Correlation Diversity
Maize Morphology Nitrogen Organic
fertilizer Resistance Rice
Soybean Weeds Yield diversity rice
soil fertility

Journal Help

Supporting Agencies

Agencies

—

References

References

- Anda, P., Ginting, S., Sabaruddin, L., Hamimu, L., & Tufaila, M. (2017). The effect of different water levels and varieties on the growth and yield of onion (*Allium cepa* L.) using a watering pot in hot dry season at Tomia District Wakatobi Indonesia. *Advances in Environmental Biology*, 11(10), 65-71. Retrieved from [PDF](#)
- Andishmand, A. B., & Noori, M. S. (2021). Growth and yield of onion (*Allium cepa* L.) as influenced by application of organic and inorganic fertilizers. *Journal of Scientific Agriculture*, 5, 55-59. [DOI](#)
- Askari-Khorasgani, O., & Pessarakli, M. (2019). Agricultural management and environmental requirements for production of true shallot seeds – a review. *Advances in Plants & Agriculture Research*, 9(2), 318-322. [DOI](#)
- Bachie, O. G., Santiago, L. S., & McGiffen, M. E. (2019). Physiological responses of onion varieties to varying photoperiod and temperature regimes. *Agriculture*, 9(10), 214. [DOI](#)
- Brar, N. S., Kaushik, P., & Dudi, B. S. (2019). Assessment of natural ageing related physio-biochemical changes in onion seed. *Agriculture*, 9(8), 163. [DOI](#)
- Chavda, K. A., Jethva, A. S., Zinzala, S. N., Sapovadiya, M. H., & Vachhani, J. H. (2021). Character association and their direct and indirect effects on bulb yield in onion (*Allium cepa* L.). *The Pharma Innovation*, 10(4), 179-181. Retrieved from [PDF](#)
- Daraby, A. (2020). Comparison the qualitative and quantitative characteristics of open-pollinated and hybrid short day onion cultivars in Khuzestan climatic conditions. *Iranian Journal of Horticultural Science*, 51(3), 691-703. [DOI](#)
- Demisie, R., & Tolessa, K. (2018). Growth and bulb yield of onion (*Allium cepa* L.) in response to plant density and variety in Jimma, South Western Ethiopia. *Advances in Crop Science and Technology*, 6(2), 357-363. [DOI](#)
- Deshi, K., Obasi, M., Nanbol, K., Sirajo, S., & Okechalu, B. (2018). The effect of growth environments on the growth and yield of onion (*Allium cepa* L.) in Jos, Plateau State, Nigeria. *Journal of Natural Sciences Research*, 8(6), 67-74. Retrieved from [website](#)
- Devulkar, N. G., Bhanderi, D. R., More, S. J., & Jethava, B. A. (2015). Optimization of yield and growth in onion through spacing and time of planting. *Green Farming*, 6(2), 305-307. Retrieved from [website](#)
- Dianawati, M., Haryati, Y., Yulyatin, A., Rosliani, R., & Liferdi. (2021). Input saving technology package of true seed of shallot (TSS) production in Indonesia. *E3S Web of Conferences*, 232, 03004. [DOI](#)
- East-West Seed Indonesia. (2017). Sanren F1. Purwakarta: PT. East West Seed Indonesia. Retrieved from [website](#)
- Fairuzia, F., Sobir, Maharijaya, A., Ochial, M., & Yamada, K. (2022). Longday photoperiod accelerates flowering in Indonesian non- flowering shallot variety. *AGRIVITA Journal of Agricultural Science*, 44(2), 216–224. [DOI](#)
- Fitriana, N., & Susandarini, R. (2019). Morphology and taxonomic relationships of shallot (*Allium cepa* L. group aggregatum) cultivars from Indonesia. *Biodiversitas*, 20(10), 2809-2814. [DOI](#)
- Gateri, M. W., Nyankanga, R., Ambuko, J., & Muriuki, A. W. (2018). Growth, yield and quality of onion (*Allium cepa* L.) as influenced by nitrogen and time of topdressing. *International Journal of Plant and Soil Science*, 23(3), 1-13. [DOI](#)
- Gedam, P. A., Shirsat, D. V., Arunachalam, T., Ghosh, S., Gawande, S. J., Mahajan, V., ... Singh, M. (2022). Screening of onion (*Allium cepa* L.) genotypes for waterlogging tolerance. *Frontiers In Plant Science*, 12, 727262. [DOI](#)
- Gulumbé, A. A., Abubakar, L., Sokoto, B. M., & Aliero, A. A. (2018). Correlation studies for bulb yield and yield contributing traits among onion (*Allium cepa* L.) genotypes. *Asian Research Journal of Agriculture*, 9(4), 1-6. [DOI](#)
- Haile, A., Tesfaye, B., & Worku, W. (2017). Seed yield of onion (*Allium cepa* L.) as affected by bulb size and intra-row spacing. *African Journal of Agricultural Research*, 12(12), 987-996. [DOI](#)

Jyoti, Navneet, K., Dhatt, A. S., & Gill, R. I. S. (2019). Growth and yield of onion (*Allium cepa* L.) varieties as influenced by planting time under poplar based agroforestry system. *Agricultural Research Journal*, 56(2), 248-253. DOI

Karim, S. M. R., & Ibrahim, N. R. (2013). Effect of planting time, day length, soil pH and soil moisture on onion. *International Journal of Biology, Pharmacy, and Allied Sciences*, 2(4), 807- 814. Retrieved from website

Kumar, S., Tomar, B. S., Jain, S. K., Singh, N., Parsad, R., & Munshi, A. D. (2015). Effect of planting time and density on plant growth, seed yield and quality attributes in onion (*Allium cepa*) cv. Pusa Riddhi. *The Indian Journal of Agricultural Sciences*, 85(12), 1578-1585. Retrieved from website

Lakitan, B., Hadi, B., Herlinda, S., Siaga, E., Widuri, L. I., Kartika, ... Meihana, M. (2018). Recognizing farmers' practices and constraints for intensifying rice production at Riparian Wetlands in Indonesia. *Wageningen Journal of Life Sciences*, 85(1), 10- 20. DOI

Matveeva, N. I., Zvolinsky, V. P., Yu Petrov, N., & Zaitsev, V. A. (2021). Onion yield and its dependence on plant density in vegetable crop rotations on Ergenin Upland chestnut soils. *IOP Conference Series: Earth and Environmental Science*, 843, 012032. DOI

Roslani, R., Hidayat, I. M., Sulastrini, I., & Hilman, Y. (2016). Dissemination of technology for shallot (*Allium ascalonicum* L.) seed production using true shallot seed (TSS) in Indonesia. *Acta Horticulturae*, 1143, 345-352. DOI

Roy, A., Saiful Islam, A. F. M., & Tabassum, R. (2016). Morphological features and yield evaluation of onion (*Allium cepa* L.) genotypes in acid soil. *International Journal of Plant Breeding and Genetics*, 10(3), 116-124. DOI

Saidah, Muchtar, Wahyuni, A. N., Padang, I. S., & Rahardjo, Y. P. (2020). Growth and yields performance of true shallot seed (TSS) in dry land of Sigi district. *IOP Conference Series: Earth and Environmental Science*, 472, 012031. DOI

Sopha, G. A. (2020). Influence of plant density, compost and biofertilizer on true shallot seed growth in alluvial soil. *Indonesian Journal of Agricultural Science*, 21(2), 70-77. DOI

Sumarno, J., Hiola, F. S. I., & Nur, A. (2021). Study on application of TSS (true shallot seed) shallot technology in Gorontalo. *E3S Web of Conferences*, 232, 03011. DOI

Thingalmaniyan, K. S., Rohini, N., & Arumugam, T. (2017). Performance evaluation of aggregatum onion genotypes (*Allium cepa* Var. Aggregatum) for yield, quality and resistance characters. *International Journal of Current Microbiology and Applied Sciences*, 6(6), 634-642. DOI

Tsagaye, D., Ali, A., Wegayehu, G., Gebretensay, F., Fufa, N., & Fikre, D. (2021). Evaluation of true seed shallot varieties for yield and yield components. *American Journal of Plant Biology*, 6(1), 19-22. DOI

Wiguna, G., Hidayat, I. M., & Azmi, C. (2013). Perbaikan teknologi produksi benih bawang merah melalui pengaturan pemupukan, densitas, dan varietas. *Jurnal Hortikultura*, 23(2), 137-142. DOI

Wijoyo, R. B., Sulistyarningsih, E., & Wibowo, A. (2020). Growth, yield and resistance responses of three cultivars on true seed shallots to twisted disease with salicylic acid application. *Caraka Tani Journal of Sustainable Agriculture*, 35(1), 1-11. DOI

Yahumri, & Nurmegawati. (2015). Agronomic performance of three lowland onion varieties in Bengkulu City. Paper presented at International Seminar on Promoting Local Resources for Food and Health, 12-13 October, 2015, Bengkulu (pp. 384-388). Retrieved from PDF

HOME | ABOUT | USER HOME | SEARCH | CURRENT | ARCHIVES | ARTICLE IN PRESS | ANNOUNCEMENTS |

Home > User > Author > Submissions > #3818 > Review

#3818 Review

- Summary
- Review
- Editing

Submission

Authors	Rina Sopiana, R.A. Suwignyo, M. Umar Harun, Susilawati Susilawati 
Title	Seedling Performance, Growth and Yield of Onion Sown by Direct Seeding in Tropical Riparian Soil
Section	Articles
Editor	Agrivita UB  Moch. Maghfoer 

Peer Review

Round 1

Review Version	3818-16945-1-RV.docx	2022-06-01
Initiated	—	
Last modified	—	
Uploaded file	None	
Editor Version	None	
Author Version	3818-17084-1-ED.docx	2022-06-28
	3818-17084-2-ED.docx	2022-06-28
	3818-17084-3-ED.docx	2022-09-25

Round 2

Review Version	3818-16945-3-RV.docx	2022-09-26
Initiated	2022-09-26	
Last modified	2022-10-31	
Uploaded file	Reviewer A 3818-17812-1-RV.docx	2022-10-06
Editor Version	3818-17734-1-ED.docx	2022-09-26
Author Version	3818-17084-4-ED.docx	2022-10-11
	3818-17084-5-ED.docx	2022-11-17

Round 3

Review Version	3818-16945-5-RV.docx	2022-11-18
Initiated	2022-11-18	
Last modified	2022-12-06	
Uploaded file	Reviewer A 3818-18041-1-RV.docx	2022-11-23
	Reviewer B 3818-18114-1-RV.docx	2022-12-05

About Agrivita

- Aim and Scope
- Editorial Team
- Publication Ethics
- Visitor Statistics
- Reviewer Acknowledgment

Issues

- Current Issue
- Back Issues
- Article in Press
- Accepted Papers

Information For Author

- Author Guidelines
- Template (docx)
- Template (pdf)

Indexed By



Editor Decision

Decision	Accept Submission 2022-11-29		
Notify Editor		Editor/Author Email Record	 2022-11-29
Editor Version	3818-17734-2-ED.docx	2022-11-18	
	3818-17734-3-ED.docx	2022-11-18	
	3818-17734-4-ED.docx	2022-11-29	
Author Version	3818-17084-6-ED.docx	2022-11-19	Delete
	3818-17084-7-ED.docx	2022-11-24	Delete
	3818-17084-8-ED.docx	2022-11-25	Delete
Upload Author Version	Choose File	No file chosen	Upload



SJR Rank



User

You are logged in as... mumarharun

- My Journals
- My Profile
- Log Out

Author

- Submissions
- Active (0)
 - Archive (3)
 - New Submission

Notifications

- View (23 new)
- Manage

Visitors

Keywords

Mitra Usaha Tani Agroforestry
Biochar Biofertilizer Biological
control Botanical insecticides
Chrysanthemum Climate
change Correlation Diversity
Maize Morphology Nitrogen Organic
fertilizer Resistance Rice
Soybean Weeds Yield diversity rice
soil fertility

Journal Help

AGRIVITA

Journal of Agricultural Science
Universitas Brawijaya Online Journal - © 2016
Powered by Open Journal System 2.4.7.1



This work is licensed under a
Creative Commons Attribution-NonCommercial 4.0 International License

#3818 Editing

- Summary
- Review
- Editing

Submission

Authors	Rina Sopiana, R.A. Suwignyo, M. Umar Harun, Susilawati Susilawati
Title	Seedling Performance, Growth and Yield of Onion Sown by Direct Seeding in Tropical Riparian Soil
Section	Articles
Editor	Agrivita UB Moch. Maghfoer

Copyediting

Copyedit Instructions

Copyeditor	None
------------	------

Review Metadata		Request	Underway	Complete
1.	Initial Copyedit	—	—	—
File: None				
2.	Author Copyedit	—	—	
File: None				
Choose File No file chosen		Upload		
3.	Final Copyedit	—	—	—
File: None				

Copyedit Comments No Comments

Layout

Layout Editor		None			
Layout Version		Request	Underway	Complete	Views
None		—	—	—	
Galley Format		File			
1.	PDF View Proof	3818-18495-1-PB.pdf	2023-02-16		0

About Agrivita

- Aim and Scope
- Editorial Team
- Publication Ethics
- Visitor Statistics
- Reviewer Acknowledgment

Issues

- Current Issue
- Back Issues
- Article in Press
- Accepted Papers

Information For Author

- Author Guidelines
- Template (docx)
- Template (pdf)

Indexed By



Supplementary Files	File
1. Plagiarism Check Result	3818-17199-1-SP.pdf 2022-07-27
2. Plagiarism Check Result	3818-18436-1-SP.pdf 2023-02-08

Layout Comments  No Comments

Proofreading

Proofreader	None
-------------	------

Review Metadata

	Request	Underway	Complete
1. Author	—	—	
2. Proofreader	—	—	—
3. Layout Editor	—	—	—

Proofreading Corrections  No Comments [Proofing Instructions](#)



SJR Rank



User

- You are logged in as... **mumarharun**
- My Journals
 - My Profile
 - Log Out

Author

- Submissions
- Active (0)
 - Archive (3)
 - New Submission

Notifications

- View (23 new)
- Manage

Visitors

Keywords

Mitra Usaha Tani Agroforestry
Biochar Biofertilizer Biological
control Botanical insecticides
Chrysanthemum Climate
change Correlation Diversity
Maize Morphology Nitrogen Organic
fertilizer Resistance Rice
Soybean Weeds Yield diversity rice
soil fertility

 Journal Help

