

Certificate of Participation

This certificate is presented to

DINAR DWI ANUGERAH PUTRANTO

as a recognition for participating and presenting at the

**International Conference on Environmental Research
and Technology (ICERT) 2008**

held on the


28 – 30th May 2008

at

Parkroyal Hotel, Penang, Malaysia

Organized by

**School of Industrial Technology
Universiti Sains Malaysia**



Professor Rozman Hj. Din
Advisor
ICERT 08
Organising Committee

Professor Teng Tjoon Tow
Chairman
ICERT 08
Organising Committie

Proceedings International Conference on Environmental Research and Technology (ICERT' 08)



Environmental Technology for a Greener Tomorrow

28 - 30 May 2008
Parkroyal Penang,
MALAYSIA



Editors:

Teng Tjoon Tow
Fera Fizani Ahmad Fizri
Norli Ismail
Fazilah Ariffin
Anees Ahmad

ICERT 08

*Proceedings of the International Conference on
Environmental Research and Technology 2008
Parkroyal Hotel, Penang, Malaysia
28-30 May 2008*

Environmental Technology for a Greener Tomorrow

Editors:

Teng Tjoon Tow
Fera Fizani Ahmad Fizri
Norli Ismail
Fazilah Ariffin
Anees Ahmad

Organised by:



*School of Industrial Technology
Universiti Sains Malaysia
Penang, Malaysia*

Distributed & Published by:

School of Industrial Technology
Universiti Sains Malaysia
11800 Minden
Penang, Malaysia
Tel: 04-6532119
Fax: 04-6573678
Email: icert@usm.my

© School of Industrial Technology, USM 2008

All rights reserved. No part of this book may be reprinted or reproduced or utilized in any form or by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying and recording, or in any information storage or retrieval system, without permission in writing from the publisher.

Malaysian National Library

Cataloguing-in-Publication Data

International Conference on Environmental Research and Technology (1st: 2008: Penang)
ICERT 2008: Proceedings of the International Conference,
Parkroyal Hotel,
28th-30th May, 2008 / Editor Teng Tjoon Tow ... [et al.]

ISBN 978-983-3986-29-3

1. Environmental management and policy
2. Environmental education
3. Environmental engineering
4. Environmental technology & process
5. Ecology & biodiversity
- I Teng Tjoon Tow
- II Fera Fizani Ahmad Fizri
- III Norli Ismail
- IV Fazilah Ariffin
- V Anees Ahmad
- VI School of Industrial Technology
- VII Universiti Sains Malaysia
- VIII Title

ORGANISING COMMITTEE

Patron	:	Professor Dato' Dzulkipli Abd Razak
Advisor:	:	Professor Dr Rozman Hj Din
Chairman	:	Professor Dr Teng Tjoon Tow
Secretary	:	Dr Norli Ismail : Dr Fazilah Ariffin : Ms Fera Fizani Ahmad Fizri
Treasurer	:	Dr Cheng Lai Hoong
Publicity	:	Professor Dr Abd Karim Alias Dr Arniza Ghazali Dr Leh Cheu Peng Dr Liong Min Tze Dr Fumio Kawamura
Sponsorship	:	Assoc Prof Dr Abdul Khalil Shawkataly
Scientific Committee	:	Assoc Prof Dr Anees Ahmad Professor Dr Abd Karim Alias Professor Dr Gulam Rusul Rahmat Ali Professor Dr Ir Mohd Omar Ab Kadir Professor Dr Wan Rosli Wan Daud Assoc Prof Dr Mahamad Hakimi Ibrahim Assoc Prof Dr Nik Norulaini Nik Ab Rahman Assoc Prof Dr Norhashimah Morad Assoc Prof Dr Norziah Mohd Hani Assoc Prof Dr Othman Sulaiman Assoc Prof Dr Rokiah Hashim Dr Abbas Fadhl Mubarek Al-Kharkhi Dr Yusri Yusup Mdm Wan Nadiah Wan Abdullah
Technical	:	Dr Nurul Huda Mr Rizol Md Ariff
Transportation	:	Dr Mazlan Ibrahim Dr Tay Guan Seng
Protocol	:	Assoc Prof Dr Azhar Mat Easa Assoc Prof Dr Norziah Mohd Hani Mdm Rosni Md Yusoff
Conference Secretariat	:	Assoc Prof Dr Norhashimah Morad Assoc Prof Dr Rokiah Hashim

EDITORIAL BOARD

1. Teng Tjoon Tow
2. Fera Fizani Ahmad Fizri
3. Norli Ismail
4. Fazilah Ariffin
5. Anees Ahmad

PANEL OF REVIEWERS

SCHOOL OF INDUSTRIAL TECHNOLOGY, USM

- Professor Dr Abd Karim Alias
- Professor Dr Gulam Rusul Rahmat Ali
- Professor Dr Teng Tjoon Tow
- Assoc Prof Dr Anees Ahmad
- Assoc Prof Dr Mahamad Hakimi Ibrahim
- Assoc Prof Dr Nik Norulaini Nik Ab Rahman
- Assoc Prof Dr Norhashimah Morad
- Assoc Prof Dr Norziah Mohd Hani
- Assoc Prof Dr Poh Beng Teik
- Assoc Prof Dr Rokiah Hashim
- Dr Abbas Fadhl Mubarek Al Karkhi
- Dr Fazilah Ariffin
- Dr Norli Ismail
- Dr Nurul Huda
- Dr Yusri Yusup
- Mdm Wan Nadiyah Wan Abdullah

OTHER SCHOOLS/ UNIVERSITIES

- Professor Dr Hamidi bin Abdul Aziz (School of Civil Engineering, USM)
- Assoc Prof Ahmad Shukri Yahya (School of Civil Engineering, USM)
- Assoc Prof Ahmad Tariq Jameel (School of Biotechnology, IIUM, KL)
- Assoc Prof Dr Bassim H Hameed (School of Chemical Engineering, USM)
- Assoc Prof Dr M Hasnain Isa (Civil Engineering Department, Universiti Teknologi Petronas)
- Assoc Prof Dr Wan Ruslan Ismail (School of Humanities, USM)
- Dr Asyirah Abdul Rahim (School of Humanities, USM)
- Dr Izharul Haq Farooqi (Department of Civil Engineering, AMU, Aligarh, India)
- Dr Norizan Esa (School of Educational Studies, USM)

144 Most Effective AOT Retrieval Method Searching At South East Asia <i>H.G. Ng, M. Z. Mat Jafri, K. Abdullah and A.N. Alias</i>	725
145 Respro-Viewer: A Web Based GIS Spatial Data Mapping Solution For Residential Properties Viewer <i>M. Mustafa, W.K. Ng, W.A.B.W. Aezwani and Z. Zaidi</i>	730
146 Computational Fluid Dynamics (CFD) Modeling Of Flow Behaviour In A Spark Ignition Engine <i>Khairil Faizi Mustafa</i>	736
147 Modeling Of Gold Adsorption With Activated Carbon Using Artificial Neural Networks <i>M. Soleimani and T. Kaghazchi,</i>	741
148 The Precipitable Water And Determination Of Cloud Seeding Threshold Through Thermodynamic Graphs And MODIS Satellite In Tabriz <i>S.A. Sajjadi</i>	745
149 Ecological Evaluation From Road Building Planning Impact In Conservation Forestry Areas <i>Dinar Dwi Anugerah Putranto and Sarino Agus Lestari Yuwono,</i>	751
150 Urban Storm Water Quality Models: An Overall Review <i>M.F. Chow and Z. Yusop</i>	755
151 The Unstability Indices Of Torrential Rain In Western Iran <i>S.A. Sajjadi, H.Khoshmanzar, S.S. Sajjadi and S. Sajjadi</i>	760
Scope 9 Environmental Manufacturing and Engineering	
152 Green Factories For The Future Part 1: Green Process & Product Ecology <i>Chin-Ling, Loh and Joo-Shiuh, Tan</i>	765
153 Green Factories For The Future Part 2: Green Factory Building And Design <i>Joo-Shiuh, Tan and Chin-Ling, Loh</i>	769
154 Dry Machining Of Titanium Alloys And Its Impact On The Environment And Tool Life <i>N. H. Elmagrabi, C. H. Che Haron, Jaharah A.Ghani, Gusri.A.I, Yasir, M.S and Yanur.B</i>	773
155 Personal Exposure To Respirable Particles (Pm ₁₀) Among Bus Drivers <i>Mohammadyan M. Alizadeh A and Mohammadpour, R.A</i>	778
156 Evaluation Of Some Physical And Mechanical Properties Of Particleboard Made From Petai Belalang And Rice Husks <i>R. Suriana, A.K. Azrena, A. Mohd Feyrouz and H.P.S. Abdul Khalil</i>	785
157 Tensile And Impact Behavior Of Hybrid Extruded Glass/Natural Fiber Reinforced Polypropylene Composites <i>Al Emran Ismail and Nor Azila Zamani</i>	793
158 Effect Of Temperature On Tensile Behaviour Of Hybrid Extruded Glass/Natural Fiber Reinforced Polypropylene Composites <i>Al Emran Ismail and Wan Noor Azira Wan Yaakob</i>	797

15

by Dinar Da Putranto

Submission date: 17-Oct-2018 01:15PM (UTC+0800)

Submission ID: 1021494691

File name: Paper_ID_180.pdf (2.56M)

Word count: 2309

Character count: 12933

ECOLOGICAL EVALUATION FROM ROAD BUILDING PLANNING IMPACT IN CONSERVATION FORESTRY AREAS

Dinar Dwi Anugerah Putranto^{1*}, Sarino¹, Agus Lestari Yuwono²

¹ Study Program of Civil Engineering, Postgraduate Program, Sriwijaya University
Jl. Padang Selasa No. 524, Bukit Besar, Palembang 50139, South of Sumatera, Indonesia

² Department of Civil Engineering, Faculty of Engineering, Sriwijaya University,
Jl. Raya-Inderalaya Km.32, Ogan Ilir, South of Sumatera, Indonesia

*Corresponding author. Phone: 0711 440264, Fax: 0711 440264

E-mail: dwianugerah@yahoo.co.id

ABSTRACT

Road-building in protected forest environment, theoretically do not be enabled, because worried will destroy area ecosystem and extend the happening of illegal logging. But one side, opening of access destined road to increase level live society around protected forest so that don't expand of forest very is needed, so that relation between area in quickening growth between economic growth and region of society around the road will be a mount. And this becomes one of the especial targets of Indonesia in Millennium Developments Gold (MDG'S) 2015. The overall objective of this study is to improve the application of ecological evaluation. In particular, the study focuses on one specific target of ecological evaluations, i.e., biodiversity conservation, and on one specific type of projects, i.e., road developments. The case study is represented by an infrastructure development within an Taman Nasional Kerinci Seblat (TNKS) located in South of Sumatera and Bengkulu Province on Indonesia : The Selangit - Napal Melintang - Lebong, road pass by quickly two province. The approach with three general guidelines that emerged from the analysis of the application of ecological evaluation to EIA (Ecological Impact Assessment). The first, called for the explicit reference to biodiversity. The second, of measurable indicators to assess ecological values, and the consequent separation between prediction and assessment of impacts. The third, evaluation of different project alternatives, and the improvement of methods for their comparison and ranking. All requirement, presentation, and data evaluation, conducted with using multi criteria evaluation in GIS technique. Two different alternative layouts were proposed for the Selangit-Napalmelintang-Lebong road project. The results of the analysis have indicated that Alternative 2 is by far the best-performing one, i.e., the one that causes the least impact on ecosystems. Alternative 2 have shorter traveled distance (36,5 Km), with minimum inclination, so that can be cheaper in its step building and manages to spare most of the relevant sites for biodiversity conservation.

Keywords: Ecological evaluation, Protected forest, road pass.

1. INTRODUCTION

Development of road network in rural region become one of the especial target of Indonesia government in Millennium Development Gold program (MDG'S) until Year


2015. The program meant as one of the effort to give to access in rural area in improving society economics, is so that expected will lessen poorness number, unemployment and urbanization.

Policy of Sub-Province Musi Rawas to develop road network of two province from Selangit-Batugane-Napalmelintang in Sub-Province of Musi Rawas, South Sumatra Province to Sukanegeri village, in Sub-Province of Lebong, Bengkulu Province, representing one of the effort to interface to three village in borderland between Province of South Sumatra and Bengkulu. Third of the village, located by the side of Natural Forest Conservation boundary of National Park Kerinci Seblat (TNKS).

Road-building in protected forest environment, theoretically do not be enabled, because worried will destroy area ecosystem and extend the happening of illegal logging. But in existing regulation, area outside of zone is core of from National Park Kerinci Seblat, admit of to be exploited limitedly for the activity of which in character for the prosperity of society. According to existing note in Zone of TNKS map, area plan way in Jungle zone area.

In particular, from Napal Melintang to Sukanegeri Village the most critical intersections are :

- The crossing of the River, that requires to go through the centre of the village of Napal Melintang ;
- The crossing of the some mountains with height above 1000 m mean sea level in the forest area with vegetation type is Secondary and Primary forest.



Figures 1. Location of Road Plan two province in frontier of South Sumatra and Bengkulu Province in Indonesia which passing Forest Conservation TNKS area.

2. MATERIAL AND METHODS

Transportation infrastructures, and above all road networks, are blamed for highly contributing to the decrease in both the quantity and the quality of natural habitat. Therefore, a comprehensive Biodiversity Impact Assessment (BIA) in road planning and development needs to become a routine activity, as do other commonly considered

elements. Biodiversity Impact Assessment of roads focused on three EIA stages (baseline study, impact prediction and assessment) and two impact types (habitat loss and fragmentation).

Besides the land-use map, an extensive geographical database was available from the material offices. This database is constantly updated and includes data layers such as the forest plan (i.e., the description of the tree cover of each forest parcel) and a Digital Terrain Model with a spatial resolution of 25 m. For each of these classes, a set of ground-truth data referred to 1:50,000 topographic sheets was collected. The survey was performed in July 2007 and the ground data cover almost the 3% of the total area to be classified. The study area was sampled as homogeneously as possible, approximating a "stratified random" criterion (ERDAS 1991). This means that, ideally, the total area surveyed for each class is proportional to the total cover of that class within the image.

Most environmental impacts are characterised by a spatial component (e.g., spread of pollutants in the air, fragmentation of natural habitats, etc.). Consequently, their prediction and assessment involve the gathering and processing of spatial data. In this research, a GIS will represent the supporting platform to apply the methodology proposed for BIA. In particular, a GIS will be required to integrate spatial data from different sources (e.g., remotely sensed images) and to perform basic spatial operations (e.g., map overlaying, map aggregation, distance computation).

3. RESULTS AND DISCUSSION

3.1. Base line study

First of all, the forests were masked out of the TM+7 image to classify the remaining areas. In particular, the following seven classes were identified in the study area : (1) Seagegrass; (2) Primary Forest; (3) Bush; (4) Secondary Forest; (5) mixture Plantation; (6) Agriculture; and (7) Non Irrigated Dry field. The land-cover map of the study area represents the basic data layer for the prediction and assessment of the impact caused by the road alternatives. In particular, the impact analysis will focus on the natural ecosystems that occur within the study area.

The natural ecosystems are characterised by the presence of an essentially intact, at least in its main features, native vegetation cover. According to the potential-vegetation map of the study area, this means that all the woodlands (except from the plantations, such as the *meranti payau* stands), as well as the riverside vegetation associations, can be considered as natural ones.

The two alternative layouts are shown in Figure 2 : Each alternative is designed to be partly 2-laned with 12,5 m-wide, and 120 m buffer zone.

(1) Alternative 1 runs along the western side of the Napalmelintang Village, then crosses the Nike river and fringing along river and growing up with relief until 5 % at Km 20+00 and until Km 36+00 gradual up with 11,4 % relief .

(2) Alternative 2 runs along the northern side of the Nike river and then go up along relief with inclination until 11 % at Km 22+00 with height 1100 m msl. This alternate for cutting short distance and avoiding some inclination of very steep bevel. Travelled distance from second alternate shorter (36 Km) from Napal Melintang to Sukanegeri Village on Bengkulu.



Figures 2. The two road layouts (Alternative 1 represented in green and 2 in red)

3.4 Impact prediction

The first step in predicting the impacts caused by the space occupation of the project alternatives consists in estimating the extent of such an occupation. For similar types of roads, the occupation buffer proposed in the literature is of about 120 m. The buffer maps of the different project alternatives were overlaid to the map showing the distribution of the natural ecosystems (see Figure 3). The comparison between the original ecosystem map and the different landscape scenarios allowed to compute the expected loss for each ecosystem type. The losses are presented in Table 1 and in Figure 3. This is mainly due to the fact that all the two alternatives heavily interfere with the fluvial system of the Bai Metat River, by running along it and crossing it. The design of the road alignments reveals the willingness of sparing the highly valuable forestry land, at the fluvial corridor's expenses.

Tables 1.

Estimate of land area losses (area losses= A_j) at difference ecosystem types

Primary Forestry (core) [ha]	Primary Forestry [ha]	Secondary Forestry [ha]	Mix Forestry [ha]	Open Forestry [ha]
501,40	78,26	60,09	53,76	311,04

3.3. Impact Assessment

From Tables 1 above can be estimated, that forest of core on TNKS to pass by the road plan for the primary forest equal to 501,40 Ha, what in this time around in zone of prop area or jungle zone. For obtain value ecosystem impact to lose effect awaking up of this road two province, conducted with calculation like shown in Tables 2.




Figure 3. Buffer zones at the road plan alternate two

From Tables 2., total of plant ecosystem or tree will lose at area along the road plan is equal to 436,90 Ha. The area fair within measure and can be supported with government regulation of Minister Forestry No. 14 Year 2006, enabling to open farm for the sake of public, as long as pertinent local government provide the same as substitution farm broadly or more to be converted to become protected forest.

Tables 2.

Value of Ecosystem-Loss Impact (ELI) for each ecosystem type which estimated to lose in hectare (left side column) and assigned value (right side column)

Plan	Core Forestry		Ecosystem Losses								ELI (weighted, Ha)
			Primare Forestry				Second Forestry				
Alt.2	501,4	0,11	78,26	0,14	60,0	0,35	53,76	0,72	311,04	1,0	436,90

4. CONCLUSION

- (1) Alternative 2 is by far the best-performing one, i.e., the one that causes the least impact on ecosystems. Such an alternative is shorter with inclination of bevel under 11% and a little cut of hill and facilitating to chosening of the sites relevant for biodiversity conservation.
- (2) The use of measurable indica²s to assess the evaluation criteria. In the context of EIA, this means also that the impact prediction (i.e., t² description of changes in the indicator values) can be kept separated from the impact assessment (i.e., the evaluation of the relevance of such changes);

REFERENCES

- Atkinson, S.F., S. Bhatia, F. Schoolmaster, A.W.T. Waller (2000), Treatment of biodiversity impacts in a sample of US environmental impact statements. *Impact Assessment and Project Appraisal* 18(4), pp. 271-282.
- Austin, M.P., C.R. Margules (1986), Assessing representativeness. In: Usher M.B., ed., *Wildlife conservation evaluation*. London: Chapman & Hall, pp. 45-67.
- Awimbo, J.A., D.A. Norton, F.B. Overmars (1996), An evaluation of representativeness for nature conservation, Hokitika Ecological District, New Zealand. *Biological Conservation* 75, pp. 177-186.
- Banal, R. (1993), Fuzziness in geographical information systems: contributions from the analytic hierarchy process. *International Journal of Geographical Information Systems* 7(4), pp. 315-329.
- Beinat, E. (1997), *Value functions for environmental management*. Dordrecht: Kluwer.
- Beinat, E., M. Bressan, M. Jones, K. Fabbri (1999), *Geographical information systems and environmental impact assessment*. UNIGIS Module, Faculty of Economics, Vrije Universiteit Amsterdam.
- Beinat, E., P. Nijkamp, eds. (1998), *Multicriteria analysis for land-use management*. Dordrecht: Kluwer.
- Beinat, E., P. Nijkamp, P. Rietveld (1994), Multicriteria value functions for evaluating soil pollution: a new assessment procedure and its applications. In: Guariso G. and B. Page, eds., *Computer support for environmental impact assessment*. Amsterdam: North Holland, pp. 209-220.
- Bennet, A.F. (1991), Roads, roadsides and wildlife conservation: a review. In: Saunders D.A. and R.J. Hobbs, eds., *Nature conservation 2: the role of corridors*. Chipping Norton: Surrey Beatty, pp. 99-117.

ORIGINALITY REPORT

11%

SIMILARITY INDEX

%

INTERNET SOURCES

11%

PUBLICATIONS

0%

STUDENT PAPERS

PRIMARY SOURCES

1

Geneletti, D.. "Biodiversity Impact Assessment of roads: an approach based on ecosystem rarity", Environmental Impact Assessment Review, 200305

Publication

9%

2

Geneletti, D.. "Accounting for uncertainty factors in biodiversity impact assessment: lessons from a case study", Environmental Impact Assessment Review, 200307

Publication

1%

3

Risfidian Mohadi, Nurlisa Hidayati, Aldes Lesbani. " Isolation of β -Chitosan from Squid Bone as Raw Material to Synthesize of Hybrid Photocatalysts TiO -Chitosan ", Journal of Physics: Conference Series, 2018

Publication

1%

Exclude quotes On

Exclude matches < 15 words

Exclude bibliography On