

Certificate of Participation

This certificate is presented to

SUMI AMARIENA HAMIM

as a recognition for participating and presenting at the

International Conference on Environmental Research and Technology (ICERT) 2008

held on the

28 - 30th May 2008

at


Parkroyal Hotel, Penang, Malaysia

Organized by

School of Industrial Technology Universiti Sains Malaysia



Professor Rozman Hj. Din Advisor ICERT 08 Organising Committee Professor Teng Tjoon Tow Chairman ICERT 08 Organising Committie



28-30 May 2008
Parkroyal Penang,
MALAYSIA



Editors:

Teng Tjoon Tow Fera Fizani Ahmad Fizri Norli Ismail Fazilah Ariffin Anees Ahmad

ICERT 08

Proceedings of the International Conference on Environmental Research and Technology 2008 Parkroyal Hotel, Penang, Malaysia 28-30 May 2008

Environmental Technology for a Greener Tomorrow

Editors:

Teng Tjoon Tow Fera Fizani Ahmad Fizri Norli Ismail Fazilah Ariffin Anees Ahmad

Organised by:
School of Industrial Technology
University Sains Malaysia
Penang, Malaysia

Distributed & Published by:

School of Industrial Technology Universiti Sains Malaysia 11800 Minden Penang, Malaysia

Tel: 04-6532119 Fax: 04-6573678 Email: icert@usm.my

© School of Industrial Technology, USM 2008

All rights reserved. No part of this book may be reprinted or reproduced or utilized in any form or by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying and recording, or in any information storage or retrieval system, without permission in writing from the publisher.

Malaysian National Library

Cataloguing-in-Publication Data

International Conference on Environmental Research and Technology (1st: 2008: Penang) ICERT 2008: Proceedings of the International Conference, Parkroyal Hotel,

28th-30th May, 2008 / Editor Teng Tjoon Tow ... [et al.]

ISBN 978-983-3986-29-3

- 1. Environmental management and policy
- 2. Environmental education
- 3. Environmental engineering
- 4. Environmental technology & process
- 5. Ecology & biodiversity
- Teng Tjoon Tow I
- II Fera Fizani Ahmad Fizri
- III Norli Ismail
- IV Fazilah Ariffin
- Anees Ahmad
- VI School of Industrial Technology
- VII Universiti Sains Malaysia
- VIII Title

ORGANISING COMMITTEE

Patron : Professor Dato' Dzulkifli Abd Razak

Advisor: : Professor Dr Rozman Hj Din

Chairman : Professor Dr Teng Tjoon Tow

Secretary : Dr Norli Ismail

: Dr Fazilah Ariffin

Ms Fera Fizani Ahmad Fizri

Treasurer : Dr Cheng Lai Hoong

Publicity : Professor Dr Abd Karim Alias

Dr Arniza Ghazali Dr Leh Cheu Peng Dr Liong Min Tze Dr Fumio Kawamura

Sponsorship : Assoc Prof Dr Abdul Khalil Shawkataly

Scientific Committee : Assoc Prof Dr Anees Ahmad

Professor Dr Abd Karim Alias

Professor Dr Gulam Rusul Rahmat Ali Professor Dr Ir Mohd Omar Ab Kadir Professor Dr Wan Rosli Wan Daud Assoc Prof Dr Mahamad Hakimi Ibrahim Assoc Prof Dr Nik Norulaini Nik Ab Rahman

Assoc Prof Dr Norhashimah Morad Assoc Prof Dr Norziah Mohd Hani Assoc Prof Dr Othman Sulaiman Assoc Prof Dr Rokiah Hashim Dr Abbas Fadhl Mubarek Al-Kharkhi

Dr Yusri Yusup

Mdm Wan Nadiah Wan Abdullah

Technical : Dr Nurul Huda

Mr Rizol Md Ariff

Transportation : Dr Mazlan Ibrahim

Dr Tay Guan Seng

Protocol : Assoc Prof Dr Azhar Mat Easa

Assoc Prof Dr Norziah Mohd Hani

Mdm Rosni Md Yusoff

Conference Secretariat : Assoc Prof Dr Norhashimah Morad

Assoc Prof Dr Rokiah Hashim

EDITORIAL BOARD

- 1. Teng Tjoon Tow
- 2. Fera Fizani Ahmad Fizri
- 3. Norli Ismail
- 4. Fazilah Ariffin
- 5. Anees Ahmad

PANEL OF REVIEWERS

SCHOOL OF INDUSTRIAL TECHNOLOGY, USM

- Professor Dr Abd Karim Alias
- Professor Dr Gulam Rusul Rahmat Ali
- Professor Dr Teng Tjoon Tow
- Assoc Prof Dr Anees Ahmad
- Assoc Prof Dr Mahamad Hakimi Ibrahim
- Assoc Prof Dr Nik Norulaini Nik Ab Rahman
- Assoc Prof Dr Norhashimah Morad
- Assoc Prof Dr Norziah Mohd Hani
- Assoc Prof Dr Poh Beng Teik
- Assoc Prof Dr Rokiah Hashim
- Dr Abbas Fadhl Mubarek Al Karkhi
- Dr Fazilah Ariffin
- Dr Norli Ismail
- Dr Nurul Huda
- Dr Yusri Yusup
- Mdm Wan Nadiah Wan Abdullah

OTHER SCHOOLS/ UNIVERSITIES

- Professor Dr Hamidi bin Abdul Aziz (School of Civil Engineering, USM)
- Assoc Prof Ahmad Shukri Yahya (School of Civil Engineering, USM)
- Assoc Prof Ahmad Tariq Jameel (School of Biotechnology, IIUM,KL)
- Assoc Prof Dr Bassim H Hameed (School of Chemical Engineering, USM)
- Assoc Prof Dr M Hasnain Isa (Civil Engineering Department, Universiti Teknologi Petronas)
- Assoc Prof Dr Wan Ruslan Ismail (School of Humanities, USM)
- Dr Asyirah Abdul Rahim (School of Humanities, USM)
- Dr Izharul Haq Farooqi (Department of Civil Engineering, AMU, Aligarh, India)
- Dr Norizan Esa (School of Educational Studies, USM)

144 Most Effective AOT Retrieval Method Searching At South East Asia H.G. Ng, M. Z. Mat Jafri, K. Abdullah and A.N. Alias	725	
145 Respro-Viewer: A Web Based GIS Spatial Data Mapping Solution For Residential Properties Viewer	730	
M. Mustafa, W.K. Ng, W.A.B.W. Aezwani and Z. Zaidi		
146 Computational Fluid Dynamics (CFD) Modeling Of Flow Behaviour In A Spark Ignition Engine Khairil Faizi Mustafa	736	
147 Modeling Of Gold Adsorption With Activated Carbon Using Artificial Neural Networks M. Soleimani and T. Kaghazchi,	741	
148 The Precipitable Water And Determination Of Cloud Seeding Threshold Through Thermodynamic Graphs And MODIS Satellite In Tabriz	745	
S.A. Sajjadi		
149 Ecological Evaluation From Road Building Planning Impact In Conservation Forestry Areas Dinar Dwi Anugerah Putranto and Sarino Agus Lestari Yuwono,	751	
150 Urban Storm Water Quality Models: An Overall Review M.F. Chow and Z. Yusop	755	
151 The Unstability Indices Of Torrential Rain In Western Iran S.A. Sajjadi, H.Khoshmanzar, S.S. Sajjadi and S. Sajjadi	760	
Scope 9 Environmental Manufacturing and Engineering		
152 Green Factories For The Future Part 1: Green Process & Product Ecology Chin-Ling, Loh and Joo-Shiuh, Tan	765	
153 Green Factories For The Future Part 2: Green Factory Building And Design Joo-Shiuh, Tan and Chin-Ling, Loh	769	
154 Dry Machining Of Titanium Alloys And Its Impact On The Environment And Tool Life N. H. Elmagrabi, C. H. Che Haron, Jaharah A.Ghani, Gusri.A.I, Yasir, M.S and Yanur.B	773	
155 Personal Exposure To Respirable Particles (Pm ₁₀) Among Bus Drivers	778	
Mohammadyan M., Alizadeh A and Mohammadpour, R.A		
156 Evaluation Of Some Physical And Mechanical Properties Of Particleboard Made From Petai Belalang And Rice Husks	785	
R. Suriana, A.K. Azrena, A. Mohd Feyrouz and H.P.S. Abdul Khalil		
157 Tensile And Impact Behavior Of Hybrid Extruded Glass/Natural Fiber Reinforced Polypropylene Composites	793	
Al Emran Ismail and Nor Azila Zamani		
158 Effect Of Temperature On Tensile Behaviour Of Hybrid Extruded Glass/Natural Fiber Reinforced Polypropylene Composites 41 Emran Ismail and Wan Noor Azira Wan Yaakoh	797	

Paper_ID_181.doc

Submission date: 22-Oct-2018 10:58AM (UTC+0800)

Submission ID: 1024202084

File name: Paper_ID_181.doc (5.16M)

Word count: 2627

Character count: 15356

RIVER ECOSYSTEMS WITHIN URBAN AREA

(Case Study: Palembang Metropolitan Area)

Sumi Amariena Hamim^{1*}, Dinar Dwi Anugerah Putranto², Ika Juliantina²

Student of Doctoral Degree of Environment Science, Postgraduate Program, Sriwijaya University, Jl. Padang Selasa No. 524, Bukit Besar, Palembang 50139, South of Sumatera, Indonesia

² Study Program of Civil Engineering, Postgraduate Program, Sriwijaya University Jl. Padang Selasa No. 524, Bukit Besar, Palembang 50139, South of Sumatera, Indonesia *Corresponding author. Phone: 0711 821393

E-mail: bune rasnan@yahoo.co.id

ABSTRACT

Town is centre of activities, where resident, infrastructure network and human being activity take place with all economic interaction, culture and social. Palembang is one of the town among some other metropolis in Indonesia having area land structure "low land". The mentioned marked with regional geomorphology structure of formed river to the some river branch from one great river which passing town, with height in area of around river less than 5 m above means sea level (msl). With this condition, existing river will is always influenced by sea water level, where high water moment, sea water tide influence will influence exit current drainage coming from its upstream region (town). So that top rain moment, water which do not be accommodated in river, because water level lest than upstream, will abundance in vinicity region, so that suffuse in low area or which is ordinary to be referred is by floods plain.

At some case, the core important at some town growth which do not in control, like inconsistency of settlement of area with environment, one of the problem to arise is degradation of quality of itself town environment. One aspect do not control growth of town is expressed with disregarding of problem of land use planning at region that having high natural and ecological value. Many method have been conducted to overcome the problem of floods that happened in urban area, what in general can be classified to becomes: approach of non structural and structural approach (Correira et all, 1999).

In that sense, the aim of this research is to develop a spatial approach that could incorporate the environmental perspective and the environmental services inside the planning process, through the application of GIS tools (knowledge-based modeling). For that purpose, concepts and theories proposed in the framework of Sustainable Development (Landscape Ecology, Ecosystem Analysis, Land Unit Concept, Ecosystem Services and Urban Ecosystem) were applied for analysing secondary data obtained from different public institutions in Palembang Metropolitan Area. As a result, a preliminary spatial approach for identified river and urban ecosystems and their interactions in spatial terms was developed. If monitoring system change of land use and capacities of analyse systems can be created by exploiting GIS technique, or Geographic Information System, hence condition of river ecosystems service to its environment can be monitored.

Key words: low land, environmental services, GIS

1. INTRODUCTION

Palembang is one of the town among some other metropolis in Indonesia having area land structure "low land". The mentioned marked with regional geomorphology structure of formed river to the some river branch from one great river which passing town, with height in area of around river less than 5 m above means sea level (msl). With this condition, existing river will is always influenced by sea water level, where high water moment, sea water tide influence will influence exit current drainage coming from its upstream region (town). So that top rain moment, water which do not be accommodated in river, because water level lest than upstream, will abundance in vinicity region, so that suffuse in low area or which is ordinary to be referred is by floods plain.

At some case, the core important at some town growth which do not in control, like inconsistency of settlement of area with environment, one of the problem to arise is degradation of quality of itself town environment. One aspect do not control growth of town is expressed with disregarding of problem of land use planning at region that having high natural and ecological value. Many method have been conducted to overcome the problem of floods that happened in urban area, what in general can be classified to becomes: approach of non structural and structural approach (Correira et all, 1999).

2. MATERIAL AND METHODS

Data which is used in research are line maps with scale 1:1000, result of mapping with aerial photograph year 2004, what consist of contour data, land use to obtains open space and close space data, land type, and vegetations type. Field data obtained to know region flooding areas and the duration flood and also town drainage condition and rainfall.

One of the approach of ecosystems that be able to exploited for the description of hierarchy characteristic from social condition and formation of surface of earth as system as a whole is "Landscape Ecology" (Zonneveld, 1989). This system is used to understood comprehend ecosystem function and it's interaction between town and river and to description of is condition of land with mapping natural structure and ecosystems using spatial approach.

Analysis system to be used to see the condition of Sub DAS ecology is principle "Bank Balance" (Detwyler, 1972), change and condition evaluated each part of Sub DAS from condition of Sub DAS regions as a whole at town system. This approach use one unity, where interaction process and element and is influence each other, change in one of the parameter will influence the condition of ecosystem as a whole. As a result, a preliminary spatial approach for identified river and urban ecosystems and their interactions in spatial terms was developed. If monitoring system change of land use and capacities of analyse systems can be created by exploiting GIS technique, or Geographic Information System, hence condition of river ecosystems service to its environment can be monitored.

3. RESULTS AND DISCUSSION

Metropolitan Palembang geographically lay in Latitudes are 2° 52′ - 3° 5′ South latitude and longitudes are 104° 37′ - 104° 52′ East longitude with means height is 2 until 32 meters from sea level. Boundary of Palembang Administration are north side, eastside and west side abut on Sub-Province Banyuasin, south side with Sub-Province Muara

Enim and Sub-Province Ogan Ilir. Metropolitan Palembang consist of 14 district and 103 regional sub-district with total area is 400,61 Km2.

Metropolitan Palembang have 19 DAS systems with most have estuary to Musi river (Figure 1). From 19 DAS systems, 6 DAS have estuary to in Musi river, while 3 DAS have estuary to northwards namely Sub-Province Banyuasin. Though Metropolitan Palembang have location far from sea, but existence of tide and ebb by sea, especially when tide enough bothering jetting of branch river.

Table 1. Name of DAS in Palembang City with total area

No	Name of DAS	Area (Ha)
1.	Gandus	2,394
2.	Gasing	5.211
3.	Lambidaro	5.209
4.	Boang	867
5.	Sekanak	1.139
6.	Bendung	2.259
7.	Kidul	286
8.	Buah	1.082
9.	Juaro	686
10.	Batang	559
11.	Selinca	483
12.	Borang	7.209
13.	Simpang Nyiur	2.285
14.	Sriguna	491
15.	Aur	658
16.	Kedukan	1.099
17.	Jaka Baring	3.761
18.	Kertapati	2.509
19.	Keramasan	3.288





Figure 1. Split of DAS systems in Palembang

The combination of sosio-economic activities and the city's growth process gives as a result the current land use pattern of the urban area. As a spatial expression of the performance of the urban activities, this variable provides a good perspective about the city's dynamics and in some way provides a good idea of the intensity of the use of space.

The pattern distribution of the land use in Palembang Metropolitan area shows a city a high percentage of non urban land around 68,78 % of the total. The other activities, such as residential and residential with economic activities such as commerce, industry, education and other uses represents approximately 31,96 % of the total. The agricultural of dry land use represents 24,60 % of the area non urban and 14, 61 % of the total area representation agricultural of wetland. Figures 2, can see the land use pattern shows a gradual decrease of intensity of use, which start the city core with high dynamic activities such as commerce and industry and diminishes towards the periphery with residential activities. In the same way, the old parts of the city have a more intensive use than the new ones, because of the type of uses they present whilst the new parts are only use as "bedroom" areas with less intensity of use.



Figures 2. Land use distribution in Palembang urban area

Amount of population Palembang city is make-up of in range of time 1999 - 2002 with growth rate 2,1 % the growth relative mount if compared to year growth 2003 equal to 2.3 %. In the year 1999 amount of Palembang city equal to 1.433.099 head and experience of improvement become 1.560.075 head in the year 2003. In the year 2003, Palembang city have density equal to 39 head/ Ha. Big Density relative at district of Ilir Timur I (around 3.348 head/ha), District of Seberang Ulu I (around 2.894 head/ha) and District of Ilir Barat II (around 2.732 head/ha).

Housing with urban character (outside settlement of swamps) spread over in 8 district, broadly equal to 13.677 Ha (38,01%). Including housing which with character countryside only spread over in 4 district, that is District of Ilir Barat I (around 327 Ha), district of Sukarami (around 245 Ha), district of Sako (around 40 Ha) and district of Ilir Barat II (around 27 Ha). Settlements at swamps area spread in location for the widh of 1.855 Ha, in 3 district are district of Ilir Barat II (1.225 Ha), district of Ilir Barat I (439 Ha) and district of Seberang Ulu I (191 Ha).

The combination of land use, population density and housing density for finding a preliminary recognition of the intensity of use in the city constitutes the first step in the spatial identification of the integral urban pattern of Metropolitan Palembang, which is assessed in terms of the intensity of use of the urban structure

Te identification and analysis of the interactions between the Musi River and Metropolitan Palembang ecosystems are based on he spatial identification of the first one and the determination of the urban pattern of the second one. The overlay of those results and the use of aerial photographs as means of checking the obtained map allow the identification of the degree of disturbance (modification) that the city puts into the river ecosystem.

The four types of degrees of disturbance in the Musi river ecosystem in Palembang City, are:

- Type I: Least modified. The areas qualified as type one can be considered as the least modified in the Musi river ecosystem. The current urban pattern does not exert high intensity of use, maintaining most of their original and natural features (physical and hydrological). The state of the environment in this area is acceptable, a condition that supports the performance of most of the ecosystem services of the Musi river ecosystem in Palembang City.
- Type 2: Moderately modified. These areas present a certain degree of urban intervention in the Musi River ecosystem, but the type of settlement on the terrain was done without major alterations. These are the areas with average intensity of use, where the urban patterns present medium densities, mostly residential uses and an acceptable presence of open green areas. The presence of uncovered areas distributed within type two assure to some extent the performance and provision of the river's functions and services.
- Type 3: Highly modified. The settlement pattern in this type was created with extensive modifications on the river ecosystem, changing the original topographic and morphologic features and removing soils and vegetation. There are high percentages of impervious area and this type presents dynamic functions with high densities, conditions that reflect high intensity of use of the area.
- Type 4: Very highly modified. These are the areas that show drastic alteration of the original conditions of the river ecosystem, where the topography, geomorphology, soils and vegetation do not conserve any traces of their original features. These areas present the highest intensity of use of urban pattern, with very dynamic uses and very high densities. The almost total pavement of these areas has resulted in scarce presence of open green areas, a condition that considerably restrict the functioning of the river ecosystem.

4. CONCLUSION

- (1) The worldwide understanding of the reasons behind the current urban and environmental deterioration has lead to the development of approaches that could incorporate the environmental perspective inside urban planning process. One of the se approaches is landscape ecology, which includes ecosystem analysis and land unit concepts in an attempt of simplify the complex interrelations between urban and natural areas, providing a comprehensive understanding about the interrelations between urban and natural ecosystems.
- (2) Metropolitan Palembang and Musi River could be considered a good example for examining the permanent interrelation between urban and natural ecosystems. This interrelation has resulted in negative consequences for Musi River and Metropolitan Palembang. The degree of deterioration of the river is changing the direction of the service provision: those services are now considered constraints instead of being considered benefits. This is the case of specific services, such as natural water purification, flood control, food supply, water supply and recreation, which are some

- of the most altered services from the thirteen ecosystem services identified during the analysis.
- (3) The recognition of the relevant role that environmental, urban and socio-economic variable are playing in the current state of Metropolitan Palembang and Musi River ecosystems was done in the basis of the spatial analysis and identification of the river ecosystem. In the general terms, environmental elements (geomorphology and vegetation), urban patterns (land use, population density, housing density, road network and open spaces) and socio-economic factor (urban poverty, illegal occupation and land value) can be considered relevant variable for expressing ecosystem services to cities in spatial terms. Those elements were the inputs of a spatial approach (a raw knowledge-base model) which could allow the incorporation of the environmental perspective in different stages of the spatial analysis, providing intermediate and final output that can be used inside a planning process framework.

REFERENCES

- Christopher W. May, 2003 "Stream Riparian Ecosystems in the Puget sound Lowland Eco-Region"
- D. Dutta, S. Wongwiwat, and S. Herath, 2005, "Catastrophic Flood Risk Analysis in Bangkok using Distributed Flood Model, GIS and RS"
- De Groot, R. S. W, Mathew A.: Boumans, Roelf M. J, 2002, "A typology for the classification, description and valuation of ecosystem functions, goods and services" Ecological Economics
- Fatih Keskin, 2005, "Flood Forecasting System in Turkey", General Directorate of State Hydraulic Works, Investigation and Planning Department, Denmark
- Jasson K. Levy, Hartmann Jens, et al, 2007, "Multi Criteria Decision Support Systems for Flood Hazard Mitigation and Emergency Response in Urban Watersheds", Journal of The American Water Resources Association
- Lant, C. L. K., Steven E; Beaulieu, Jeffry; Bennet, David; Loftus, imohy; Nickow, John, 2004. "Using GIS-based ecological-economic modeling to evaluate policies affectin agricultural watersheds." Ecological Economics.
- Sagala, 2006, "Analysis of flood physical vulnerability in residential area", disertation, International Institute for Geoinformation Science and Earth Observation Enschede, Netherlands
- Smeets, P., harms, W., van Mansfeld, M. Van Susteran, A., van Steekelenburg, M., 2004, "Metropolitan Delta Landscapes Planning Metropolitan Landscapes: Concepts, Demands and approaches", Wageningen, DELTA series 4.
- Stewart, M. D., P. D. Bates M. G. Anderson D. A. Price and T. P. Burt, 1999, *Modeling floods in hydrologically complex lowland river reaches*
- Weng Chan Ngai, 1997, "Institutional Arrangement for Flood Hazard Management in Malaysia: An Evaluation Using The Criteria Approach", Overseas Development Institute, Blacwell Publisher, Oxford
- Wiens, J. A., 2002, "Riverine Landscapes: taking landscapes ecology into the water." Freshwater Biology.
- Zonneveld, I. S, 1989, "The land unit A fundamental concept in landscape ecology and its applications", Landscape Ecology

Paper_ID_181.doc

ORIGINALITY REPORT

0%

%

INTERNET SOURCES

%

PUBLICATIONS

0%

STUDENT PAPERS

PRIMARY SOURCES

SIMILARITY INDEX

Exclude quotes

On

Exclude matches

< 15 words

Exclude bibliography

On