




INTERNATIONAL JOURNAL OF ADVANCED MULTIDISCIPLINARY RESEARCH (IJAMR)

(ISSN: 2393-8870)

(A Peer Reviewed, Referred, Indexed and Open Access Journal)

Impact Factor: 4.450 (2021), ICV: 80.43

Volume.9, Issue.1 - 2022



www.ijarm.com

E-mail: editorijarm@gmail.com / submitijarm@gmail.com

Research Article

DOI: <http://dx.doi.org/10.22192/ijamr.2022.09.01.003>

Design and Evaluation of Mobile-Based Applications for Supporting Malaria Surveillance Activities in Indonesian Regions

Rahmat Izwan Heroza

Information Systems Department, Faculty of Computer Science, Universitas Sriwijaya, Indonesia

E-mail: rahmatheroza@unsri.ac.id

Hamzah Hasyim*

Faculty of Public Health, Universitas Sriwijaya, Indonesia

E-mail: hamzah@fkm.unsri.ac.id

Rita Kusriastuti

Head of Indonesian Parasitic Diseases Control Association (IPDCA), Indonesia

E-mail: rita.kusriastuti@gmail.com

Pat Dale

Centre for Planetary Health and Food Security (CPHFS), School of Environment and Science, Griffith University, Nathan, Queensland, Australia

E-mail: p.dale@griffith.edu.au

*Corresponding Author

<https://orcid.org/0000-0002-2780-8902>

Abstract

Keywords

malaria,
surveillance,
Android, design,
evaluation

In malaria elimination programs, surveillance is a critical component. In Indonesia, an electronic information system was created to carry out malaria surveillance in the form of a structured excel file as part of an attempt to enhance the validity and completeness of reporting malaria data. However, the use of this method has several obstacles that are still felt by health workers. This study designed an Android-based malaria surveillance application as an alternative solution to the method that has been applied. The evaluation results show that the overall impression of this application is very good (mean, median (on a 9-point scale) and standard deviation equal to 6.84, 6.88 and 0.29, respectively). This means that in general, health officers as application users are satisfied with the applications that have been developed.

Introduction

Malaria is a deadly disease worldwide in both tropical and subtropical regions (Mitchell et al., 2021) caused by the Plasmodium parasite and vectored by mosquitoes WHO estimated that there were 229 million cases of malaria globally in 2019 (World Health Organization (WHO), 2020). Because of various factors, for example, environmental ones in Ethiopia (Dabaro et al., 2021) and mosquitoes and human population mobility in Pangandaran District in Indonesia (Hakim et al., 2018), and malaria control program activities (MoH, Indonesia) there has indeed been a decrease in malaria cases in 2015 when compared to the previous period. However, WHO noted that in 2018 there were 261,617 cases of malaria, globally (World Health Organization (WHO), 2018). This is a sizeable number that shows malaria is still a terrifying threat to our country.

There are several strategies to stop the spread of malaria worldwide such as Insecticide-treated net utilization for prevention activity (Yirsaw et al., 2021), examination of thick and thin blood slide for early detection and diagnosis, malaria microscopy standardized malaria slide set for quality assurance of microscopist (Horning et al., 2021; Yu et al., 2020), high-resolution melt analysis (Kassaza et al., 2021), Automated Detection of Malaria Parasites (Kuo et al., 2020; Rosado et al., 2016), malaria rapid diagnostic test for screening and mass blood survey (Ogunfowokan et al., 2020) and to treat Malaria using Artesunate Combination therapy plus other activity such as environmental management. Investment in surveillance systems to support timely management responses is essential for malaria elimination. (Hasyim et al., 2020¹)

In Indonesia, the National Malaria Program (NMP), the government, local governments, development partners, and the community are all committed to achieving malaria elimination in a systematic and organized manner. The target is Malaria will be fully eliminated by 2030. (Ministry of Health Indonesia, 2018). The stages of elimination are control, pre-elimination,

elimination, and prevention of re-introduction. In malaria elimination programs, surveillance is a critical component (Gunasekera et al., 2021). So, it is important to strengthen surveillance to have reliable real-time data that can be used by malaria program managers to eliminate Malaria. One of the most critical aspects of implementing a successful surveillance system is recording and reporting. In 2010, an electronic information system, namely -ESISMAL was created to carry out malaria surveillance in the form of a structured excel file as part of an attempt to enhance the validity and completeness of reporting malaria data.

However, after conducting observations and interviews, health officers still found some problems using the current malaria surveillance system. Because it is spreadsheet-based and uses macros, the installation process for this system is not simple. Even though they have been assisted by the system user manual document, some health officers still find it difficult to carry out this step. Likewise, with the availability of the device to enter data into a macro-based excel file, one must use a computer/laptop. For this purpose, the health center must provide tools for the activity. Some of the health centers only have one computer which is shared. Meanwhile, the health center officers rarely have their own laptops that can be used to enter surveillance data. This is of course an obstacle in itself for health officers so that the process of delivering malaria data is not optimal. In addition, activities that require health officers to go to the field to obtain data are also impractical considering that the equipment for entering data is in the health center. So, health officers need to first record the survey data in a separate document and then enter it into the system when they arrive at the office. This is of course less efficient and risk for data input errors because it is done twice.

Based on these problems, this study aims to design an Android-based malaria surveillance application as an alternative solution to the current spreadsheet method. Several countries have implemented this solution for malaria surveillance, such as India (Rajvanshi et al., 2021)

and Sri Lanka (Gunasekera et al., 2021). This application can later be used by the health center officers to carry out malaria surveillance activities in the field as well as to store and send the data to the data center of the ministry of health. The design of this application will then be evaluated for user satisfaction using the Questionnaire for User Interaction Satisfaction (QUIS) 7.0 questionnaire as a measuring tool to assess user subjective satisfaction with certain aspects of human-computer interaction, in this case, the interaction of health center officers with android-based malaria surveillance applications.

Method

This research consists of the stages of observation and in-depth interviews with selected informants. We have optimized the current e-Malaria Information System (MIS) to an e-MIS android-based mobile in the computer laboratory (comlab) Faculty of Computer Science Sriwijaya University (Hasyim et al., 2002²). The data can be accessed in <http://sismal.malaria.id/> used with permission.

Requirement Elicitation

Identification of stakeholder requirements was done by conducting interviews with provincial health office officers, sub-directorate of malaria. As noted previously health workers store surveillance data in an Excel spreadsheet that already has a specific data structure based on a laptop computer located in the office/health center. The malaria surveillance data in this file is grouped into five sections: Village Baseline Data for the Health Center Coverage (Key Info), Malaria Patient Register, (Regmal 1), Logistics Data and Malaria Program (Regmal 2), Malaria Vector Control Data (Vector), and Malaria Focus Control Data (Focus). In the reporting period, files containing this data will be sent via a website-based application to the data center of the Ministry of Health.

In the existing system, at this stage, several expected business needs are generated, namely where the officer hopes the application can store

data locally and that the determination of the survey location can be done automatically when the health officer is conducting a field survey. The first business need is that the application is expected to store data locally on smartphones owned by employees. When entering data, officers do it one by one and not at the same time. With the local data storage feature, the application does not need to be constantly dependent on an internet connection, which can make it difficult for officers who are in areas with limited internet connections.

Another requirement obtained from the interview results is that the system is expected to automatically determine the location when survey activities are carried out in the area. Applications are expected to reduce data that must be entered manually so that data entry work can be done more quickly. Since there is some location-based data, this feature will significantly increase the work efficiency of officers.

Identifying System Requirement

Based on the results of this interview process, a recent literature search was carried out to find system requirements. From several scientific articles, there are several system requirements related to application design, especially the form part that can be used in malaria data survey applications, namely the use of labels for data forms, one-way scroll, dividing the page into several sub-pages, adjusting the field size (Troiano et al., 2009), table data represented using a simple form display (Łobaziewicz, 2015), automatic location filling using GPS periodically (Heroza et al., 2019), as well as the use of local databases for large data storage (World Wide Web Consortium (W3C), 2010).

Prototyping

After identifying user needs for the application to be developed and researching system requirements, a mobile-based application prototype was created. Applications were built using the Android platform with the Java programming language and SQLite database as local data-storage technology. Android was

chosen because this platform has a market share in Indonesia in the last year of 92.39%, far ahead of iOS in second place (7.39%) (Mobile Operating System Market Share Indonesia StatCounter Global Stats, n.d.).

Evaluation

The prototypes that have been made were then evaluated by 16 health workers. User satisfaction in using the application was evaluated using the Questionnaire for User Interaction Satisfaction (QUIS 7.0). Quis 7.0 was used to determine the user's level of satisfaction on a 9-point scale. This questionnaire has been widely used to evaluate the usability of mobile apps or other softwares (Biduski et al., 2020; Chen & Bell, 2011; da Silva & Magalhães, 2021; Delamarre et al., 2020; Hussain & Kutar, 2012; Moumane et al., 2016). Unlike the System Usability Scale (SUS) which assesses the usability of software in general (Yunita et al., 2018), Quis 7.0 evaluates several aspects of software, namely screen, Terminology and System Information, Learning, System Capabilities, and General Impressions. The results of this evaluation will be used to develop a more complete malaria surveillance application.

Results

A prototype of an Android-based mobile malaria surveillance application has been developed. This prototype is an Android application that can be used by public health center officers to enter the data needed in malaria surveillance activities which includes five types of data, namely the Village Basic Data for the Health Center Coverage (Key Info), the Register of Malaria Patients, (Regmal 1), Logistics Data and the Malaria Program. (Regmal 2), Malaria Vector Control Data (Vector), and Malaria Focus Control Data (Focus).

To make it easier for officers to enter data that has many attributes, each menu is further divided into sub-menus such as Key info divided into key info and a list of villages; Regmal 2 is divided into discovery data, logistical data, withdrawal data, and cross-test data; The focus is divided into active focus and indigenous cases (figure 1). Each data set has a list view that displays the data that has been entered, and a display form that can be used by officers to add new data or change existing data. For example, officers can view village data in an area (figure 2) or add new village data (figure 3).




Figure 1. Application Menu

Figure 2. List of Villages

Figure 3. New Village Form

During the data entry period, the data entered by the health center staff is stored in local storage media on an Android smartphone. This is so that the process of entering data by officers can be done more quickly. In addition, officers who work at the health center locations with limited internet access can still carry out their jobs properly. After the officer has entered all the data in one period of entering the data, the officer can select the Upload data menu to send the data directly to the database on the central server of the Ministry of Health. Only for this process will the officer need internet access so that the previously entered data can be

sent. The data that has been collected can then be seen through the malaria surveillance web application where district/city and provincial level officers can see the recap of data entered by all the health centers in each region.

Evaluation

The results of application evaluation using The Questionnaire for User Interaction Satisfaction (QUIS 7.0) can be seen in Table 1. Satisfaction Measure (On a 9-point scale; the higher the number the greater the satisfaction).

Aspects	Mean	Median	Std. Deviation
Screen	6.81	6.88	0.86
Terminology and System Information	6.61	6.75	0.67
Learning	6.61	6.63	0.47
System Capabilities	6.53	6.5	0.53
General Impressions	6.84	6.88	0.29

Discussion

This section discusses the results obtained by analyzing respondents' answers to the QUIS 7.0 questionnaire. Table 1 shows the measures of the mean, median, and standard deviation of each aspect measured by the instrument. The overall impression of these applications is very good (mean, median, and standard deviation equal to 6.84, 6.88, and 0.29, respectively) [20]. This means that in general, officers as application users are satisfied with the application that has been developed.

For the Screen aspect, the mean, median, and standard deviation values are 6.81, 6.88, 0.86 respectively. This result is in the very good category and can still be improved because the application being tested is still only a prototype. With an improved display design, it is hoped that users will like this application more.

The scores for the terminology and information aspects of the system, mean, median and standard deviation were 6.61, 6.75, 0.67, respectively. This figure is also in the very good category. In general, the application has attempted to provide adequate information, especially in the form section, where users are guided in filling out form fields using labels in each field.

Regarding the Learning aspect, the mean, median, and standard deviation values are 6.61, 6.63, and 0.47 respectively. This shows that the application is easy to learn even though the application manual has not been provided. Even though it is classified as very good, this aspect can still be improved by preparing documentation or application manuals that are shared with applications that are planned to be downloaded directly on Google Play. With this, it is hoped that novice users can quickly get used to operating this application.

As for the aspect of system capability, the results obtained for the mean, median, and standard deviation are 6.53, 6.5, and 0.53. This result is obtained because the application can run smoothly without using an internet connection. All data entered by officers will be stored in a local database using SQLite. This is of course very important considering that this application will later be used in signal-prone areas.

Conclusion

This study succeeded in designing an Android-based malaria surveillance application as an alternative solution to the existing method which uses a structured spreadsheet file. The results of the evaluation using the instrument The Questionnaire for User Interaction Satisfaction (QUIS 7.0) show that the general impression of this application is very good (mean, median, and standard deviation equal to 6.84, 6.88, and 0.29, respectively). This means that in general, officers as application users are satisfied with the application that has been developed. This application has the potential to facilitate malaria surveillance in a user-friendly and efficient way and this can lead to increasing the progress towards malaria elimination.

Acknowledgments

The authors like to express their gratitude to the Indonesian Ministry of Health, Subdit Malaria Directorate P2PTVZ, Ditjen P2P, the head of the South Sumatra Provincial Health Office, and the head of the Lahat District Health Office. The research of this article was funded by the DIPA of Public Service Agency of Universitas Sriwijaya 2020. SP DIPA023.17.2.677515 /2020, revision 01, on March 16, 2020. In accordance with the Rector's Decree Number: 0685/UN9/SK.BUK. KP/2020, on July 15, 2020

References

- Biduski, D., Bellei, E. A., Rodriguez, J. P. M., Zaina, L. A. M., & De Marchi, A. C. B. (2020). Assessing long-term user experience on a mobile health application through an in-app embedded conversation-based questionnaire. *Computers in Human Behavior*, 104, 106169. <https://doi.org/10.1016/j.chb.2019.106169>
- Chen, J., & Bell, P. C. (2011). Coordinating a decentralized supply chain with customer returns and price-dependent stochastic demand using a buyback policy. *European Journal of Operational Research*, 212(2), 293–300. <https://doi.org/10.1016/j.ejor.2011.01.036>
- Da Silva, R., & Magalhães, D. S. F. (2021). User evaluation of the APP NAS software in intensivcareunit. *Research on Biomedical Engineering*, 37,439-444. <https://doi.org/10.1007/s42600-021-00126-7>
- Dabaro, D., Birhanu, Z., Negash, A., Hawaria, D., & Yewhalaw, D. (2021). Effects of rainfall, temperature, and topography on malaria incidence in elimination targeted district of Ethiopia. *Malaria Journal*, 20(1), 104. <https://doi.org/10.1186/s12936-021-03641-1>
- Delamarre, A., Lisetti, C., & Buche, C. (2020). A Cross-Platform Classroom Training Simulator: Interaction Design and Evaluation. *Proceedings - 2020 International Conference on Cyberworlds, CW 2020*, 86–93. <https://ieeexplore.ieee.org/document/9240533>
- Gunasekera, W. M. K. T. de A. W., Premaratne, R., Fernando, D., Munaz, M., Piyasena, M. G. Y., Perera, D., Wickremasinghe, R., Ranaweera, K. D. N. P., & Mendis, K. (2021). A comparative analysis of the outcome of malaria case surveillance strategies in Sri Lanka in the prevention of re-establishment phase. *Malaria Journal*, 20(1), 80. <https://doi.org/10.1186/s12936-021-03621-5>

- Hakim, L., Wahono, T., Ruliansyah, A., & Kusnandar, A. J. (2018). Potential of Malaria Re-emergence at Pangandaran District. *ASPIRATOR - Journal of Vector-Borne Disease Studies*, 10(1), 37–48. <https://doi.org/10.22435/asp.v10i1.154>
- Hasyim, H., Firdaus, F., Prabawa, A., Dale, P., Harapan, H., Groneberg, D. A., ... & Müller, R. (2020). Potential for a web-based management information system to improve malaria control: An exploratory study in the Lahat District, South Sumatra Province, Indonesia. *PloS one*, 15(6), e0229838. <https://doi.org/10.1371/journal.pone.0229838>
- Hasyim, H., Misnaniarti, M., Heroza, R. I., & Sunarsih, E. (2020). Pelatihan E-Sismal Mobile Berbasis Android Bagi Petugas Puskesmas Di Daerah Endemik Malaria. *Jurnal Pengabdian Sriwijaya*, 8(4), 1151-1156.
- Heroza, R. I., Firdaus, M. A., & Ibrahim, A. (2019). Requirement Engineering for Traffic Information Application Using GPS Based on Motivations to Contribute. *ICECOS 2019 - 3rd International Conference on Electrical Engineering and Computer Science, Proceeding*, 41–44. <https://doi.org/10.1109/ICECOS47637.2019.8984521>
- Horning, M. P., Delahunt, C. B., Bachman, C. M., Luchavez, J., Luna, C., Hu, L., Jaiswal, M. S., Thompson, C. M., Kulhare, S., Janko, S., Wilson, B. K., Ostbye, T., Mehanian, M., Gebrehiwot, R., Yun, G., Bell, D., Proux, S., Carter, J. Y., Oyibo, W., ... Mehanian, C. (2021). Performance of a fully automated system on a WHO malaria microscopy evaluation slide set. *Malaria Journal*, 20(1), 110. <https://doi.org/10.1186/s12936-021-03631-3>
- Hussain, A., & Kutar, M. (2012). Usability evaluation of SatNav application on mobile phone using mGQM. *International Journal of Computer Information Systems and Industrial Management Applications*, 4, 092–100.
- Kassaza, K., Long, A. C., McDaniels, J. M., Andre, M., Fredrickson, W., Nyehangane, D., Orikiriza, P., Operario, D. J., Bazira, J., Mwanga-Amumpaire, J. A., Moore, C. C., Guler, J. L., & Boum, Y. (2021). Surveillance of *Plasmodium falciparum* pfcr haplotypes in southwestern Uganda by high-resolution melt analysis. *Malaria Journal*, 20(1), 114. <https://doi.org/10.1186/s12936-021-03657-7>
- Kuo, P. C., Cheng, H. Y., Chen, P. F., Liu, Y. L., Kang, M., Kuo, M. C., Hsu, S. F., Lu, H. J., Hong, S., Su, C. H., Liu, D. P., Tu, Y. C., & Chuang, J. H. (2020). Assessment of Expert-Level Automated Detection of *Plasmodium falciparum* in Digitized Thin Blood Smear Images. *JAMA Network Open*, 3(2), e200206. <https://doi.org/10.1001/jamanetworkopen.2020.0206>
- Łobaziewicz, M. (2015). The Design of B2B System User Interface for Mobile Systems. *Procedia Computer Science*, 65 (Iccmit), 1124–1133. <https://doi.org/10.1016/j.procs.2015.09.036>
- Ministry of Health Indonesia, (2018). Pedoman E-Sismal, Subdit Malaria, Direktorat P2PTV-Z, Ditjen P2P, <https://malaria.go.id>
- Mitchell, R. M., Zhou, Z., Sheth, M., Sergeant, S., Frace, M., Nayak, V., Hu, B., Gimnig, J., ter Kuile, F., Lindblade, K., Slutsker, L., Hamel, M. J., Desai, M., Otieno, K., Kariuki, S., Vigfusson, Y., & Shi, Y. P. (2021). Development of a new barcode-based, multiplex-PCR, next-generation-sequencing assay and data

- processing and analytical pipeline for multiplicity of infection detection of *Plasmodium falciparum*. *Malaria Journal*, 20(1), 1–16. <https://doi.org/10.1186/s12936-021-03624-2>
- Mobile Operating System Market Share Indonesia / Stat Counter Global Stats. (n.d.). Retrieved September 11, 2020, from <https://gs.statcounter.com/os-market-share/mobile/indonesia>
- Moumane, K., Idri, A., & Abran, A. (2016). Usability evaluation of mobile applications using ISO 9241 and ISO 25062 standards. *Springer Plus*, 5(1). <https://doi.org/10.1186/s40064-016-2171-z>
- Ogunfowokan, O., Ogunfowokan, B. A., & Nwajei, A. I. (2020). Sensitivity and specificity of malaria rapid diagnostic test (mRDTCareStatTM) compared with microscopy amongst under five children attending a primary care clinic in southern Nigeria. *African Journal of Primary Health Care and Family Medicine*, 12(1), 1–8. <https://doi.org/10.4102/phcfm.v12i1.2212>
- Rajvanshi, H., Jain, Y., Kaintura, N., Soni, C., Chandramohan, R., Srinivasan, R., Telasey, V., Bharti, P. K., Jain, D., Surve, M., Saxena, S., Gangamwar, V., Anand, M. S., & Lal, A. A. (2021). A comprehensive mobile application tool for disease surveillance, workforce management and supply chain management for Malaria Elimination Demonstration Project. *Malaria Journal*, 20(1), 91. <https://doi.org/10.1186/s12936-021-03623-3>
- Rosado, L., Da Costa, J. M. C., Elias, D., & Cardoso, J. S. (2016). Automated Detection of Malaria Parasites on Thick Blood Smears via Mobile Devices. *Procedia Computer Science*, 90, 138–144. <https://doi.org/10.1016/j.procs.2016.07.024>
- Troiano, L., Birtolo, C., Armenise, R., & Cirillo, G. (2009). Web form page in mobile devices: Optimization of layout with a simple genetic algorithm. *ICEIS 2009 - 11th International Conference on Enterprise Information Systems, Proceedings, HCI*, 118–123. <https://doi.org/10.5220/0002007001180123>
- World Health Organization (WHO). (2018). *World Malaria Report 2018 - Indonesia Profile*. https://www.who.int/malaria/publications/country-profiles/profile_idn_en.pdf?ua=1
- World Health Organization (WHO). (2020). *Malaria Fact Sheet*. <https://www.who.int/news-room/fact-sheet/s/detail/malaria>
- World Wide Web Consortium (W3C). (2010). *Mobile Web Application Best Practices*. <https://www.w3.org/TR/mwabp/#bp-data-html5>
- Yirsaw, A. N., Gebremariam, R. B., Getnet, W. A., & Mihret, M. S. (2021). Insecticide-treated net utilization and associated factors among pregnant women and under-five children in East Belessa District, Northwest Ethiopia: using the Health Belief model. *Malaria Journal*, 20(1), 130. <https://doi.org/10.1186/s12936-021-03666-6>
- Yu, H., Yang, F., Rajaraman, S., Ersoy, I., Moallem, G., Poostchi, M., Palaniappan, K., Antani, S., Maude, R. J., & Jaeger, S. (2020). Malaria Screener: a smartphone application for automated malaria screening. *BMC Infectious Diseases*, 20(1), 825. <https://doi.org/10.1186/s12879-020-05453-1>

Yunita, R., Jauhari, J., & Izwan Heroza, R. (2018). Capturing Visitor Characteristics for Requirement Engineering for Museum Tour Guide Application. *ICONISCSE 2018 - 1st International Conference on Information System, Computer Science and Engineering, Proceeding*. <https://doi.org/10.1088/1742-6596/1196/1/012014>

Access this Article in Online	
	Website: www.ijarm.com
	Subject: Information Technology
Quick Response Code	
DOI: 10.22192/ijamr.2022.09.01.003	

How to cite this article:

Rahmat Izwan Heroza, Hamzah Hasyim, Rita Kusriastuti, Pat Dale. Design and Evaluation of Mobile-Based Applications for Supporting Malaria Surveillance Activities in Indonesian Regions. Int. J. Adv. Multidiscip. Res. 9(1): 37-45.

DOI: <http://dx.doi.org/10.22192/ijamr.2022.09.01.003>

**INTERNATIONAL JOURNAL OF ADVANCED
MULTIDISCIPLINARY RESEARCH (IJAMR)**

ISSN:2393-8870

www.ijarm.com

(A Peer Reviewed, Referred, Indexed and Open Access Journal)

Impact factor: 4.450(2021); ICV:80.43



CERTIFICATE OF PUBLICATION

Editorial Board Member of **International Journal of Advanced Multidisciplinary Research (IJAMR)**
is hereby awarding this certificate to

Rahmat Izwan Heroza

Information Systems Department, Faculty of Computer Science, Universitas Sriwijaya, Indonesia

E-mail: rahmatheroza@unsri.ac.id

Hamzah Hasyim*

Faculty of Public Health, Universitas Sriwijaya, Indonesia E-mail: hamzah@fkm.unsri.ac.id

Rita Kusriastuti

Head of Indonesian Parasitic Diseases Control Association (IPDCA), Indonesia

E-mail: rita.kusriastuti@gmail.com

Pat Dale

Centre for Planetary Health and Food Security (CPHFS), School of Environment and Science, Griffith
University, Nathan, Queensland, Australia E-mail: p.dale@griffith.edu.au

*Corresponding Author

In recognition of the publication of the paper entitled **“Design and Evaluation of Mobile-Based
Applications for Supporting Malaria Surveillance Activities in Indonesian Regions”** published in
IJAMR Journal, Volume: 9, Issue: 1, Year: 2022.



DARSHAN PUBLISHERS
Managing Editor
8/17, Vengayapalayam,
Seerappalli (Po.), Rasipuram (Tk.),
Namakkal (Dt.)-637 406.
Tamil Nadu, India.

INTERNATIONAL JOURNAL OF ADVANCED MULTIDISCIPLINARY RESEARCH (IJAMR)

ISSN:2393-8870

www.ijarm.com

(A Peer Reviewed, Referred, Indexed and Open Access Journal)

Impact factor: 4.450(2021); ICV:80.43



CERTIFICATE OF ACCEPTANCE

This is to certify that our Editorial, Advisory, and Review Board accepted
the Research/ Review paper/Case study of

Rahmat Izwan Heroza

Information Systems Department, Faculty of Computer Science, Universitas Sriwijaya, Indonesia

E-mail: rahmatheroza@unsri.ac.id

Hamzah Hasyim*

Faculty of Public Health, Universitas Sriwijaya, Indonesia E-mail: hamzah@fkm.unsri.ac.id

Rita Kusriastuti

Head of Indonesian Parasitic Diseases Control Association (IPDCA), Indonesia

E-mail: rita.kusriastuti@gmail.com

Pat Dale

Centre for Planetary Health and Food Security (CPHFS), School of Environment and Science,
Griffith University, Nathan, Queensland, Australia E-mail: p.dale@griffith.edu.au

*Corresponding Author

**Article Title: Design and Evaluation of Mobile-Based Applications for Supporting Malaria
Surveillance Activities in Indonesian Regions**

(Volume: 9, Issue: 1, Year: 2022)



DARSHAN PUBLISHERS
Managing Editor
B/173, Vengayapalayam,
Seerappalli (Po.), Rasipuram (Tk.),
Namakkal (Dt.)-637 406.
Tamil Nadu, India.

INTERNATIONAL JOURNAL OF ADVANCED MULTIDISCIPLINARY RESEARCH (IJAMR)

ISSN:2393-8870

www.ijarm.com

(A Peer Reviewed, Indexed and Open Access Journal)

Impact factor: 4.012(2020); ICV:80.43



POLICY TO CHECK PLAGIARISM

International Journal of Advanced Multidisciplinary, monthly international journal, being published by Darshan Publishers since year 2014.

Plagiarism is the unethical act of copying someone else's prior ideas, processes, results or words without explicit acknowledgement of the original author and source. Self-plagiarism occurs when an author utilizes large part of his/her own previously published work without using appropriate references. This can range from getting the same manuscript published in multiple journals to modifying a previously published manuscript with some new data.

The journal is strictly against any unethical act of copying or plagiarism in any form. Plagiarism is said to have occurred when large portions of a manuscript have been copied from existing previously published resources. All manuscripts submitted for publication to journal are cross-checked for plagiarism using Turnitin software. Manuscripts found to be plagiarized during initial stages of review are out-rightly rejected and not considered for publication in the journal. In case a manuscript is found to be plagiarized after publication, the Editor-in-Chief will conduct preliminary investigation, may be with the help of a suitable committee constituted for the purpose. If the manuscript is found to be plagiarized beyond the acceptable limits, the journal will contact the author's Institute / College / University and Funding Agency, if any. A determination of misconduct will lead journal to run a statement bi-directional linked online to and from the original paper, to note the plagiarism and provide a reference to the plagiarized material. The paper containing the plagiarism will also be marked on each page of the PDF. Upon determination of the extent of plagiarism, the paper may also be formally retracted.

Types of Plagiarism

The following types of plagiarism are considered by the journal:

- Full Plagiarism: Previously published content without any changes to the text, idea and grammar is considered as full plagiarism. It involves presenting exact text from a source as one's own.

- Partial Plagiarism: If content is a mixture from multiple different sources, where the author has extensively rephrased text, then it is known as partial plagiarism.
- Self-Plagiarism: When an author reuses complete or portions of their pre-published research, then it is known as self-plagiarism. Complete self-plagiarism is a case when an author republishes their own previously published work in a new journal.

Policy and Action for Plagiarism

Journal respects intellectual property and aims at protecting and promoting original work of its authors. Manuscripts containing plagiarized material are against the standards of quality, research and innovation. Hence, all authors submitting articles to journal are expected to abide ethical standards and abstain from plagiarism, in any form. In case, an author is found to be suspected of plagiarism in a submitted or published manuscript then, journal shall contact the author (s) to submit his / her (their) explanation within two weeks, which may be forwarded to the Fact Finding Committee (FFC) constituted for the purpose, for further course of action. If journal does not receive any response from the author within the stipulated time period, then the Director / Dean / Head of the concerned College, Institution or Organization or the Vice Chancellor of the University to which the author is affiliated shall be contacted to take strict action against the concerned author.

Journal shall take serious action against published manuscripts found to contain plagiarism and shall completely remove them from Journal website and other third party websites where the paper is listed and indexed. The moment, any article published in Journal/IJARBS database is reported to be plagiarized, Journal will constitute a Fact Finding Committee (FFC) to investigate the same. Upon having established that the manuscript is plagiarized from some previously published work, Journal shall support the original author and manuscript irrespective of the publisher and may take any or all of the following immediate actions or follow the additional course of actions as recommended by the committee:

- Editorial office shall immediately contact the Director / Dean / Head of the concerned College, Institution or Organization or the Vice Chancellor of the University to which the author(s) is (are) affiliated to take strict action against the concerned author.
- Journal shall remove the PDF copy of the published manuscript from the website and disable all links to full text article. The term Plagiarized Manuscript shall be appended to the published manuscript title.
- Journal shall disable the author account with the journal and reject all future submissions from the author for a period of 03 / 05 / 10 years or even ban the authors permanently.
- Journal may also display the list of such authors along with their full contact details on the journal/IJAMR website.
- Any other course of action, as recommended by the Committee or as deemed fit for the instant case or as decided by the Editorial Board from time to time.