


# Science & Technology Indonesia

p-ISSN : 2580-4405 e-ISSN : 2580-4391



**Volume 6, Number 3,  
July 2021**

## Chemical Characterization of Secondary Metabolite from the Endophytic Fungus *Trichordema reecei* isolated from The Twig of *Syzygium aqueum*

Ummi H. Habisukan<sup>1,2</sup>, Elfta<sup>3\*</sup>, Hary Widjajanti<sup>4</sup>, Arum Setiawan<sup>4</sup>

<sup>1</sup>Universitas Islam Negeri Raden Fatah Palembang, South Sumatra, Indonesia

<sup>2</sup>Graduate School of Sciences, Faculty of Mathematics and Natural Sciences, University of Sriwijaya, Jl. Padang Selasa No. 524, Palembang 30139, South Sumatra, Indonesia

<sup>3</sup>Department of Chemistry, Faculty of Mathematics and Natural Sciences, University of Sriwijaya, Jl. Palembang Prabumulih, Indralaya, South Sumatra, 30662 Indonesia

<sup>4</sup>Department of Biology, Faculty of Mathematics and Natural Sciences, University of Sriwijaya, Jl. Palembang Prabumulih, Indralaya, South Sumatra, 30662 Indonesia

\*Corresponding author: elfta69@gmail.com

### Abstract

Endophytic fungi are microorganisms that live in plants, without negative effects and are mutually related to hosting plants. Exploration of bioactive compounds from Endophytic fungi is easier and cheaper because they do not require a large area, a short growing time, and uncomplicated mixed compounds. Endophytic fungi are new and patent base secondary metabolites but they are not extensively characterized and investigated for the exploration of raw materials for drugs. The purpose of this study was to obtain antioxidant secondary metabolites from Endophytic fungi that live in the *Syzygium aqueum* medicinal plant. In this study, Endophytic fungi were isolated from *S. aqueum* twigs and molecular identification. The secondary metabolites were isolated by chromatographic method and chemical structure identified by spectroscopy. Antioxidant activity was evaluated by method 1,1diphenyl-2-picryl hydrazyl (DPPH). Phylogenetic analysis showed the Endophytic fungi of *S. aqueum* twig have a high similarity with the *Trichordema reecei* twig 19MSr.B2.3. The secondary metabolites from the ethyl acetate extract of the liquid culture of the fungus were identified as (4-hydroxy-3-(4-hydroxyphenyl)-5-oxotetrahydrofuran-2-yl) methyl acetate with  $IC_{50} = 75.13 \mu\text{g/mL}$ . The secondary metabolites can be developed into starting molecules for potential antioxidant agents.

### Keywords

Endophytic Fungus, *Trichordema reecei*, *Syzygium aqueum*, Secondary Metabolite, Antioxidant Activity

Received: 6 March 2021, Accepted: 12 June 2021

<https://doi.org/10.26554/sti.2021.6.3.137-143>

### 1. INTRODUCTION

The Endophytic fungi are microorganisms to colonize the host plant tissue (leaves, fruit, seeds, stems, and roots) without negative effects and having a mutually beneficial relationship. Plants have the function of protecting and providing nutrients for Endophytic fungi. In turn, Endophytic fungi will produce bioactive compounds that help the host plants improve nutritional status for growth, resistance to herbivores and diseases, and physical stress tolerance (Specian et al., 2012; Mbilo et al., 2018; El-hawary et al., 2020). Endophytic fungi are the basis of many promising natural products with varied chemical structures, higher biodiversity, and attractive bioactivity. A few researchers focused on finding secondary metabolites from Endophytic Fungi because they have been identified as a storehouse of bioactive secondary metabolites such as antibiotics, antiviral, antiprotozoal, anti-diabetic antiparasitic, anti-cancer, antioxidant, and immunosuppressant compounds that can be used in the agricultural, pharmaceutical and food industries.

These compounds are alkaloids, terpenoids, steroids, iso-coumarin derivatives, lactones, quinones, flavonoids, phenols, indole derivatives, lignins, tannins, anthraquinones, xanthones, phenylpropanoids, phenolic acids, and peptides (Khan et al., 2019; Manganyi and Ateba, 2020). Natural products based on endophytic fungi are considered as one of the most relevant sources of discovery and molecular diversity for new drugs. Several studies show up to 51% of the bioactive metabolites produced from endophytic fungi have an unknown chemical structure. They can produce metabolites similar to those produced by the plant itself or new compounds produced by plants. This group of microbes represents a great potential in biotechnology for the discovery of new drugs (Cruz et al., 2020; El-hawary et al., 2020).

*Syzygium aqueum*, known as water guava, is native to Indonesia and Malaysia. The parts of this plant are used for traditional medicine, such as drugs for gastrointestinal disorders, bleeding, diabetes, inflammation, hypertension, antivirus, and analgesics. The use of this plant for medicine cannot be separated from

its phytochemical composition including flavonoids, flavonoid glycosides, chromone glycosides, terpenoids, steroids, tannins, phenols, phenyl glycosides, and acylphloroglucinol derivatives. These compounds have activities as antioxidants, antidiabetic, anticancer, toxicity, antiviral, antibacterial, antifungal, anti-inflammatory and anthelmintic which functions in traditional medicine. This *S. aqueum* plant is rich in bioactive compounds, so it is a potential host to obtain endophytic fungi that produce bioactive compounds (Aung et al., 2020; Palanisamy et al., 2011; Sobeh et al., 2018; Osman et al., 2009).

Literature studies show that there are many bioactive components in this plant, but no research has been found on the isolation of endophytic fungi and their pure compounds from *S. aqueum* twigs. Therefore, this paper describes the isolation and identification of endophytic fungi from the twigs of *S. aqueum*, followed by the isolation, identification, and evaluation of the antioxidant activity of these secondary metabolites. In this study, it is known whether the secondary metabolites of this endophytic fungus have the potential to be developed as a source of antioxidants.

## 2. EXPERIMENTAL SECTION

### 2.1 Materials

The chemicals used such as ethanol 70%, distilled H<sub>2</sub>O, sodium hypochlorite (NaOCl) (Merck), growth medium for fungi: PDA and PDB (Merck), silica gel for gravity column (Merck), TLC silica gel 60 F254 from Merck (Art.5554), DPPH (Sigma-Aldrich), and organic solvents (Merck).

### 2.2 Plant Material Collection

The twig of *S. aqueum* was collected from Indralaya, Ogan Ilir Regency, South Sumatra, Indonesia. Plant identification was conducted at the Biosystematics Laboratory, Biology, FMIPA Sriwijaya University, with herbarium ID 287064.

### 2.3 Isolation of Endophytic Fungal

Isolation of endophytic isolates followed the procedure by Mbilu et al., 2018; Habisukan et al., 2021 with a few modifications. *S. aqueum* twig is washed under running water to remove impurities. The surface of the twigs was sterilized by immersing the plant material in 75% ethanol for 2 minutes followed by 4% NaOCl for 1 minute and then rinsed twice using sterile distilled water. The plant material is allowed to dry on sterile filter paper and then cut to size 2 × 0.5 cm. Furthermore, three pieces were placed on a petri dish containing PDA (200 g potato, 20 g dextrose, and 15 g agar in 1000 mL of H<sub>2</sub>O, supplemented with 100 mg/L of chloramphenicol). Colony purification was done by further subculturing the fungal colonies in PDA until pure isolates were acquired.

### 2.4 Identification of Endophytic Fungal

Identification of endophytic isolates followed the procedure by Yohandini et al., 2015 which is molecularly by comparing the similarity of sample sequences with a web-based database known as BLAST (Basic Local Alignment Search Tool).

### 2.5 Cultivation of Endophytic Fungal

Pure isolates of Endophytic fungi were cultured at 6 flasks containing 200 mL of PDB medium (consisting of 20 g dextrose monohydrate, 200 g potatoes, and 1 L (water). Six mycelia agar plugs (5 × 5 mm<sup>2</sup>) were inoculated into each erlenmeyer and then incubated at room temperature under static conditions for four weeks. After the incubation was complete, the media was filtered and extracted three times using ethyl acetate. Ethyl acetate extract was evaporated with a rotary evaporator until a concentrated extract (6.4 g) and stored in a glass bottle (Gustianingtyas et al., 2020; Elfita et al., 2019).

### 2.6 Antioxidant activity test by DPPH method

Antioxidant activity test of ethyl acetate viscous extract using the DPPH method following the procedure by Budiono et al, 2019 with modification. The sample concentrations were prepared with variations of 200, 100, 50, 25, 12.5, 6.25, 0.0 µg/mL, and gallic acid as a positive control. The percentage of DPPH absorption inhibition with the following formula:

$$\% \text{ Inhibition} = \frac{\text{Control Absorbance} - \text{Sample Absorbance}}{\text{Control Absorbance}} \times 100\%$$

### 2.7 Isolation and Identification of Secondary Metabolite


The crude extracts were separated using column chromatography (stationary phase: silica gel) and eluted with a graded eluent (n-hexane: ethyl acetate: methanol). Eluate droplets were collected every 10 ml in the vials and monitored by TLC analysis to group the vials into subfractions. The subfraction was identified as having secondary metabolites, then purified by column chromatography until a pure compound was obtained. The structure was identified by NMR 1D and 2D (Budiono et al., 2019).

## 3. RESULTS AND DISCUSSION

### 3.1 Isolation of Endophytic Fungal

*S. aqueum* twig has isolated EF labeled with B11. The molecular identification yields sequence assembly 577 bp endophytic fungus B11 is as follows:

```
CTCCCCAAACCCCAATGTGAACGTTACCAATCTGTTG
CCTCGGGCGGGATTCTCTGCCCGGGCGCGTCGCAG
CCCCGGATCCCATGGCGCCGCCGGAGGACCAA
AACTCTTTTCTCTCCGTCCGGCTTCCGTGCG
GCTCTGTTTACCTTGCTCTGAGCCTTCTCGCG
ACCCTAGCGGGCGTCTGAAAATGAATCAAAC
CAACAACGGATCTCTGGTCTGGCATCGATGAAGA
ACGCAGCGAAATGCGATAAGTAATGTGAATTG
ATTCACTGAAATCATCGAATCTTGAACGCACATTG
GCCCGCCAGTATTCTGGCGGGCATGCCTGTCCGAG
CGTCATTCAACCCTCGAACCCCTCCGGGGGTGCG
GGCTTGGGGATCGGCCCCCTCACCGGGCGCCCCCG
AAATACAGTGGCGGTCTCGCCGCAGCCTCTCCTGC
GCAGTAGTTGCACACTCGCACCGGGAGCGCG
CGGCCACAGCCGTAACACCCCCAAACTCTGAAATG
TTGACCTCGGATCAGGTAGGAATACCCGCTGAACCTT
```




**Figure 1.** Phylogenetic Tree of the Endophytic Fungal B11

AAGCATA. The strain B11 has the accession number MW52 7423. The endophytic fungal B11 had the highest homology with *Trichordema reecei* twig 19MSr.B2.3. Phylogenetic analysis follows the method described shown in Figure 1.

### 3.2 Isolation and Identification of Secondary Metabolite

Separation of concentrated EtOAc extracts 3.2 g (silica gel: 70-230 mesh; 50 g) obtained subfraction B (0.9 g) with a purple stain on TLC analysis. Purification was done by column chromatography (silica gel 70-230 mesh; 20 g) with eluent n-Hexane - EtOAc (7:3 → 0:10) yielded two fractions (B1-B2). The B2 fraction (426 mg) was purified again by column chromatography until compound 1 (244 mg) was obtained.

Figure 2 shows the  $^1\text{H}$ -NMR spectrum of the isolated compound 1. The special characteristic of the para-substituted aromatic ring in compound 1 can be identified in the H-NMR spectrum by the presence of a double pair of aromatic proton signals at  $\delta\text{H}$  7.74 and 8.20 ppm each of which has a value of  $J = 8.5$  Hz with two integration. Another characteristic that can be identified from the C-NMR spectrum is the presence of a high-intensity carbon signal at  $\delta\text{C}$  128.3 and 123.9 ppm for two carbons in the same chemical shift respectively. HMQC spectrum analysis showed that the two high-intensity carbons bind to aromatic protons equivalent at  $\delta\text{H}$  7.74 and 8.20 ppm respectively. A methyl acetate-substituted cyclic lactone ring-side group was identified by the presence of two carbonyl ester




**Figure 2.** The  $^1\text{H}$ -NMR spectra of compound 1

signals at  $\delta\text{C}$  164.7 and 170.9 ppm respectively and a singlet signal at  $\delta\text{H}$  2.00 ppm with triple integration for the methyl proton. Two multiplet proton signals at  $\delta\text{H}$  4.35 and 4.24 ppm are the methylene groups of the methyl ester which are strengthened by DEPT 135 and HMQC spectrum, which are bound to  $\delta\text{C}$  63.9 ppm. The position of the phenol hydroxyl group was determined based on the  $^{13}\text{C}$ -NMR spectrum analysis. oxyaryl carbon at  $\delta\text{C}$  150.6 ppm while the other hydroxyl groups in the lactone ring were identified as bound to carbon  $\delta\text{C}$  67.4 ppm.

$^1\text{H}$  and  $^{13}\text{C}$  NMR spectrum shows that the basic structure of compound 1 is a para-substituted aromatic ring of which the hydroxyl group and ester. In acetone, the number of hydroxyl groups can be seen from the proton signal that is not bound to carbon. The HMQC spectrum (Figure 3) shows the presence of seven single-bonded  $^1\text{H}$ - $^{13}\text{C}$  correlations, two correlations for aromatic rings and five correlations for ester substituents. There are two uncorrelated protons  $^1\text{H}$ - $^{13}\text{C}$  one bond identified as aromatic hydroxy protons ( $\delta\text{H}$  7.68 ppm) and aliphatic hydroxyl protons ( $\delta\text{H}$  5.48 ppm). The HMBC spectrum in Figure 4 shows that the ester group substituent is a pentacyclic lactone ring. Methine carbon at  $\delta\text{C}$  67.4 ppm (C-4') binds a hydroxyl group that correlates  $^1\text{H}$ - $^{13}\text{C}$  three bonds with signal C-3' and a methine proton which correlates two bonds with carbonyl carbon (C-5'). Methine carbon at  $\delta\text{C}$  71.2 ppm (C-2') binds a methyl ester group is indicated by the  $^1\text{H}$ - $^{13}\text{C}$  correlation of two methylene proton bonds with C-2' and the triple bond correlation with C-3' and C carbonyl methyl ester.

The COSY spectrum in Figure 5 shows the aromatic protons at  $\delta\text{H}$  7.74 ppm  $^1\text{H}$ - $^1\text{H}$  correlated three bonds with aro-




**Figure 3.** The  $^{13}\text{C}$ -NMR (A) DEPT 135 (B), HMQC (C) and HMDS Correlation (D) Spectra of Compound 1

matic protons at  $\delta\text{H}$  8.20 ppm and correlated long distances with four bonds with methine protons at  $\delta\text{H}$  4.45 ppm. Furthermore, it was identified the correlation of  $^1\text{H}$ - $^1\text{H}$  three methine proton bonds at  $\delta\text{H}$  4.45 ppm with methine protons at 5.26 ppm. This shows the two equivalent aromatic protons are in the ortho position. These results support the proposed structure that compound 1 is a para-substituted benzene ring that is directly attached to the lactone substituent methine carbon. Compound 1 was identified as (4-hydroxy- 3-(4-hydroxyphenyl)-5-oxotetrahydrofuran-2yl) methyl acetate. The molecular structure with the numbering of carbon atoms and the chemical shift placement of the carbon and protons is shown in Figure 5.

Based on a literature study, compound 1 has a different phenyls structure with Phenyls of *S. aqueum* and other *Syzygium spp.* This shows that compound 1 is produced by endophytic fungi and the host does not have the gene to promote the compound. there is no genetic evolution between fungal genes and host genes in promoting their secondary metabolites.

The *Trichoderma spp* inhabiting healthy tissues of host plants as endophytic fungi (Elfita et al., 2014). Endophytic fungi from *Trichoderma* family can produce a broad variety of bioactive compounds. Ding et al., 2019 isolated an antibacterial compound derived from isocumarin, chromone derivatives, and lichenanthrone from the endophytic fungus *Trichoderma harzianum* isolated from the leaves of *Ficus elastic*. Harwoko et al., 2019 reported antifungal and cytotoxic compounds, namely Dithiodiketopiperazines produced by the endophytic fungi *Trichoderma harzianum* isolated from *Zingiber officinale*



**Figure 4.** The HMBC spectra (A) and HMBC Correlation (B) of Compound 1



**Figure 5.** The COSY Spectra (A) and COSY Correlation (B) of Compound 1


**Table 1.** The NMR Data of Compound 1

No.	C	$\delta$ C ppm	$\delta$ H ppm ( $\Sigma$ H, multiplicity, J (Hz))	HMBC	COSY
1		148.2	-	-	-
2		128.3	7.74 (1H, d, 8.5)	71.2; 128.3; 148.2	8.20; 4.45
3		123.9	8.20 (1H, d, 8.5)	123.9; 148.2; 150.6	7.74
4		150.6	-	-	-
5		123.9	8.20 (1H, d, 8.5)	123.9; 148.2; 150.6	7.74
6		128.3	7.74 (1H, d, 8.5)	71.2; 128.3; 148.2	8.20
2'		71.2	5.26 (1H, m)	128.3; (150.6k)	4.45
3'		55.1	4.45 (1H, d, m)	63.9	5.26
4'		67.4	6.35 (1H, d, 1)	164.7	-
5'		164.7	-	-	-
1"		170.9	-	-	-
2"		20.7	2.00 (3H, s)	170.9	-
3"		63.9	4.35 (1H, m) 4.24 (1H, m)	55.1; 71.2; 170.9 55.1; 71.2; 170.9	-
4'-OH		-	5.48 (1H, d, 4.5)	55.1	-
4-OH		-	7.68 (1H, br)	-	-

**Figure 6.** Compound 1 as (4-hydroxy-3-(4-hydroxyphenyl)-5-oxotetrahydrofuran-2-yl)methyl acetate**Figure 7.** Phenols of *S. aqueum* and other emph Syzygium spp (Aung et al., 2020)

(Palanisamy et al., 2011)). Besides that, taxol compounds from *Trichoderma sp.* isolated from *Taxus chinensis* (Liu et al., 2009). Five sesquiterpene compounds from *Trichoderma sp.* from the stem of *Paeonia delavayi* (Wu et al., 2011), Trichodermin compounds (4b-acetoxy-12, 13-epoxytrichothec-9-ene) from *T. koningiopsis* VM115 isolated from Vinca plants have antifungal activity (Leylaie and Zafari, 2018). This trichodermin compound is also produced by the endophytic compound *Trichoderma brevicompactum* isolated from *Allium sativum* (Shentu et al., 2014). Compound 1 has not been found in the endophytic fungus *Trichoderma sp.* so that it can complete the chemical profile of the genus.

Compound 1 has moderate antioxidant activity with a value of  $IC_{50} = 75.13 \mu\text{g/mL}$ , while gallic acid as a standard antioxidant has a value of  $IC_{50} = 11.45 \mu\text{g/mL}$ . However, higher antioxidant activity can be obtained by semisynthesis of compound 1 to produce phenyl similar to gallic acid. The OH group in the aromatic ring of compound 1 is ortho-directing

**Figure 8.** Estimates Semisynthesis Reaction of Compounds 1 to Produce a New Compound which is more Active with the Standard like Structure Antioxidant Gallic Acid

so that the electrophilic reaction of Nitration (2 mol HNO<sub>3</sub> / H<sub>2</sub>SO<sub>4</sub>) is followed by reduction of the nitro group (Fe/HCl) will produce two amine groups on both ortho sides of the hydroxyl group.

The next step is the transformation of the amine functional group by reaction with cold nitrous acid (HONO) in HCl solution to yield aryl diazonium chlorides (ArN<sup>2+</sup>Cl). Displacement by -OH may be prepared from diazonium salts by reaction with hot aqueous acid. This series of reactions is estimated to produce the compound (4-hydroxy-5-oxo-3-(3,4,5-trihydroxyphenyl) tetrahydrofuran-2-yl) methyl acetate (Figure 8) (Fessenden and Fessenden, 1982).

#### 4. CONCLUSIONS

Secondary metabolites isolated from *T. reebei* different from the secondary metabolites produced by its host. Moreover, these secondary metabolites have never been found in the endophytic fungus *Trichoderma* family. The antioxidant activity of this compound is classified as moderate, but the production process is easier and cheaper so that it can be turned into star molecules through a semisynthetic process to produce potential antioxidant compounds.

#### 5. ACKNOWLEDGEMENT

This research was funded by Daftar Isian Pelaksanaan Anggaran (DIPA) Universitas Sriwijaya, through Unggulan Profesi grants 2020, number 0009/UN9/SK.LP2M.PT/2020, September 28, 2020.

#### REFERENCES

- Aung, E. E., A. N. Kristanti, N. S. Aminah, Y. Takaya, and R. Ramadhan (2020). Plant description, phytochemical constituents and bioactivities of *Syzygium* genus: A review. *A Review De Gruyter Open Chemistry*, **18**(1); 1256–1281
- Budiono, B., E. Elfita, M. Muhamni, H. Yohandini, and H. Widjajanti (2019). Antioxidant activity of *Syzygium samarangense* L. and their endophytic fungi. *Molekul*, **14**(1); 48–55
- Cruz, J. S., C. A. da Silva, and L. Hamerski (2020). Natural Products from Endophytic Fungi Associated with Rubiaceae Species. *Journal of Fungi*, **6**(3); 128
- Ding, Z., T. Tao, L. Wang, Y. Zhao, H. Huang, D. Zhang, M. Liu, Z. Wang, and J. Han (2019). Bioprospecting of novel and bioactive metabolites from endophytic fungi isolated from rubber tree *Ficus elastica* leaves. *Journal of Microbiology and Biotechnology*, **29**(5); 731–738
- El-hawary, S. S., A. S. Moawad, H. S. Bahr, U. R. Abdel-mohsen, and R. Mohammed (2020). Natural product diversity from the endophytic fungi of the genus *Aspergillus*. *Royal Society of Chemistry Advances*, **10**(37); 22058–22079
- Elfita, Munawar, Muhamni, and M. A. Sudrajat (2014). Identification of new lactone derivatives isolated from *Trichoderma* sp., an endophytic fungus of brotowali (*Tinaspora crispa*). *Hayati Journal of Biosciences*, **21**(1); 15–20
- Elfita, E., J. E. Larasati, and H. Widjajanti (2019). Antibacterial activity of *Cordyline fruticosa* leaf extracts and its endophytic fungi extracts. *Biodiversitas Journal of Biological Diversity*, **20**(12); 3804–3812
- Fessenden, R. and J. Fessenden (1982). *Organic Chemistry Second Edition*. Boston, Massachusetts: Willard Grant Press
- Gustianingtyas, M., S. Herlinda, S. Suwandi, S. S. Suparmann SHK, H. Hamidson, H. Hasbi, A. Setiawan, M. Verawaty, E. Elfita, and A. Arsi (2020). Toxicity of entomopathogenic fungal culture filtrate of lowland and highland soil of South Sumatra (Indonesia) against *Spodoptera litura* larvae. *Biodiversitas (Journal of Biological Diversity)*, **21**(5); 1839–1849
- Habisukan, U., H. Widjajanti, A. Setiawan, A. Kurniawati, et al. (2021). Antioxidant and Antimicrobial Activity of Endophytic Fungi Isolated from *Syzygium aqueum* Leaves. *Journal of Physics: Conference Series*, **1751**(1); 1–8
- Harwoko, H., G. Daletos, F. Stuhldreier, J. Lee, S. Wesselborg, M. Feldbrügge, W. E. Müller, R. Kalscheuer, E. Ancheeva, and P. Proksch (2019). Dithiodiketopiperazine derivatives from endophytic fungi *Trichoderma harzianum* and *Epicoccum nigrum*. *Natural Product Research*; 1–9
- Khan, R., S. T. Q. Naqvi, N. Fatima, and S. A. Muhammad (2019). Study of antidiabetic activities of endophytic fungi isolated from plants. *Pure and Applied Biology*, **8**(2); 1287–1295
- Leylaie, S. and D. Zafari (2018). Antiproliferative and antimicrobial activities of secondary metabolites and phylogenetic study of endophytic *Trichoderma* species from Vinca plants. *Frontiers in Microbiology*, **9**; 1484
- Liu, K., X. Ding, B. Deng, and W. Chen (2009). Isolation and characterization of endophytic taxol-producing fungi from *Taxus chinensis*. *Journal of Industrial Microbiology and Biotechnology*, **36**(9); 1171
- Manganyi, M. C. and C. N. Ateba (2020). Untapped Potentials of Endophytic Fungi: A Review of Novel Bioactive Compounds with Biological Applications. *Microorganisms*, **8**(12); 1–25
- Mbilu, M., W. Wanyoike, M. Kangogo, C. Bii, M. Agnes, and C. Kihia (2018). Isolation and Characterization of Endophytic Fungi from Medicinal Plant *Warburgia ugandensis*. *Journal of Biology, Agriculture and Healthcare*, **8**(12); 57–66
- Osman, H., A. A. Rahim, N. M. Isa, and N. M. Bakhir (2009). Antioxidant activity and phenolic content of *Paederia foetida* and *Syzygium aqueum*. *Molecules*, **14**(3); 970–978
- Palanisamy, U. D., L. T. Ling, T. Manaharan, V. Sivapalan, T. Subramaniam, M. Helme, and T. Masilamani (2011). Standardized extract of *Syzygium aqueum*: a safe cosmetic ingredient. *International Journal of Cosmetic Science*, **33**(3); 269–275
- Shentu, X., X. Zhan, Z. Ma, X. Yu, and C. Zhang (2014). Antifungal activity of metabolites of the endophytic fungus *Trichoderma brevicompactum* from garlic. *Brazilian Journal of Microbiology*, **45**(1); 248–254
- Sobeh, M., M. F. Mahmoud, G. Petruk, S. Rezq, M. L. Ashour,

- F. S. Youssef, A. M. El-Shazly, D. M. Monti, A. B. Abdel-Naim, and M. Wink (2018). *Syzygium aqueum*: A polyphenol-rich leaf extract exhibits antioxidant, hepatoprotective, pain-killing and anti-inflammatory activities in animal models. *Frontiers in Pharmacology*, **9**(566); 1–14
- Specian, V., M. H. Sarragiotto, J. A. Pamphile, and E. Clemente (2012). Chemical characterization of bioactive compounds from the endophytic fungus *Diaporthe Helianthi* isolated from Luehea divaricata. *Brazilian Journal of Microbiology*, **43**(3); 1174–1182
- Wu, S.-H., L.-X. Zhao, Y.-W. Chen, R. Huang, C.-P. Miao, and J. Wang (2011). Sesquiterpenoids from the Endophytic Fungus *Trichoderma sp.* PR-35 of *Paeonia delavayi*. *Chemistry and Biodiversity*, **8**(9); 1717–1723
- Yohandini, H., Julinar, and Muharni (2015). Isolation and phylogenetic analysis of thermophile community within Tanjung Sakti hot spring, South Sumatera, Indonesia. *Hayati Journal of Biosciences*, **22**(3); 143–148

## Published with Hindawi

Open

Hindawi

## Science and Technology Indonesia


COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
Indonesia			
 Universities and research institutions in Indonesia	Chemistry Chemistry (miscellaneous)	Research Center of Inorganic Materials and Coordination Complexes, FMIPA Universitas Sriwijaya	
	Mathematics Mathematics (miscellaneous)		
	Pharmacology, Toxicology and Pharmaceutics Pharmacology, Toxicology and Pharmaceutics (miscellaneous)		
	Physics and Astronomy Physics and Astronomy (miscellaneous)		

PUBLICATION TYPE	ISSN	COVERAGE
Journals	25804391, 25804405	2021



### Sector outlooks for 2023

[Learn More >](#)




## Sector outlooks for 2023

[Learn More >](#)

 Twitter share (<https://twitter.com/intent/tweet?url=https://sciencetechindonesia.com/index.php/jsti/about/editorialTeam>)

 FB share (<https://www.facebook.com/sharer.php?u=https://sciencetechindonesia.com/index.php/jsti/about/editorialTeam>)

## Journal Statistics 2016-2020



	2016	2017	2018	2019	2020
Submission	5	27	49	21	25
Published	5	22	35	20	22
Declined	0	5	14	1	3

## Journal Profile

Publication Start Year **2016**

Issue Per Year **4**

Cited in Google Scholar ([https://scholar.google.co.id/citations?hl=en&view\\_op=list\\_works&authuser=1&gmla=AJsN-F7mW4sOCPw9D6jNZ7jHusAlmdwht8UYsI3WloEOG\\_L82N5obptOJL1mb77kyXmbtGiCjq90bc-B6-SAtwngSH8cygkuZg&user=LC-6htQAAAAJ](https://scholar.google.co.id/citations?hl=en&view_op=list_works&authuser=1&gmla=AJsN-F7mW4sOCPw9D6jNZ7jHusAlmdwht8UYsI3WloEOG_L82N5obptOJL1mb77kyXmbtGiCjq90bc-B6-SAtwngSH8cygkuZg&user=LC-6htQAAAAJ)) **469**

h-index Google Scholar ([https://scholar.google.co.id/citations?hl=en&view\\_op=list\\_works&authuser=1&gmla=AJsN-F7mW4sOCPw9D6jNZ7jHusAlmdwht8UYsI3WloEOG\\_L82N5obptOJL1mb77kyXmbtGiCjq90bc-B6-SAtwngSH8cygkuZg&user=LC-6htQAAAAJ](https://scholar.google.co.id/citations?hl=en&view_op=list_works&authuser=1&gmla=AJsN-F7mW4sOCPw9D6jNZ7jHusAlmdwht8UYsI3WloEOG_L82N5obptOJL1mb77kyXmbtGiCjq90bc-B6-SAtwngSH8cygkuZg&user=LC-6htQAAAAJ)) **10**

Total Documents (Until Vol.7 No.4) **214**

## 2021 Statistics After Scopus Indexed

Acceptance Rate **49%**

Submission to First Decision **3-4 Months**

Published Articles **42**

Total Reviewers	39
Total Contributors	151
Total Countries	6

## Scimago Metrics



(<https://www.scimagojr.com/journalsearch.php?q=21101040666&tip=sid&exact=no>)

## Scopus CiteScore

0.9 2021  
CiteScore

48th percentile  
Powered by **Scopus**

## SINTA Certificate



## Editorial Team

### Editor-in-Chief



### **Prof. Aldes Lesbani, Ph.D.**

Universitas Sriwijaya, **INDONESIA**

- (Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=15056199800>) (GS)  
(<https://scholar.google.com/citations?user=hKA2Q0QAAAAJ&hl=en&oi=ao>) (RG)  
([https://www.researchgate.net/profile/Aldes\\_Lesbani](https://www.researchgate.net/profile/Aldes_Lesbani)) (Publon)  
(<https://publons.com/researcher/3639719/aldes-lesbani/>)

### Vice Editor-in-Chief



### **Hendrik Oktendy Lintang, Dr.**

Indonesian Chemical Society, **INDONESIA**

- (Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=36496933500>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=6vlzzScAAAAJ>) (RG)  
([https://www.researchgate.net/profile/Hendrik\\_Lintang](https://www.researchgate.net/profile/Hendrik_Lintang)) (Publon)  
(<https://publons.com/researcher/1357657/hendrik-oktendy-lintang/>)

### Section Editors



### **Dodi Devianto, Dr.**

Universitas Andalas, **INDONESIA**

- (Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=56747957200>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=du9sskAAAAJ>)



### **Tarmizi Taher, Dr.**

Institut Teknologi Sumatera, **INDONESIA**

- (Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=56104271500>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=TJYrMMEAAAAJ>) (RG)  
([https://www.researchgate.net/profile/Tarmizi\\_Taher2](https://www.researchgate.net/profile/Tarmizi_Taher2)) (Publon)  
(<https://publons.com/researcher/3799190/tarmizi-taher/>)



### **Fitri Maya Puspita, Dr.**

Universitas Sriwijaya, **INDONESIA**

- (Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=55761767800>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=UwS2LlgAAAAJ>) (RG)  
([https://www.researchgate.net/profile/Fitri\\_Puspita](https://www.researchgate.net/profile/Fitri_Puspita)) (Publon)  
(<https://publons.com/researcher/1540904/fitri-maya-puspita-unsri/>)



### **Mohammad Basyuni, Prof. Dr.**

Universitas Sumatera Utara, **INDONESIA**

- (Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=15055287200>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=mudoMJ4AAAAJ>) (RG)  
([https://www.researchgate.net/profile/Mohammad\\_Basyuni](https://www.researchgate.net/profile/Mohammad_Basyuni)) (Publon)  
(<https://publons.com/researcher/1654147/mohammad-basyuni/>)

### Editorial Boards

**Ambara Rachmat Pradipta, Dr.**Tokyo Institute of Technology, **JAPAN**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=36185578800>)

(GS)

(<https://scholar.google.com/citations?hl=en&user=nn7hLJwAAAAJ>)

(RG)

([https://www.researchgate.net/profile/Ambara\\_Pradipta](https://www.researchgate.net/profile/Ambara_Pradipta))**Bidyut Saha, Prof. Dr.**The University of Burdwan, **INDIA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=24459083100>)

(GS)

([https://scholar.google.com/citations?hl=en&user=IG27makAAAAJ&view\\_op=list\\_works&sortby=pubdate](https://scholar.google.com/citations?hl=en&user=IG27makAAAAJ&view_op=list_works&sortby=pubdate))

(RG)

([https://www.researchgate.net/profile/Bidyut\\_Saha](https://www.researchgate.net/profile/Bidyut_Saha))**Fabien Silly, Dr.**CEA Saclay, **FRANCE**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=6602946333>)

(GS)

(<https://scholar.google.com/citations?hl=en&user=r3VUHjgAAAAJ>)

(RG)

([https://www.researchgate.net/profile/Fabien\\_Silly](https://www.researchgate.net/profile/Fabien_Silly))**Supa Hannongbua, Prof. Dr.**Kasetsart University, **THAILAND**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=57214859856>)

(GS)

(<https://scholar.google.com/citations?user=xLnUW7EAAA&hl=en&oi=ao>)**Iskhaq Iskandar, Prof. Dr.**Universitas Sriwijaya, **INDONESIA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=8637688700>)

(GS)

(<https://scholar.google.com/citations?hl=en&user=x4514csAAAAJ>)

(RG)

([https://www.researchgate.net/profile/Iskhaq\\_Iskandar](https://www.researchgate.net/profile/Iskhaq_Iskandar))

(Publon)

(<https://publons.com/researcher/2818598/iskhaq-iskandar/>)**Faheem K. Butt, Dr.**University of Education, **PAKISTAN**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=37076592700>)

(GS)

(<https://scholar.google.com/citations?hl=en&user=raetpZoAAAAJ>)

(RG)


([https://www.researchgate.net/profile/Faheem\\_Butt](https://www.researchgate.net/profile/Faheem_Butt))**Ivandini T. Anggraningrum, Prof. Dr.**Universitas Indonesia, **INDONESIA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=6506022840>)

(GS)

(<https://scholar.google.com/citations?hl=en&user=ZLC8oXgAAAAJ>)

(RG)

([https://www.researchgate.net/profile/Tribidasari\\_Anggraningrum\\_Ivandini](https://www.researchgate.net/profile/Tribidasari_Anggraningrum_Ivandini))**Roland Tomašiūnas, Prof. Dr.**




Vilnius University, **LITHUANIA**  
(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=6603738091>)



**Khairul Basar, Dr.**  
Institut Teknologi Bandung, **INDONESIA**  
(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=8913123600>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=Q75lj6IAAAAJ>) (RG)  
([https://www.researchgate.net/profile/Khairul\\_Basar](https://www.researchgate.net/profile/Khairul_Basar))



**Ammar Z. Alshemary, Dr.**  
Karabuk Universitesi, **TURKEY**  
(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=55503590800>) (GS)  
(<https://scholar.google.com/citations?user=pHyZRpAAAAAJ&hl=en&oi=ao>)




**Lusi Safriani, Dr.**  
Universitas Padjadjaran, **INDONESIA**  
(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=14919712300>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=2Q8yawsAAAAJ>) (RG)  
([https://www.researchgate.net/profile/Lusi\\_Safriani](https://www.researchgate.net/profile/Lusi_Safriani))



**Norma Alias, Assoc. Prof. Dr.**  
Universiti Teknologi Malaysia, **MALAYSIA**  
(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=22733403000>) (GS)  
(<https://scholar.google.com/citations?user=89hAxiEAAA AJ&hl=en>) (RG)  
([https://www.researchgate.net/profile/AP\\_Dr\\_Norma\\_Alias](https://www.researchgate.net/profile/AP_Dr_Norma_Alias))



**Weidong Yu, Prof.**  
Sun Yat-Sen University, **CHINA**  
(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=36657972500>) (GS)  
(<https://scholar.google.com/citations?user=bAQMKakAAAAJ&hl=en&oi=ao>)



**Siti Aisyah Nurjannah, Dr.**  
Universitas Sriwijaya, **INDONESIA**  
(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=57190066896>) (GS)  
(<https://scholar.google.com/citations?user=lnclz0UAAA AJ&hl=en&oi=ao>)



**Rino R. Mukti, Dr.**  
Institut Teknologi Bandung, **INDONESIA**  
(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=12244105600>) (GS)  
([https://scholar.google.com/citations?hl=en&user=y\\_3Vdi4AAA AJ](https://scholar.google.com/citations?hl=en&user=y_3Vdi4AAA AJ)) (RG)  
([https://www.researchgate.net/profile/Rino\\_Mukti](https://www.researchgate.net/profile/Rino_Mukti)) (Publon)  
(<https://publons.com/researcher/1357077/reno-mukti/>)

**R. Dwi Susanto, Dr.**University of Maryland, **UNITED STATES OF AMERICA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=55664987200>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=xony5H4AAAAJ>)**Siew Ling Lee, Assoc. Prof. Dr.**Universiti Teknologi Malaysia, **MALAYSIA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=57193482292>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=gpclcvgAAAAJ>) (RG)  
([https://www.researchgate.net/profile/Siew\\_Lee3](https://www.researchgate.net/profile/Siew_Lee3))**Tri Atmojo Kusmayadi, Prof. Dr.**Universitas Sebelas Maret, **INDONESIA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=55151149300>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=GPBtAsAAAAJ>) (RG)  
([https://www.researchgate.net/profile/Kurnia\\_Atmojo](https://www.researchgate.net/profile/Kurnia_Atmojo))**Wamiliana, Prof. Dr.**Universitas Lampung, **INDONESIA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=36053853700>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=v4sjk3cAAAAJ>) (RG)  
([https://www.researchgate.net/profile/Wamiliana\\_Wamiliana2](https://www.researchgate.net/profile/Wamiliana_Wamiliana2))**Siti Suzlin Binti Supadi, Dr.**University of Malaya, **MALAYSIA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=24450952300>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=uYYblVoAAAAJ>)**Agus Santoso, Dr.**University of New South Wales, **AUSTRALIA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=36841957400>) (GS)  
([https://scholar.google.com/citations?hl=en&user=12P\\_998AAAAJ](https://scholar.google.com/citations?hl=en&user=12P_998AAAAJ))**M. Lutfi Firdaus, Prof. Dr.**Universitas Bengkulu, **INDONESIA**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=56426642700>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=6rtZ49cAAAAJ>) (RG)  
([https://www.researchgate.net/profile/M\\_Firdaus](https://www.researchgate.net/profile/M_Firdaus)) (<https://publons.com/researcher/1528530/m-lutfi-firdaus/>)**Eko Siswanto, Dr.**Research Institute for Global Change, JAMSTEC, **JAPAN**(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=8668728200>) (GS)  
(<https://scholar.google.com/citations?user=15lcSMkAAAAJ&hl=en&oi=ao>)

**M. Yusup Nur Khakim, Dr.**Universitas Sriwijaya, **INDONESIA**

(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=55466639800>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=g9z7YP0AAAAJ>) (RG)  
([https://www.researchgate.net/profile/Mokhamad\\_Yusup\\_Nur\\_Khakim](https://www.researchgate.net/profile/Mokhamad_Yusup_Nur_Khakim))

**Budhi Arta Surya, Dr.**Victoria University of Wellington, **NEW ZEALAND**

(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=15756212800>) (GS)  
(<https://scholar.google.com/citations?user=Y-D5sLIAAAAJ&hl=en&oi=ao>)

**Zati Aqmar Zaharudin, Dr.**Universiti Teknologi MARA, **MALAYSIA**

(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=55140797700>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=jJ0ePnIAAAAJ>)

**Yan Du, Prof.**South China Sea Institute of Oceanology,CAS., **CHINA**

(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=55762732700>) (GS)  
(<https://scholar.google.com/citations?user=uEuE73sAAAAJ&hl=en&oi=ao>)

**Rahmat Hidayat, Dr.**Institut Pertanian Bogor, **INDONESIA**

(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=7003420834>) (GS)  
(<https://scholar.google.com/citations?hl=en&user=5JoiSBwAAAAJ>)

**Adibah Shuib, Assoc. Prof. Dr.**Universiti Teknologi MARA, **MALAYSIA**

(Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=55139559300>) (GS)  
([https://scholar.google.com/citations?user=XccJ\\_-QAAAAJ&hl=en&oi=ao](https://scholar.google.com/citations?user=XccJ_-QAAAAJ&hl=en&oi=ao))

**Technical and Layout Editor**

- Alfan Wijaya, B.Sc (Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=57222756982>) (GS)  
(<https://scholar.google.com/citations?hl=id&user=yWagsm8AAAAJ>)
- Amri, B.Sc (Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=57537889500>) (GS)  
([https://scholar.google.com/citations?hl=id&user=VnmQlggAAAAJ&view\\_op=list\\_works&authuser=5&gmla=AJsN-F5g8ZJM0d5Yyi2t8drwSNcAgRI3VUE\\_mZZJ6xN1BJIIAYdO2fmr1UFHZ\\_qP5aprS46uYazGL2-MHmTvheVzejZGoZPFtKjYPezoMTSj3srI4FOOYs](https://scholar.google.com/citations?hl=id&user=VnmQlggAAAAJ&view_op=list_works&authuser=5&gmla=AJsN-F5g8ZJM0d5Yyi2t8drwSNcAgRI3VUE_mZZJ6xN1BJIIAYdO2fmr1UFHZ_qP5aprS46uYazGL2-MHmTvheVzejZGoZPFtKjYPezoMTSj3srI4FOOYs))
- Erni Salasia Fitri, B.Sc (Scopus) (<https://www.scopus.com/authid/detail.uri?authorId=57224009616>) (GS) ([https://scholar.google.com/citations?user=ls4j2\\_UAAAAJ&hl=id](https://scholar.google.com/citations?user=ls4j2_UAAAAJ&hl=id))

- 
- Aims & scopes (<https://sciecetechindonesia.com/index.php/jsti/aimsandscope>)
  -  Editorial Board (<https://sciecetechindonesia.com/index.php/jsti/about/editorialTeam>)
  -  Indexing (<https://sciecetechindonesia.com/index.php/jsti/absindex>)
  - </> Reviewer Acknowledgement (<https://sciecetechindonesia.com/index.php/jsti/reacknow>)
  - © Copyright Notice (<https://sciecetechindonesia.com/index.php/jsti/copyright>)
  -  Scopus Database (<https://www.scopus.com/sourceid/21101040666>)
  -  CrossMark Policy (<https://sciecetechindonesia.com/index.php/jsti/crossmarkpolicy>)
  -  Conference Collaboration (<https://sciecetechindonesia.com/index.php/jsti/confer>)
  -  Site Statistic (<https://statcounter.com/p11376749/?guest=1>)
- 

## Submission Process

---

-  Author Guideline (<https://sciecetechindonesia.com/index.php/jsti/gias>)
  -  Publication ethics (<https://sciecetechindonesia.com/index.php/jsti/ethics>)
  -  Plagiarism Policy (<https://sciecetechindonesia.com/index.php/jsti/plagiarism>)
  -  Peer Review Process (<https://sciecetechindonesia.com/index.php/jsti/peerreviewprocess>)
  -  Article Processing Charge (<https://sciecetechindonesia.com/index.php/jsti/apcs>)
  -  Manuscript Template (<https://sciecetechindonesia.com/index.php/jsti/template>)
  - © Copyright Transfer (<https://sciecetechindonesia.com/index.php/jsti/cta>)
- 

## Popular Articles

---

Facility Location Problem of Dynamic Optimal Location of Hospital Emergency Department in Palembang (<https://sciecetechindonesia.com/index.php/jsti/article/view/496>)



Pre-Formulation Study on The Preparation of Skin Cosmetics  
(<https://scientechindonesia.com/index.php/jsti/article/view/320>)



Effect of Plasticizer and Concentration on Characteristics of Bioplastic Based on Cellulose Acetate from Kapok (Ceiba pentandra) Fiber (<https://scientechindonesia.com/index.php/jsti/article/view/351>)



Insecticidal Activity, Toxicity, Resistance and Metabolism of Pyrethroids: a Review  
(<https://scientechindonesia.com/index.php/jsti/article/view/477>)



Determination The Coefficient of Restitution in Object as Temperature Function in Partially Elastic Collision Using Phyphox Application on Smartphone (<https://scientechindonesia.com/index.php/jsti/article/view/187>)



## Visitor and Statistic

 ID	35,499	 PH	753
 US	4,331	 NG	622
 IN	4,165	 JP	400
 CN	1,535	 IQ	354
 MY	1,181	 TH	348

(<http://s05.flagcounter.com/more/J0m>)

Pageviews: 145,228





## Publisher

Research Center of Inorganic Materials and Coordination Complexes, FMIPA Universitas Sriwijaya

## Contact Info

E-mail: admin@sciencetechindonesia.com

E-mail: sciencetechindonesia@gmail.com

Copyright © 2021 Science and Technology Indonesia


Articles copyright © the authors. Distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License

**00155255** (<https://statcounter.com/>) Site Statistic (<https://statcounter.com/p11376749/?guest=1>)

 Twitter share (<https://twitter.com/intent/tweet?url=https://sciencetechindonesia.com/index.php/jsti/issue/view/21>)

 FB share (<https://www.facebook.com/sharer.php?u=https://sciencetechindonesia.com/index.php/jsti/issue/view/21>)

## Journal Statistics 2016-2020



	2016	2017	2018	2019	2020
Submission	5	27	49	21	25
Published	5	22	35	20	22
Declined	0	5	14	1	3

## Journal Profile

Publication Start Year	<b>2016</b>
Issue Per Year	<b>4</b>
Cited in Google Scholar ( <a href="https://scholar.google.co.id/citations?hl=en&amp;view_op=list_works&amp;authuser=1&amp;gmla=AJsN-Hl7mW4sOCPw9D6jNZ7jHusAlmdwht8UYsI3WloEOG_L82N5obptOJL1mb77kyXmbtGiCjq90bc-B6-SAtwngSH8cygkuZg&amp;user=LC-6htQAAAAJ">https://scholar.google.co.id/citations?hl=en&amp;view_op=list_works&amp;authuser=1&amp;gmla=AJsN-Hl7mW4sOCPw9D6jNZ7jHusAlmdwht8UYsI3WloEOG_L82N5obptOJL1mb77kyXmbtGiCjq90bc-B6-SAtwngSH8cygkuZg&amp;user=LC-6htQAAAAJ</a> )	<b>469</b>
h-index Google Scholar ( <a href="https://scholar.google.co.id/citations?hl=en&amp;view_op=list_works&amp;authuser=1&amp;gmla=AJsN-Hl7mW4sOCPw9D6jNZ7jHusAlmdwht8UYsI3WloEOG_L82N5obptOJL1mb77kyXmbtGiCjq90bc-B6-SAtwngSH8cygkuZg&amp;user=LC-6htQAAAAJ">https://scholar.google.co.id/citations?hl=en&amp;view_op=list_works&amp;authuser=1&amp;gmla=AJsN-Hl7mW4sOCPw9D6jNZ7jHusAlmdwht8UYsI3WloEOG_L82N5obptOJL1mb77kyXmbtGiCjq90bc-B6-SAtwngSH8cygkuZg&amp;user=LC-6htQAAAAJ</a> )	<b>10</b>
Total Documents (Until Vol.7 No.4)	<b>214</b>

## 2021 Statistics After Scopus Indexed

Acceptance Rate	<b>49%</b>
Submission to First Decision	<b>3-4 Months</b>
Published Articles	<b>42</b>

Total Reviewers	39
Total Contributors	151
Total Countries	6

## Scimago Metrics



(<https://www.scimagojr.com/journalsearch.php?q=21101040666&tip=sid&exact=no>)

## Scopus CiteScore

0.9 2021  
CiteScore

48th percentile  
Powered by **Scopus**

## SINTA Certificate





# Science & Technology Indonesia


p-ISSN : 2580-4405 e-ISSN : 2580-4391

**Volume 6, Number 3,  
July 2021**

<https://sciencetechindonesia.com>

(<https://sciencetechindonesia.com/index.php/jsti/issue/view/21>)

## Articles



([https://sciencetechindonesia.com/public/journals/1/submission\\_290\\_231\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_290_231_coverImage_en_US.png))

Determining the Credit Score and Credit Rating of Firms using the Combination of KMV-Merton Model and Financial Ratios (<https://sciencetechindonesia.com/index.php/jsti/article/view/290>)

Norliza Muhamad Yusof, Iman Qamalia Alias, Ainee Jahirah Md Kassim, Farah Liyana Natasha Mohd...

Citations 1

105-112


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.105-112?domain=https://sciencetechindonesia.com>)

Abstract View : 525


Download : 3

10.26554/sti.2021.6.3.105-112 (<https://sciencetechindonesia.com/index.php/jsti/article/view/290>)


FULL TEXT PDF (<https://sciencetechindonesia.com/index.php/jsti/article/view/290/175>)




(a)



(b)



(c)



(d)

([https://sciencetechindonesia.com/public/journals/1/submission\\_287\\_229\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_287_229_coverImage_en_US.png))

Structure and Dynamics of Curcumin Encapsulated Lecithin Micelles: A Molecular Dynamics Simulation Study (<https://sciencetechindonesia.com/index.php/jsti/article/view/287>)

Lukman Hakim, Diah Mardiana, Urnik Rokhiyah, Maria Lucia Ardhani Dwi Lestari, Zubaidah Ningsih

Citations 0

113-120


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.113-120?domain=https://sciencetechindonesia.com>)

Abstract View : 589

Download : 3

10.26554/sti.2021.6.3.113-120 (<https://sciencetechindonesia.com/index.php/jsti/article/view/287>)

FULL TEXT PDF (<https://sciencetechindonesia.com/index.php/jsti/article/view/287/176>)



([https://sciencetechindonesia.com/public/journals/1/submission\\_278\\_221\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_278_221_coverImage_en_US.png))

Seagrass Cholorophyll-a, Biomass and Carbon Algorithms Based on the Field and Sentinel-2A Satellite Data at Karimunjawa Island, Indonesia

(<https://sciencetechindonesia.com/index.php/jsti/article/view/278>)

Agus Hartoko, Yoan Teresia Sembiring, Nurul Latifah

Citations 0

121-130


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.121-130?domain=https://sciencetechindonesia.com>)

Abstract View : 262

Download : 2

10.26554/sti.2021.6.3.121-130 (<https://sciencetechindonesia.com/index.php/jsti/article/view/278>)

FULL TEXT PDF (<https://sciencetechindonesia.com/index.php/jsti/article/view/278/179>)



([https://sciencetechindonesia.com/public/journals/1/submission\\_291\\_232\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_291_232_coverImage_en_US.png))

## Tablet Formula Optimization From *Helminthostachys Zaylanica* Extract Using A Simplex Lattice Design (<https://sciencetechindonesia.com/index.php/sti/article/view/291>)

Fitrya Fitrya, Najma Annuria Fithri, Budi Untari, Aprililiani

 Citations { 0

 131-136


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.131-136?domain=https://sciencetechindonesia.com>)

 Abstract View : 210

 Download : 1

10.26554/sti.2021.6.3.131-136 (<https://sciencetechindonesia.com/index.php/sti/article/view/291>)

FULL TEXT PDF (<https://sciencetechindonesia.com/index.php/sti/article/view/291/180>)



([https://scienctechindonesia.com/public/journals/1/submission\\_333\\_283\\_coverImage\\_en\\_US.png](https://scienctechindonesia.com/public/journals/1/submission_333_283_coverImage_en_US.png))

Chemical Characterization of Secondary Metabolite from the Endophytic Fungus *Trichordema reebei* isolated from The Twig of *Syzygium aqueum*  
(<https://scienctechindonesia.com/index.php/jsti/article/view/333>)

Ummi H Habisukan, Elfta Elfta, Hary Widjajanti, Arum Setiawan

Citations 1

137-143


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.137-143?domain=https://scienctechindonesia.com>)

Abstract View : 394

Download : 2

10.26554/sti.2021.6.3.137-143 (<https://scienctechindonesia.com/index.php/jsti/article/view/333>)

FULL TEXT PDF (<https://scienctechindonesia.com/index.php/jsti/article/view/333/181>)



([https://sciencetechindonesia.com/public/journals/1/submission\\_311\\_261\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_311_261_coverImage_en_US.png))

## Silica from Natural Sources: a Review on the Extraction and Potential Application as a Supporting Photocatalytic Material for Antibacterial Activity

(<https://sciencetechindonesia.com/index.php/jsti/article/view/311>)

Annisa Luthfiah, Yusi Deawati, M. Lutfi Firdaus, Iman Rahayu, Diana Rakhmawaty Eddy

Citations

1

144-155


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.144-155?domain=https://sciencetechindonesia.com>)

Abstract View : 561

Download :4

10.26554/sti.2021.6.3.144-155 (<https://sciencetechindonesia.com/index.php/jsti/article/view/311>)

FULL TEXT PDF (<https://sciencetechindonesia.com/index.php/jsti/article/view/311/182>)



([https://sciencetechindonesia.com/public/journals/1/submission\\_328\\_278\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_328_278_coverImage_en_US.png))

### The Ability of Composite Ni/Al-carbon based Material Toward Readsorption of Iron(II) in Aqueous Solution (<https://sciencetechindonesia.com/index.php/jsti/article/view/328>)

Normah, Neza Rahayu Palapa, Tarmizi Taher, Risfidian Mohadi, Hasja Paluta Utami, Aldes Lesbani

Citations 6

156-165


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.156-165?domain=https://sciencetechindonesia.com>)

Abstract View : 455

Download : 2

[10.26554/sti.2021.6.3.156-165](https://10.26554/sti.2021.6.3.156-165) (<https://sciencetechindonesia.com/index.php/jsti/article/view/328>)

FULL TEXT PDF (<https://sciencetechindonesia.com/index.php/jsti/article/view/328/183>)



([https://sciencetechindonesia.com/public/journals/1/submission\\_319\\_269\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_319_269_coverImage_en_US.png))

### Heterogeneous Catalytic Conversion of Citronellal into Isopulegol and Menthol: Literature Review (<https://sciencetechindonesia.com/index.php/jsti/article/view/319>)

Amri Yahya, Dwiarsro Rubiyanto , Is Fatimah


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.166-180?domain=https://scientechnologyindonesia.com>)

↗ Abstract View : 262


⬇ Download : 2

10.26554/sti.2021.6.3.166-180 (<https://scientechnologyindonesia.com/index.php/jsti/article/view/319/184>)

FULL TEXT PDF (<https://scientechnologyindonesia.com/index.php/jsti/article/view/319/184>)



(a)



(b)

([https://scientechnologyindonesia.com/public/journals/1/submission\\_295\\_235\\_coverImage\\_en\\_US.png](https://scientechnologyindonesia.com/public/journals/1/submission_295_235_coverImage_en_US.png))

Utilization of Activated Charcoal from Sawdust as an Antibiotic Adsorbent of Tetracycline Hydrochloride (<https://scientechnologyindonesia.com/index.php/jsti/article/view/295>)

Gatut Ari Wardani, Ega Maulana Qudsi, Anindita Tri Kusuma Pratita, Keni Idacahyati, Estin...


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.181-188?domain=https://scientechnologyindonesia.com>)

↗ Abstract View : 335

⬇ Download : 2

10.26554/sti.2021.6.3.181-188 (<https://scientechnologyindonesia.com/index.php/jsti/article/view/295/185>)

FULL TEXT PDF (<https://scientechnologyindonesia.com/index.php/jsti/article/view/295/185>)



([https://sciecetechindonesia.com/public/journals/1/submission\\_313\\_263\\_coverImage\\_en\\_US.png](https://sciecetechindonesia.com/public/journals/1/submission_313_263_coverImage_en_US.png))

Antibacterial Activity of Endophytic Fungi from Sembukan (*Paederia foetida* L.) Leaves  
 (<https://sciecetechindonesia.com/index.php/jsti/article/view/313>)

Hary Widjajanti, Christina Vivid Handayani, Elisa Nurnawati

Citations 1

189-195


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.189-195?domain=https://sciecetechindonesia.com>)

Abstract View : 458

Download :3

10.26554/sti.2021.6.3.189-195 (<https://sciecetechindonesia.com/index.php/jsti/article/view/313>)

FULL TEXT PDF (<https://sciecetechindonesia.com/index.php/jsti/article/view/313/186>)



([https://sciencetechindonesia.com/public/journals/1/submission\\_331\\_281\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_331_281_coverImage_en_US.png))

## The Capability of Biochar-Based CaAl and MgAl Composite Materials as Adsorbent for Removal Cr(VI) in Aqueous Solution (<https://sciencetechindonesia.com/index.php/jsti/article/view/331>)

Novie Juleanti, Neza Rahayu Palapa, Tarmizi, Nurlisa Hidayati, Bunga Indah Putri, Aldes Lesbani

Citations 5

196-203


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.196-203?domain=https://sciencetechindonesia.com>)

↗ Abstract View : 377

⬇ Download : 2

10.26554/sti.2021.6.3.196-203 (<https://sciencetechindonesia.com/index.php/jsti/article/view/331>)



FULL TEXT PDF (<https://sciencetechindonesia.com/index.php/jsti/article/view/331/187>)



A

ZAF Method Standardless Quantitative Analysis  
Fitting Coefficient : 0.1534


Element	(keV)	Mass%	Sigmas	Atomic%	Compound	Mass%	Cation
O K <sup>+</sup>	0.525	28.73	0.25	59.77		18.6016	K
Ti K <sup>+</sup>	4.508	43.12	0.39	29.96		52.4189	
Zr L <sup>+</sup>	2.042	28.15	0.26	10.27		28.9795	
Total		100.00				100.00	



B

ZAF Method Standardless Quantitative Analysis  
Fitting Coefficient : 0.5020

Element	(keV)	Mass%	Sigmas	Atomic%	Compound	Mass%	Cation
O K <sup>+</sup>	0.525	52.05	0.28	86.09		43.9669	K
Zr L <sup>+</sup>	2.042	47.95	0.30	13.91		56.0331	
Total		100.00				100.00	



([https://sciencetechindonesia.com/public/journals/1/submission\\_334\\_284\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_334_284_coverImage_en_US.png))

## The Utilization of Modified Chitosan from Shrimp Shell As Photodegradation of Pesticides Paraquat Dichloride (<https://sciencetechindonesia.com/index.php/jsti/article/view/334>)

Risfidian Mohadi, Neza Rahayu Palapa, Rudi Hartono, Nurlisa Hidayati, Rozirwan

Citations

1

204-208


(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.204-208?domain=https://sciencetechindonesia.com>)

Abstract View : 352

Download : 1

[10.26554/sti.2021.6.3.204-208](https://10.26554/sti.2021.6.3.204-208) (<https://sciencetechindonesia.com/index.php/jsti/article/view/334>)

FULL TEXT PDF (<https://sciencetechindonesia.com/index.php/jsti/article/view/334/188>)



([https://sciencetechindonesia.com/public/journals/1/submission\\_353\\_303\\_coverImage\\_en\\_US.png](https://sciencetechindonesia.com/public/journals/1/submission_353_303_coverImage_en_US.png))

Modification of Cu/Cr Layered Double Hydroxide by Keggin Type Polyoxometalate as Adsorbent of Malachite Green from Aqueous Solution

(<https://sciencetechindonesia.com/index.php/jsti/article/view/353>)

Neza Rahayu Palapa, Tarmizi Taher, Alfan Wijaya, Aldes Lesbani

8

209-217

(<https://badge.dimensions.ai/details/doi/10.26554/sti.2021.6.3.209-217?domain=https://sciencetechindonesia.com>)

Abstract View : 486

Download : 2

10.26554/sti.2021.6.3.209-217 (<https://sciencetechindonesia.com/index.php/jsti/article/view/353>)

FULL TEXT PDF (<https://sciencetechindonesia.com/index.php/jsti/article/view/353/189>)

## Journal Menu

○ Aims & scopes (<https://sciencetechindonesia.com/index.php/jsti/aimsandscope>)

Editorial Board (<https://sciencetechindonesia.com/index.php/jsti/about/editorialTeam>)

Indexing (<https://sciencetechindonesia.com/index.php/jsti/absindex>)

</> Reviewer Acknowledgement (<https://sciencetechindonesia.com/index.php/jsti/reacknow>)

© Copyright Notice (<https://sciencetechindonesia.com/index.php/jsti/copyright>)