

# The Relationship between the Decline of Oxygen and the Increase of Methane Gas (CH<sub>4</sub>) Emissions on the Environment Health of the Plant

*By Maulana Yusuf*

## The Relationship between the Decline of Oxygen and the Increase of Methane Gas (CH<sub>4</sub>) Emissions on the Environment Health of the Plant

Maulana Yusuf<sup>1\*</sup>, Eddy Ibrahim<sup>2</sup>, Edward Saleh<sup>1</sup>, Moh. Rashid Ridho<sup>1</sup>, Iskhaq Iskandar<sup>1</sup>

<sup>12</sup>  
1 Department of Environmental Science Sriwijaya University, Palembang, South Sumatra, Indonesia

2 Department of Mining Engineering, Faculty of Engineering of Sriwijaya University, Palembang, South Sumatra, Indonesia

**\* Corresponding Author:**

Maulana Yu<sup>32</sup>

Department of Environmental Science Sriwijaya University,  
Palembang, South Sumatra, Indonesia

Email: maulanaysf@yahoo.co.id | Telephone: +628127103741

### Abstract

**Background:** The intensive utilization of low-grade coal (<5,100 kcal / kg) as a fuel in a steam power plant can lead to intense emission of methane (CH<sub>4</sub>), whose amount is increasing in the atmosphere. The intensive emissions of CH<sub>4</sub> gas will affect the global warming, especially climate change. The chemical reaction between CH<sub>4</sub> gas and <sup>34</sup>gen (O<sub>2</sub>) in the combustion of coal will reduce the concentration of oxygen and increase CO<sub>2</sub> (carbon dioxide) and H<sub>2</sub>O (water vapor). A decrease in the oxygen concentration of 2% will increase the concentration of CH<sub>4</sub> in the air by 10%. An intensive decrease of oxygen will adversely affect the health of the plants, it can even cause death. <sup>27</sup>

**Aim and Objectives:** The aim of this study is to show the effects of a decrease in oxygen on the increased CH<sub>4</sub> emissions from the burning of coal of different types of calories. The characteristics of the coal burning is analogized with the actual conditions occurring in nature which are associated with the environmental health, especially the disruption to the health of plant.

**Methods:** This study was conducted in the laboratory using a range of coal samples from coal of low-calorie to coal of high-calorie. The combustion systems used in this study was a modified fixed-bed coal combustion. The oxygen concentration and CH<sub>4</sub> emission were read from multigas detector, and a thermocouple was used to measure the temperature of the combustion of coal. The variables observed in this study were the oxygen concentration (%) and CH<sub>4</sub> emission (ppm) of various grades of coals, from a low-calorie coal to a high-calorie coal with codes of BA-59, BA-63, BA-67, BA-76. The data obtained from this study were processed using statistical methods. The data generated were compared to the minimum permissible oxygen in plants, namely by 20%. In addition, a decrease in oxygen concentration can also be proved by chemical reactions occurring between gases of CH<sub>4</sub> and oxygen which produces CO<sub>2</sub> (carbon dioxide) and H<sub>2</sub>O (water vapor).

**Results:** Based on the statistical tests comprising of a data normality test, hypothetical test and non-linear regression analysis, a significant correlation between the decrease in oxygen concentration and increased CH<sub>4</sub> emissions was obtained. The calculations carried out produced oxygen concentrations and emissions of CH<sub>4</sub> from each category of coal from low to high-grade coal respectively as follows: BA-59: 11.8% and 4.8 ppm; BA-63: 15.3% and 1.3 ppm; BA-63: 16.4% and 0.3 ppm; BA-

76: 17.2% and 0.1 ppm. While the percentage of oxygen allowed for plant respiration is a minimum of 20%.

**Conclusion:** The combustion of low grade coal for the power plant activity will decrease the concentration of oxygen and increase the CH<sub>4</sub> gas emissions in the atmosphere that can damage the health of the plants and it can even cause death. The mitigation of CH<sub>4</sub> emission generated by the combustion of low grade coal for power plant can be done by upgrading low-calorie coal so that its characteristics change.

---

**Keywords:** Low-calorie Coal, CH<sub>4</sub> Gas Emissions, Global Warming, Steam Power Plant

## Introduction

Mining activities can cause air pollution by generating the greenhouse gases such as carbon dioxide (CO<sub>2</sub>) and methane (CH<sub>4</sub>) from the coal seams below the soil surface, spontaneous coal combustion, and coal combustion at steam power plant. Intensive coal utilization at the plant is a complicated and complex issue. The steam power plant uses low-grade coal (<5,100 kcal / kg) as a boiler fuel. The consideration for the use of low-calorie coal is because the boiler setting requires low-grade coal, the coal is cheaper, and the reserves are more abundant. The combustion of low-grade coal may cause higher emissions of CH<sub>4</sub> gas than that of the high calorie coal. The continuous utilization of low grade coal will cause adverse environmental impact, especially global warming.<sup>1-8</sup>

CH<sub>4</sub> gas is a gas that can indirectly cause a decline in the quality of health of the environment. The nature of CH<sub>4</sub> gas is nontoxic, odorless, and its density is very light compared to other gases, especially oxygen which causes the gas easily get out into the atmosphere and the cycle can reach 10 years or more. CH<sub>4</sub> gas is a gas that can bind oxygen in the air so that the oxygen concentration decreases. A decrease in the oxygen concentration will result in the disruption of the plant. Plants need oxygen at least 20% for respiration. The continuous concentration of oxygen below 20% will cause the plants to have difficult respiration that may disrupt the growth and development of the plants and even cause them to perish.<sup>9-27</sup>

The diseases that occur in plants due to lack of oxygen have been studied by the experts in the world. The factors that cause disease in plants can be divided into two categories, namely:<sup>14-15, 19, 22, 25, 27</sup>

1. Living pathogenic organisms (fungi, bacteria, viruses, and nematodes) and pests (insects, mites, mollusks, mammals, and birds) or they can be grouped into biotic factors.
2. Non-living as mechanical factors (breakage or abrasions), environmental conditions (extremes of temperature, light, moisture, or oxygen), and chemicals (herbicides or nutritional disorders) or they can be grouped into physical factors.

The emission of CH<sub>4</sub> factor is classified as the environmental conditions or physical factors that cause the oxygen concentration to decrease. Plants will grow and develop on the basis of specific abiotic and biotic factors. The disruption of these two factors will have an impact on the growth and development of the plants. Therefore, the control of oxygen depletion in the atmosphere needs to be done to keep the oxygen demand of the plant so they can perform respiration perfectly.<sup>14-15, 19, 22, 25, 27</sup>

Based on the aforementioned description, it can be concluded that the need for oxygen by plants is very necessary especially for respiration process. The reduced concentration of oxygen and increasing amount of CH<sub>4</sub> gas in the air can disrupt the growth and the development of plants.


## Materials and Methods

The data on oxygen concentration and CH<sub>4</sub> gas emission in this study were gathered by using a range of samples of coals from low to high grade coal with the codes of BA-59, BA-63, BA-67 and BA-76. The sample code shows the calorific value of the coal, such as BA-59 which means the calorie of the coal is 5900 kcal / kg and so on. Coal burning was done with fixed-bed combustion coal in the form of a modified furnace and the equipments used in this study were multigas detectors, thermocouples and stopwatch. The data obtained from this study were processed using statistical methods. The data which had been processed were analyzed by comparing the data of the study with the oxygen concentration which is allowed and the chemical reactions that occur as a result of emissions of CH<sub>4</sub> gas with oxygen to produce carbon dioxide and water vapor.

## Results

The study which has been conducted shows a significant correlation between the decrease in oxygen concentration and increased CH<sub>4</sub> emissions. Figure 1 shows that the condition of oxygen (O<sub>2</sub>) which is low will cause higher emissions of CH<sub>4</sub> gas. The burning of low-grade coal showed highly reduced concentration of oxygen and increasing emissions of CH<sub>4</sub> (Figure 2). The reaction between the emission of CH<sub>4</sub> gas and oxygen (O<sub>2</sub>) will form carbon dioxide (CO<sub>2</sub>) and water content (H<sub>2</sub>O). Reaction (1) shows that a decrease in oxygen will increase the emissions of CH<sub>4</sub> and form CO<sub>2</sub> and H<sub>2</sub>O.

In nature, the reaction between methane (CH<sub>4</sub>) and oxygen (O<sub>2</sub>) will easily occur and can be written as follows:



Reaction (1) produced three kinds of condition as follows: (1) the concentration of oxygen decreases, (2) the concentration of CO<sub>2</sub> increases, and (3) the concentration of H<sub>2</sub>O increases.

## Discussion

23

Air consists of 21% oxygen, 78% nitrogen and 1% of other gases. The life of living creature is very much influenced by the availability of oxygen that exists in nature. A decrease in the oxygen concentration will lead to the increase of other gases. The studies which have been conducted show that a decrease in the oxygen concentration in the combustion of mainly low grade coal will lead to an increase in emissions of CH<sub>4</sub>. The increased emission of CH<sub>4</sub> gas produces CO<sub>2</sub> and H<sub>2</sub>O. CH<sub>4</sub> and CO<sub>2</sub> are greenhouse gases that can cause global warming. The real impact of global warming is climate change which will cause increase in temperature, high rainfall, long droughts, rise of sea level, flooding, and other natural disasters. Global warming due to greenhouse gases will reduce the concentration of oxygen. CH<sub>4</sub> gas has a global warming potential of 21-25 times greater than that CO<sub>2</sub>. The greater the concentration of CH<sub>4</sub> gas, the greater the impact on the environment.

A decrease in the oxygen concentration of 15% would lead to human physical and intellectual capacity to decline. A decrease in the oxygen concentration will lead to increased concentrations of other gases such as nitrogen, argon, helium, CO<sub>2</sub>, CH<sub>4</sub>, and H<sub>2</sub>O. A decrease in oxygen concentrations below 15% will boost greater influence on living beings and can even lead to death. A decrease in the oxygen concentration will occur in greater amount in toxic gases and flammable gases.

Low grade coal as an energy resource that is intensively used for fuel of power plants and other activities will lead to a decrease in oxygen concentration, the increase in greenhouse gases (CO<sub>2</sub> and CH<sub>4</sub>), and water vapor (H<sub>2</sub>O). The data of CH<sub>4</sub> gas emissions for various activities such as agriculture (20%), livestock (15%), mining and petroleum (14%), biomass burning (10%), and wetlands (24%) showed a tendency to increase every year. The global average of CH<sub>4</sub> gas emission of 1.75 to 1.80 ppm with a rate increase of 0.30 to 1.20 ppm / year and is able to increase the global temperature of approximately 1- 2°C.<sup>26-30</sup> Mining and petroleum activities accounted for emissions of CH<sub>4</sub> gas by 14%, including the burning of coal as an energy source for power plant. Increased emissions of CH<sub>4</sub> gas may indicate reduce oxygen concentration in the atmosphere. A decrease in the oxygen concentration will increase the concentration of other gases in the atmosphere. The consequences of these conditions will result in the disruption of living things, especially plants that require oxygen for respiration process.

24

## Conclusion

Based on the results of the study and the aforementioned discussion on the burning of coal, the following conclusions can be drawn:

1. The burning of low-grade coal will lead to decreased oxygen concentration shown by the analysis of the relationship between the decrease in oxygen and the emission of CH<sub>4</sub>;
2. The increase in CH<sub>4</sub> emission caused by a decrease in oxygen concentration is indicated by the tendency of CH<sub>4</sub> emissions data which increase annually by 0.30 to 1.20 ppm / year;

3. The continuous burning of low-grade coal for the fuel of the power plant and other activities will lead to decreased oxygen concentrations in nature;
4. The decrease in oxygen concentration will disrupt the health of living things, especially the plants as shown by previous researchers.

29

### Acknowledgements

The authors would like to profusely thank the Director and the Staff of PT. Bukit Asam (Persero), Tbk, Unit Dermaga Kertapati Palembang who had allowed the authors to take the samples of coal for the materials of this study for one month.


### References

1. Patabang D. Need Analysis of Combustion Air for Burning Different Types of Coal. SMARTek, Civil, Mechanical, Architecture, Electrical, Mechanical Engineering Department, Faculty of Engineering University of Tadulako, Palu (2004).
2. EPRI. Coal Ash: Characteristics, Management and Environmental Issues. Technical Update Coal Combustion Products Environmental Issues, Electric Power Research Institute (2009).
3. Nahas A. C, Setiawan B, Herizal, Drogkencky E. J and Conway TJ. An Analysis of the Atmospheric Methane Concentration in the Global Atmospheric Monitoring Station Bukit Kototabang. A Cooperation Among Global Atmospheric Monitoring Station Bukit Kototabang, the Meteorology and Geophysics Agency and the Climate Monitoring and Diagnostic Laboratory, National Oceanic and Atmospheric Administration, USA (2009).
4. EPA. Available and Emerging Technologies for Reducing Greenhouse Gas Emissions from Coal-Fired Electric Generating Units. Sector Policies and Programs Division Office of Air Quality Planning and Standards U.S. Environmental Protection Agency Research Triangle Park, North Carolina 27711 (2010).
5. Howarth R. W, Santoro R, and Ingraffea A. Methane and the greenhouse-gas footprint of natural gas from shale formations. Climatic Change, DOI 10.1007/s10584-011-0061-5, LETTE © The Author(s) 2011. This article is published with open access at Springerlink.com.
6. Puspitorini R. W, Damayanti I. S, Nurtono T, and Winardi, S. The Study of the Utilization of Low Quality Coal as Fuel of CFD Based Rotary Cement Kiln, Technical Journal of Pomits Vol. 2 No. 1 (2013) pp. 1-3.
7. Yusuf M, Ibrahim E, Saleh E, Ridho M. R, and Iskandar I. Coal Mine Methane (CMM) as Alternative Energy Source. Proceedings of the Fifth National Seminar AVoER Palembang 28<sup>th</sup> of November 2013, Faculty of Engineering, Sriwijaya University.
8. Yusuf M, Ibrahim E, Saleh E, Ridho M. R, and Iskandar I. The Policies and Strategies for Utilization of Low Calorie Coal for the Need of Mine Mouth Power Plant in South Sumatra. The Proceedings of TPT XXIII Perhapi, Makassar, South Sulawesi, 2014.

9. Drew M, Cobb B. G, Johnson J. R, Andrews D, Morgan P. W, Jordan W, and He C. J. Metabolic Acclimation of Root Tips to Oxygen Deficiency. *Annals of Botany*, 74: 281-286, 1994.
10. Kirchgessner D. A, Lott R. A, Cowgill R. M, Harrison M. R, and Shires T. M. Estimate of Methane Emissions from The U. S. Natural Gas Industry. U.S. Environmental Protection Agency Air Pollution Prevention and Control Division Research Triangle Park, North Carolina 27711, Gas Research Institute 8600 Bryn Mawr Ave. Chicago, Illinois 60631, Radian Corporation 8501 N. Mopac Blvd. Austin, Texas 78720-1088 (1997).
11. Shen X. Coal Combustion and Combustion Product. *Coal, Oil Shale, Natural Bitumen, Heavy Oil and Peat, Vol. I* (1997).
12. Kirchgessner D. A, Piccot S. D, and Masemore S. S. An Improved Inventory of Methane Emissions from Coal Mining in The United States, United States Environmental Protection Agency Office of Research and Development, Research Triangle Park, North Carolina 27711 USA Southern Research Institute (1998)
13. Jusnitati. The Aspects of Environmental Technology of Coal Liquefaction Plant. *Journal of Environmental Technology*, Vol.1, No. 1, January 2000: 63-72.
14. Armstrong W and Drew M. C. Root Growth and Metabolism Under Oxygen Deficiency. In: *PLANT Roots: The Hidden Half* (3<sup>rd</sup> Edition) 2002, Editors: Yoav Waisel, Amram Eshel & Uzi Kafkafi Published by Marcel Dekker, New York & Basel pp.729-761.
15. Boru G, Vantoai T, Alves J, Hua D, and Knee M. Responses of Soybean to Oxygen Deficiency and Elevated Root-Zone Carbon Dioxide Concentration. *Annals of Botany* 91: 447-453, 2003.
16. TSI Incorporated. An Overview of Measurements, Methods and Calculations Used in Combustion Analysis. *Combustion Analysis Basics* (2004).
17. IPCC. The 2006 IPCC Guidelines for National Greenhouse Gas Inventories. Volume 2: Energy, Chapter 2: Stationary Combustion. <http://www.ipcc-nggip.iaea.org/public/2006gl/vol2.htm> (referred 26.10.2006).
18. Liu J. A. Kinetics, catalysis and mechanism of methane steam reforming. Thesis Worcester Polytechnic Institute, Department of Chemical Engineering, In partial fulfillment of the requirements for the Degree of Master of Science in Chemical Engineering (2006).
19. Schaffer B. Effects of Soil Oxygen Deficiency on Avocado (*Persea Americana* Mill) Trees. Seminario Internacional: Manejo del Riego y Suelo en el Cultivo del Palto La Cruz, Chile, 27-28 Septiembre de 2006.
20. Tsupari E, Monni S, Tormonen K, Pellikka T, and Syri S. Estimation of annual CH<sub>4</sub> and N<sub>2</sub>O emissions from fluidised bed combustion: an advanced measurement-based method and its application to Finland, a VTT, Technical Research Centre of Finland, P.O. Box 1000, FI-02044 VTT, Espoo, Finland Benviroc Ltd, Vanha Saunalahdentie 11 A 8, FI-02330, Espoo, Finland (2007).
21. EPA. Direct Emissions from Stationary Combustion Sources. Climate Leaders, Greenhouse Gas Inventory Protocol Core Module Guidance. U.S. Environmental Protection Agency Research Triangle Park, North Carolina 27711 (2008).
22. Svedberg U, Samuelsson J, and Helin S. Hazardous Off-Gassing of Carbon Monoxide and Oxygen Depletion during Ocean Transportation of Wood Pellets. *Ann. Occup. Hyg.*, Vol. 52, No. 4, pp. 259-266, 2008.
23. Krwaczyk E, Zakemska M, and Wylecial T. The Chemical Mechanism of SO<sub>x</sub> Formation and Elimination in Coal Combustion Process. *Chemic*, 67, 10, 856-862 (2013).


24. Li J, Zhang, X, Yang W, and Blasiak W. Effects of Flue Gas Internal Recirculation on NO<sub>x</sub> and SO<sub>x</sub> Emissions in a Co-Firing Boiler. *International Journal of Clean Coal and Energy*, 2013, 2, 13-21 <http://dx.doi.org/10.4236/ijcce.2013.22002>.
25. Lü H. B, 1,2 Shi-Zhen Xu S. Z, Wang H. J, Yuan X. D, Zhao C, Fu Y. Q. Evolution of Oxygen Deficiency Center on Fused Silica Surface Irradiated by Ultraviolet Laser and Posttreatment. Research Article. Hindawi Publishing Corporation *Advances in Condensed Matter Physics* Volume 2014, Article ID 769059, 4 pages <http://dx.doi.org/10.1155/2014/769059>.
26. Tchabda A. H and Pisupati S. V. A Review of Thermal Co-Conversion of Coal and Biomass Waste. *Energies* 2014, 7, 1098-1148; doi:10.3390/en7031098.
27. McManus N and Haddad A. N. Oxygen Levels During Welding Assessment in an Aluminum Shipbuilding Environment. Safety Management Peer-Reviewed, Professional Safety JULY 2015 [www.assaf.org](http://www.assaf.org).
28. Wuebbles D. J and Hayhoe, K. Atmospheric Methane: Trends and Impacts. Department of Atmospheric Sciences, University of Illinois, Urbana (2000).
29. Norina E. Methane Emission from Northern Wetlands. Term Paper, 2007.
30. Wielgosinski G. Pollutant Formation in Combustion Processes Technical University of Lodz, Faculty of Process and Environmental Engineering Poland (2010).

Figure 1. The relationship between oxygen concentration and CH<sub>4</sub> gas emissions





**Figure 2.** The relationship between oxygen and CH<sub>4</sub> gas for various types of coal calorific



# The Relationship between the Decline of Oxygen and the Increase of Methane Gas (CH<sub>4</sub>) Emissions on the Environment Health of the Plant

---

ORIGINALITY REPORT

---

# 18%

SIMILARITY INDEX

---

PRIMARY SOURCES

---

- |   |  |               |
|---|--|---------------|
| 1 | Ivan Ivanov, Serhii Polishchuk, Iryna Holiakova, Yevhen Kushnir. "Research into limits of gas-fired burners flame stabilization in the flue gas recirculation", <i>Mining of Mineral Deposits</i> , 2020<br>Crossref   | 40 words — 1% |
| 2 | I. Abubakar, S.N. Khalid, M.W. Mustafa, Hussain Shareef, M. Mustapha. "Application of load monitoring in appliances' energy management – A review", <i>Renewable and Sustainable Energy Reviews</i> , 2017<br>Crossref | 38 words — 1% |
| 3 | <a href="https://link.springer.com">link.springer.com</a><br>Internet  | 33 words — 1% |
| 4 | <a href="https://ueaeprints.uea.ac.uk">ueaeprints.uea.ac.uk</a><br>Internet  | 31 words — 1% |
| 5 | <a href="https://www.uaf.edu">www.uaf.edu</a><br>Internet  | 31 words — 1% |
| 6 | <a href="https://www.vtt.fi">www.vtt.fi</a><br>Internet  | 31 words — 1% |
| 7 | <a href="https://www.weenergies.com">www.weenergies.com</a><br>Internet  | 28 words — 1% |

8	<a href="http://www.coursehero.com">www.coursehero.com</a> Internet	21 words — 1%
9	<a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a> Internet	21 words — 1%
10	<a href="http://www.propanecouncil.org">www.propanecouncil.org</a> Internet	20 words — 1%
11	<a href="http://www.springerprofessional.de">www.springerprofessional.de</a> Internet	18 words — 1%
12	M. Taufik Toha, Dedi Setiabudidaya, Syamsul Komar, Bochori, Moamar A. Ghadafi, Mirza Adiwarman, S. E. Rahim. "Mitigation of landslide area around railway tunnel, South Sumatra Province, Indonesia", AIP Publishing, 2017 Crossref	17 words — 1%
13	<a href="http://www.kluniversity.in">www.kluniversity.in</a> Internet	17 words — 1%
14	Roshdy AbdelRassoul, S. IEEE, Mohamed Zaghoul, Mohamed Omar, Islam El Adly. "Controlling the Combustion Process of Thermal Power Plants to Reduce the Amount of Carbon Dioxide Produced", The International Conference on Electrical Engineering, 2016 Crossref	16 words — < 1%
15	Thomas Neil McManus, Assed Haddad. "Assessment of Technologies for Measuring Exposure to NO2 during Welding on Aluminum Alloys", Environment and Natural Resources Research, 2019 Crossref	16 words — < 1%
16	<a href="http://amt.copernicus.org">amt.copernicus.org</a> Internet	15 words — < 1%

17	<a href="http://semarakilmu.com.my">semarakilmu.com.my</a> Internet	15 words — < 1%
18	<a href="http://www.ijres.org">www.ijres.org</a> Internet	15 words — < 1%
19	<a href="http://www.unece.org">www.unece.org</a> Internet	15 words — < 1%
20	Jiannan Chen, Ali Soleimanbeigi, Yibo Zhang, Tuncer B. Edil, Lin Li. "Leaching Characteristics of Recycled Asphalt Shingles Mixed with Industrial Byproducts as Structural Fills", Geo-Chicago 2016, 2016 Crossref	13 words — < 1%
21	S Alfiandy, R S Davi. "Analysis of statistical models for forecasting PM10 in Kototabang region", Journal of Physics: Conference Series, 2020 Crossref	12 words — < 1%
22	<a href="http://media.neliti.com">media.neliti.com</a> Internet	12 words — < 1%
23	<a href="http://www.yumpu.com">www.yumpu.com</a> Internet	12 words — < 1%
24	Tommy Tommy, Febrian Febrian, Nashriana Nashriana, Ruben Achmad. "Immaterial Compensation Not Criminal Losing Lives as an Implementation of Victim Protection", Fiat Justisia: Jurnal Ilmu Hukum, 2022 Crossref	11 words — < 1%
25	<a href="http://ejournal-balitbang.kkp.go.id">ejournal-balitbang.kkp.go.id</a> Internet	10 words — < 1%
26	<a href="http://repository.its.ac.id">repository.its.ac.id</a> Internet	10 words — < 1%

- 27 Amiri, Rana, Abbas Heidari, Nahid Dehghan-Nayeri, Abou Ali Vedadhir, and Hosein Kareshki. "Challenges of Transcultural Caring Among Health Workers in Mashhad-Iran: A Qualitative Study", *Global Journal of Health Science*, 2015. 9 words — < 1%  
Crossref
- 
- 28 [blog.binadarma.ac.id](http://blog.binadarma.ac.id) 9 words — < 1%  
Internet
- 
- 29 [file.scirp.org](http://file.scirp.org) 9 words — < 1%  
Internet
- 
- 30 [www.ci.ontario.ca.us](http://www.ci.ontario.ca.us) 9 words — < 1%  
Internet
- 
- 31 [www.meritnation.com](http://www.meritnation.com) 9 words — < 1%  
Internet
- 
- 32 Hamdani, Yunan, Dwi Setyawan, Budhi Setiawan, and Azhar K Affandi. "Mainstreaming Adaptation Climate Change into Strategic Environmental Assessment Case Study Banyuasin District, South Sumatra Province", *Journal of Sustainable Development*, 2014. 8 words — < 1%  
Crossref
- 
- 33 Lia Lismeri, Sri Haryati, M Djoni Bustan, Yuli Darni. "Assisted of electromagnetic fields in glucose production from cassava stems", *IOP Conference Series: Earth and Environmental Science*, 2018. 8 words — < 1%  
Crossref
- 
- 34 Raouf Mobasheri, Nadia Izza, Abdel Aitouche, Jun Peng, Boualem Bakir. "Investigation of Oxyfuel Combustion on Engine Performance and Emissions in a DI Diesel HCCI Engine", 2019 8th International Conference on Systems and Control (ICSC), 2019. 8 words — < 1%

---

**35** nrc-publications.canada.ca  
Internet

8 words — < 1%

---

EXCLUDE QUOTES OFF

EXCLUDE SOURCES OFF

EXCLUDE BIBLIOGRAPHY OFF

EXCLUDE MATCHES OFF