

BUKTI KORESPONDENSI
ARTIKEL JURNAL INTERNASIONAL BEREPUTASI

Judul Artikel : Analysis of Factor Influencing the Productivity of Lowland Rice in the Second Planting Season in Palembang City, Indonesia

Jurnal : Russian Jurnal of Agricultural and Socio-Economic Sciences

Penulis : Betaria Septiana, Muhammad Yazid, Maryati Mustofa Hakim

No.	Perihal	Tanggal
1	Bukti Submission Artikel	24 Januari 2019
2	Bukti Replay Submission dari Editor	28 Januari 2019
3	Bukti Revised Artikel	Februari 2019
4	Bukti Accepted Artikel	6 Februari 2019

Submission Artikel
(24 Januari 2019)

Submission of Article

Dari: M Yazid (yazid_ppmal@yahoo.com)

Kepada: submission@rjoas.com

Cc: betazuchdi@gmail.com

Tanggal: Kamis, 24 Januari 2019 pukul 17.26 GMT+7

Dear Editor,

please kindly accept submission of article entitled "Analysis of factors influencing the productivity of lowland rice in the second planting season in Palembang City, Indonesia" for publication in the Russian Journal of Agricultural and Socio-Economic Sciences".

Sincerely,

Muhammad Yazid, Ph.D.
Corresponding Author

Cc. Betaria Septiana (Author)



Lowland rice second planting_betaria.docx
27.8kB

ANALYSIS OF FACTORS INFLUENCING THE PRODUCTIVITY OF LOWLAND RICE IN THE SECOND PLANTING SEASON IN PALEMBANG CITY, INDONESIA

Betaria Septiana¹, Muhammad Yazid^{1*}, Maryati Mustofa Hakim¹

¹Master Program in Agribusiness, Faculty of Agriculture, Universitas Sriwijaya, Indonesia

*Corresponding Author E-mail: yazid_ppmal@yahoo.com

ABSTRACT

Swamp rice cultivation during the second planting season (October-March), known as IP 200, which is directed in 4 sub-districts in Palembang is expected to contribute to rice production for the city of Palembang and to support national food security program. Out of 4 sub-districts, 3 sub-districts were chosen to be the locations of this survey. Respondents of this survey were members of the farmer groups who were selected randomly using proportionate random sampling. The results showed that lowland rice production in the second planting season was influenced significantly by farmers' technical ability in cultivation (X_1), production facilities and infrastructure (X_2) and irrigation networks (X_3).

INTRODUCTION

Agriculture development is an integral part of national development in Indonesia and its role has become a solid foundation for the nation's economy. Agricultural sector has contributed to the achievement of the nation's food security. The efforts of food security achievement are mostly focused on increasing food self sufficiency, especially rice (Agus and Irawan, 2006). However, currently land use conversion has become a major threat to agricultural development and food security (Long et al., 2009 in Sulaeman, 2016).

The Directorate General of Food Crops (2013) explained that one alternative to overcome the impact of conversion of agricultural land is to optimize the use of potential agricultural land. One of the strategy is to expand the planting areas by utilizing potential lands such as upland, lowlands and tidal swamp lands and the implementation of multiple cropping.

To respond to the national programs and policies and to support the Province of South Sumatra in strengthening the capacity of the region to be self-sufficient in food supply, the city of Palembang also played a role through the optimization of its agricultural sector. Based on the data from the Central Bureau of Statistics of Palembang (2016), it still has potential agricultural land of 11,526 ha, consisting of dry land and non-irrigated rice fields which are categorized as swamp areas. The potential of swamp land suitable for rice cultivation was 6,028 hectares, among which 5,734 hectares had been used by farmers for rice farming with one planting season per year (April - September). Therefore, the Government of Palembang since 2015 began to implement rice cultivation in the second planting season (October - March) with the target stated in Table 1.

Table 1. Lowland rice cultivation in the second planting season in Palembang in 2015-2017

	2015	2016	2017
Target of Planting (Hectares)	500	500	500
Realization of Planting (Hectares)	254	407	294
Harvest Area (Hectares)	208	407	294
Productivity (Tons/Hectare)	4,69	6,15	6,713
Production (Ton)	975,52	2503,05	1.974

Since 2015, rice cultivation in the second planting season (October-March) known as IP200, has been implemented in 4 districts, namely Gandus, Kertapati, Kalidoni, and Sematang Borang in 6 sub-districts. The target area was 500 hectares, involving 355 farmers

Table 2. The target of lowland rice cultivation in the second planting season in Palembang

District	Sub-District	Farmers' Group	Area (Hectares)	Number of Farmers
Gandus	Pulokerto	Gapoktan Bina Usaha Mandiri	50	41
		Gapoktan Seberang Ulu	150	90
		Kelompoktani Mandiri	50	25
Kertapati	Karya Jaya	Gapoktan Karya Makmur	100	95
		Keramasan	Kelompoktani Suka Karya	50
Kalidoni	Sei Selincih	Gapoktan Petani Bersatu	50	20
Sematang Borang	Karya Mulia	Kelompoktani Karya M.Mulia	30	40
		Suka Mulia	Kelompoktani Cahaya	20
Total			500	355

In order to support rice production enhancement through the implementation of lowland rice cultivation in the second planting season (October-March), several factors are considered to influence the successful of the program, namely 1) the ability of farmers to implement lowland rice cultivation, 2) the availability of production facilities (seeds, fertilizers, pesticides) and agricultural machinery, and 3) the condition of irrigation networks that affect water conditions in the planting area. Therefore, this research was conducted to find out factors that influence the implementation of lowland rice cultivation in the second planting season (October-March) in Palembang.

RESEARCH METHODS

This research was conducted in three districts where lowland rice cultivation was implemented in the second planting season, namely Kalidoni, Sematang Borang, and Kertapati from September to October in 2018. This research employed survey method. The population of this research was farmers in the 3 districts who conducted rice cultivation in the second planting season. The population was as many as 199 farmers. Sample farmers were drawn from the population using proportionate random sampling. Total number of sample farmers were 40 farmers.

Data collected in this research consisted of primary and secondary data. Primary data were collected through direct interviews to the respondents using a questionnaire. Secondary data were collected from papers, reports, and publications related to this research. Data collected were tabulated and descriptively analyzed. Meanwhile, to analyze the factors that influenced the production of lowland rice cultivated in the second planting season, the following equation is employed:

$$Y = \alpha + b_1X_1 + b_2X_2 + b_3X_3$$

Where:

Y = Productivity of rice in the second planting season

α = Constant

β = Regression coefficient

X₁ = Farmers' technical ability to perform rice cultivation

X₂ = Production facilities and infrastructure (seeds, fertilizer, pesticides, machinery)

X₃ = Irrigation networks

Furthermore, to find out whether the three variables (X₁, X₂, X₃) have a significant effect on the dependent variable (Y), a partial test (t test) was carried out. In addition, to test the overall effect of the independent variables on the dependent variables, a simultaneous test F test) was used.

RESULTS AND DISCUSSION

The Development of Rice Cultivation in the Second Planting Season

Rice cultivation in second planting season in three districts in Palembang has been implemented since 2015. Table 1 described the target and realization of planting, harvest area, and productivity in three districts in 3 consecutive years since 2015. There was a variation of target and realization in planting in District Kalidoni, but there was an increase in District Sematang Borang and Kertapati. However, in all district the productivity increased significantly from 2015 to 2017.

Table 3. Lowland rice cultivation in the second planting season in 2015-2017

	Kalidoni			Sematang Borang			Kertapati		
	2015	2016	2017	2015	2016	2017	2015	2016	2017
Target of Planting (Hectares)	50	250	150	50	75	90	150	50	150
Realization Planting (Hectares)	115	372	130	90	45	66	28	0	100
Harvest Area (Hectares)	115	372	128	80	30	66	3	0	100
Productivity (Tons/Hectare)	5.1	6.25	6.2	5.05	6.05	7.04	4.4	0	6.9
Production (Ton)	586.5	2,325	793.6	404	181.5	464.6	13.2	0	690

In 2015, there were 2 districts (Kalidoni and Sematang Borang) whose realization of the harvest area was above the target. Whereas District Kertapati was much below the target which only achieved 3 ha out of 150 ha targeted. In 2016, rice cultivation in the second planting season in the two districts was targeted higher than that in 2015, but District Kertapati was targeted lower due to the harvest fail in 2015. The area harvested in 2016 in District Kalidoni was achieved, but in District Sematang Borang the harvest area was lower than the target. Even, in District Kertapati there was no realization in planting in 2016. In 2017, in all three districts rice cultivation in the second planting season were re-targeted. Table 3 showed that in 2017 in all three districts, the targeted harvest area were achieved.

Overall, Table 3 revealed that the realization of rice cultivation in the second planting season (October-March) in 2015 was 254 hectares with the harvest area of 208 ha and the average

productivity of 4.69 tons of dry harvest grain (GKP) per hectare. Furthermore, in 2016, the realization of both harvest area and productivity were higher than the previous year. The harvest area has increased to 407 hectares and the productivity has increased to 6.15 tons of GKP per hectare. However, in 2017, the harvest area was slightly decreased to 390 hectares, but the productivity increased significantly to 6.71 tons GKP per hectare.

Factors Affecting Rice Productivity in the Second Planting Season

A research sample covering 40 farmers were drawn from the population in the study area. The characteristics of respondents based on sex indicated that majority of respondents were male (92.5%). The age of respondents was between the 37 years to 67 years, but majority of respondents were in the productive aged of 41-50 years. Majority of respondents own and cultivate rice in the average area of 1 hectare.

In order to assess the influence of factors affecting the productivity of rice in the second planting season, a multiple regression analysis was performed (Table 4). The independent variables assumed to affect the productivity of rice (Y) in the second planting season as discussed above were farmers' technical ability in lowland rice cultivation (X₁), production facilities and infrastructures (X₂), and irrigation networks (X₃).

Table 4. Results of Multiple Regression Analysis

Variabel	Coefficient	Standar Error	t	Sig
Constant	-.908	.203	-4.465	.000
Farmers' technical ability (X ₁)	.087	.006	13.391	.000
Production facilities and infrastructure (X ₂)	.081	.011	7.229	.000
Irrigation networks (X ₃)	.103	.020	5.047	.000
Sig F = .000; R square = 0.97				

Based on the above analysis, the regression equation of the productivity of lowland rice in the second planting season can be stated as

$$Y = -0,908 + 0.087X_1 + 0.081X_2 + 0,103X_3$$

Where:

Y = Productivity of rice in the second planting season

α = Constant

β = Regression coefficient

X₁ = Farmers' technical ability to perform rice cultivation

X₂ = Facilities and infrastructures (seeds, fertilizer, pesticides, machinery)

X₃ = Irrigation networks

Based on the analysis, the effect of all the independent variables were significant statistically. The influence of all the independent variables on the productivity of rice in the second planting season were positive, which mean that every individual independent variable had significant positive contribution to the dependent variable. Overall effect of the independent variables on the productivity of rice was also significant based on the value of F test.

The individual effect of farmers' technical ability in rice cultivation on the productivity of rice in the second planting season is positive (as indicated by the coefficient) and significant (as

indicated by the significance of t-test). This indicated that the higher the farmers' ability in rice cultivation the higher the productivity of rice in the second planting season.

The effect of facilities and infrastructures on the productivity of rice in the second planting season is also positive (as indicated by the coefficient) and significant (as indicated by the significance of t-test). This indicated that the better the facilities and infrastructures the higher the productivity of rice in the second planting season.

The influence of irrigation networks on the productivity of rice in the second planting season is also positive (as indicated by the coefficient) and significant (as indicated by the significance of t-test). This indicated that the better the irrigation networks that support rice cultivation the higher the productivity of rice in the second planting season. Water availability for rice cultivation was proved to be crucial for rice cultivation in the second planting season where water was less available.

CONCLUSION

1. Rice cultivation in lowland areas of Palembang in the second planting season has been implemented in several districts since 2015. However, the realization of planting and harvest area varied among locations. Overall, rice cultivation in the second planting season in Palembang was proved to be successful in term of the increase in harvest area and the productivity.
2. The productivity of lowland rice cultivated in the second planting season was influenced significantly by three factors considered in the study. The effect of farmers' technical abilities in lowland rice cultivation, production facilities and infrastructures, and irrigation networks were statistically significant on the productivity of rice in the three districts in Palembang.
3. This study proves that rice cultivation in lowland areas in the City of Palembang can support the achievement of rice production sufficiency. Therefore, the efforts to utilize the available lowland areas surround the city should be sustained.

REFERENCES

- Agriculture and Food Security Agency of Palembang. 2017. The Potentials of Agriculture Sector in Palembang.
- Agus, F., and Irawan. 2006. Agricultural land conversion as a threat to food security and environmental quality. *Agriculture Research and Development Journal* 25(3);90-98.
- Central Bureau of Statistic of Palembang. 2016. Palembang Municipality in Figures.
- Directory General of Foods and Crop. 2013. Guidance for Increasing Production and Productivity of Irrigation and Swamp Rice to Support National Rice Production. Ministry of Agriculture of the Republic of Indonesia.
- Sulaeman, D. 2005. Suitabilty of Land, Irrigation, and People Culture in Rice Cultivation. The Ministry of Agriculture of the Republic of Indonesia.

Replay Submission dari Editor
(28 Januari 2019)

Re: Submission of Article

Dari: Plygun Sergey (rjoas@yandex.ru)

Kepada: yazid_ppmal@yahoo.com

Tanggal: Senin, 28 Januari 2019 pukul 00.54 GMT+7

Hello,

paper received and will be reviewed within 10 working days.

--

Sergey Plygun

24.01.2019, 13:29, "M Yazid" <yazid_ppmal@yahoo.com>:

Dear Editor,

please kindly accept submission of article entitled "Analysis of factors influencing the productivity of lowland rice in the second planting season in Palembang City, Indonesia" for publication in the Russian Journal of Agricultural and Socio-Economic Sciences".

Sincerely,

Muhammad Yazid, Ph.D.
Corresponding Author

Cc. Betaria Septiana (Author)

Sent from [Mail](#) for Windows 10

Revised Artikel
(Februari 2019)

ANALYSIS OF FACTORS INFLUENCING THE PRODUCTIVITY OF LOWLAND RICE IN THE SECOND PLANTING SEASON IN PALEMBANG CITY, INDONESIA

Betaria Septiana¹, Muhammad Yazid^{1*}, Maryati Mustofa Hakim¹

¹Master Program in Agribusiness, Faculty of Agriculture, Universitas Sriwijaya, Indonesia

*Corresponding Author E-mail: yazid_ppmal@yahoo.com

ABSTRACT

Swamp rice cultivation during the second planting season (October-March), known as IP 200, which is directed in 4 sub-districts in Palembang is expected to contribute to rice production for the city of Palembang and to support national food security program. Out of 4 sub-districts, 3 sub-districts were chosen to be the locations of this survey. Respondents of this survey were members of the farmer groups who were selected randomly using proportionate random sampling. The results showed that lowland rice production in the second planting season was influenced significantly by farmers' technical ability in cultivation (X_1), production facilities and infrastructure (X_2) and irrigation networks (X_3).

INTRODUCTION

Agriculture development is an integral part of national development in Indonesia and its role has become a solid foundation for the nation's economy. Agricultural sector has contributed to the achievement of the nation's food security. The efforts of food security achievement are mostly focused on increasing food self sufficiency, especially rice (Agus and Irawan, 2006). However, currently land use conversion has become a major threat to agricultural development and food security (Long et al., 2009 in Sulaeman, 2016).

The Directorate General of Food Crops (2013) explained that one alternative to overcome the impact of conversion of agricultural land is to optimize the use of potential agricultural land. One of the strategy is to expand the planting areas by utilizing potential lands such as upland, lowlands and tidal swamp lands and the implementation of multiple cropping.

To respond to the national programs and policies and to support the Province of South Sumatra in strengthening the capacity of the region to be self-sufficient in food supply, the city of Palembang also played a role through the optimization of its agricultural sector. Based on the data from the Central Bureau of Statistics of Palembang (2016), it still has potential agricultural land of 11,526 ha, consisting of dry land and non-irrigated rice fields which are categorized as swamp areas. The potential of swamp land suitable for rice cultivation was 6,028 hectares, among which 5,734 hectares had been used by farmers for rice farming with one planting season per year (April - September). Therefore, the Government of Palembang since 2015 began to implement rice cultivation in the second planting season (October - March) with the target stated in Table 1.

Table 1. Lowland rice cultivation in the second planting season in Palembang in 2015-2017

	2015	2016	2017
Target of Planting (Hectares)	500	500	500
Realization of Planting (Hectares)	254	407	294
Harvest Area (Hectares)	208	407	294
Productivity (Tons/Hectare)	4,69	6,15	6,713
Production (Ton)	975,52	2503,05	1.974

Since 2015, rice cultivation in the second planting season (October-March) known as IP200, has been implemented in 4 districts, namely Gandus, Kertapati, Kalidoni, and Sematang Borang in 6 sub-districts. The target area was 500 hectares, involving 355 farmers

Table 2. The target of lowland rice cultivation in the second planting season in Palembang

District	Sub-District	Farmers' Group	Area (Hectares)	Number of Farmers
Gandus	Pulokerto	Gapoktan Bina Usaha Mandiri	50	41
		Gapoktan Seberang Ulu	150	90
		Kelompoktani Mandiri	50	25
Kertapati	Karya Jaya	Gapoktan Karya Makmur	100	95
		Keramasan	Kelompoktani Suka Karya	50
Kalidoni	Sei Selincih	Gapoktan Petani Bersatu	50	20
Sematang Borang	Karya Mulia	Kelompoktani Karya M.Mulia	30	40
		Suka Mulia	Kelompoktani Cahaya	20
Total			500	355

In order to support rice production enhancement through the implementation of lowland rice cultivation in the second planting season (October-March), several factors are considered to influence the successful of the program, namely 1) the ability of farmers to implement lowland rice cultivation, 2) the availability of production facilities (seeds, fertilizers, pesticides) and agricultural machinery, and 3) the condition of irrigation networks that affect water conditions in the planting area. Therefore, this research was conducted to find out factors that influence the implementation of lowland rice cultivation in the second planting season (October-March) in Palembang.

RESEARCH METHODS

This research was conducted in three districts where lowland rice cultivation was implemented in the second planting season, namely Kalidoni, Sematang Borang, and Kertapati from September to October in 2018. This research employed survey method. The population of this research was farmers in the 3 districts who conducted rice cultivation in the second planting season. The population was as many as 199 farmers. Sample farmers were drawn from the population using proportionate random sampling. Total number of sample farmers were 40 farmers.

Data collected in this research consisted of primary and secondary data. Primary data were collected through direct interviews to the respondents using a questionnaire. Secondary data were collected from papers, reports, and publications related to this research. Data collected were tabulated and descriptively analyzed. Meanwhile, to analyze the factors that influenced the production of lowland rice cultivated in the second planting season, the following equation is employed:

$$Y = \alpha + b_1X_1 + b_2X_2 + b_3X_3$$

Where:

Y = Productivity of rice in the second planting season

α = Constant

β = Regression coefficient

X₁ = Farmers' technical ability to perform rice cultivation

X₂ = Production facilities and infrastructure (seeds, fertilizer, pesticides, machinery)

X₃ = Irrigation networks

Furthermore, to find out whether the three variables (X₁, X₂, X₃) have a significant effect on the dependent variable (Y), a partial test (t test) was carried out. In addition, to test the overall effect of the independent variables on the dependent variables, a simultaneous test F test) was used.

RESULTS AND DISCUSSION

The Development of Rice Cultivation in the Second Planting Season

Rice cultivation in second planting season in three districts in Palembang has been implemented since 2015. Table 1 described the target and realization of planting, harvest area, and productivity in three districts in 3 consecutive years since 2015. There was a variation of target and realization in planting in District Kalidoni, but there was an increase in District Sematang Borang and Kertapati. However, in all district the productivity increased significantly from 2015 to 2017.

Table 3. Lowland rice cultivation in the second planting season in 2015-2017

	Kalidoni			Sematang Borang			Kertapati		
	2015	2016	2017	2015	2016	2017	2015	2016	2017
Target of Planting (Hectares)	50	250	150	50	75	90	150	50	150
Realization Planting (Hectares)	115	372	130	90	45	66	28	0	100
Harvest Area (Hectares)	115	372	128	80	30	66	3	0	100
Productivity (Tons/Hectare)	5.1	6.25	6.2	5.05	6.05	7.04	4.4	0	6.9
Production (Ton)	586.5	2,325	793.6	404	181.5	464.6	13.2	0	690

In 2015, there were 2 districts (Kalidoni and Sematang Borang) whose realization of the harvest area was above the target. Whereas District Kertapati was much below the target which only achieved 3 ha out of 150 ha targeted. In 2016, rice cultivation in the second planting season in the two districts was targeted higher than that in 2015, but District Kertapati was targeted lower due to the harvest fail in 2015. The area harvested in 2016 in District Kalidoni was achieved, but in District Sematang Borang the harvest area was lower than the target. Even, in District Kertapati there was no realization in planting in 2016. In 2017, in all three districts rice cultivation in the second planting season were re-targeted. Table 3 showed that in 2017 in all three districts, the targeted harvest area were achieved.

Overall, Table 3 revealed that the realization of rice cultivation in the second planting season (October-March) in 2015 was 254 hectares with the harvest area of 208 ha and the average

productivity of 4.69 tons of dry harvest grain (GKP) per hectare. Furthermore, in 2016, the realization of both harvest area and productivity were higher than the previous year. The harvest area has increased to 407 hectares and the productivity has increased to 6.15 tons of GKP per hectare. However, in 2017, the harvest area was slightly decreased to 390 hectares, but the productivity increased significantly to 6.71 tons GKP per hectare.

Factors Affecting Rice Productivity in the Second Planting Season

A research sample covering 40 farmers were drawn from the population in the study area. The characteristics of respondents based on sex indicated that majority of respondents were male (92.5%). The age of respondents was between the 37 years to 67 years, but majority of respondents were in the productive aged of 41-50 years. Majority of respondents own and cultivate rice in the average area of 1 hectare.

In order to assess the influence of factors affecting the productivity of rice in the second planting season, a multiple regression analysis was performed (Table 4). The independent variables assumed to affect the productivity of rice (Y) in the second planting season as discussed above were farmers' technical ability in lowland rice cultivation (X_1), production facilities and infrastructures (X_2), and irrigation networks (X_3).

Table 4. Results of Multiple Regression Analysis

Variabel	Coefficient	Standar Error	t	Sig
Constant	-.908	.203	-4.465	.000
Farmers' technical ability (X_1)	.087	.006	13.391	.000
Production facilities and infrastructure (X_2)	.081	.011	7.229	.000
Irrigation networks (X_3)	.103	.020	5.047	.000
Sig F = .000; R square = 0.97				

Based on the above analysis, the regression equation of the productivity of lowland rice in the second planting season can be stated as

$$Y = -0,908 + 0.087X_1 + 0.081X_2 + 0,103X_3$$

Where:

Y = Productivity of rice in the second planting season

α = Constant

β = Regression coefficient

X_1 = Farmers' technical ability to perform rice cultivation

X_2 = Facilities and infrastructures (seeds, fertilizer, pesticides, machinery)

X_3 = Irrigation networks

Based on the analysis, the effect of all the independent variables were significant statistically. The influence of all the independent variables on the productivity of rice in the second planting season were positive, which mean that every individual independent variable had significant positive contribution to the dependent variable. Overall effect of the independent variables on the productivity of rice was also significant based on the value of F test.

The individual effect of farmers' technical ability in rice cultivation on the productivity of rice in the second planting season is positive (as indicated by the coefficient) and significant (as

indicated by the significance of t-test). This indicated that the higher the farmers' ability in rice cultivation the higher the productivity of rice in the second planting season.

The effect of facilities and infrastructures on the productivity of rice in the second planting season is also positive (as indicated by the coefficient) and significant (as indicated by the significance of t-test). This indicated that the better the facilities and infrastructures the higher the productivity of rice in the second planting season.

The influence of irrigation networks on the productivity of rice in the second planting season is also positive (as indicated by the coefficient) and significant (as indicated by the significance of t-test). This indicated that the better the irrigation networks that support rice cultivation the higher the productivity of rice in the second planting season. Water availability for rice cultivation was proved to be crucial for rice cultivation in the second planting season where water was less available.

CONCLUSION

1. Rice cultivation in lowland areas of Palembang in the second planting season has been implemented in several districts since 2015. However, the realization of planting and harvest area varied among locations. Overall, rice cultivation in the second planting season in Palembang was proved to be successful in term of the increase in harvest area and the productivity.
2. The productivity of lowland rice cultivated in the second planting season was influenced significantly by three factors considered in the study. The effect of farmers' technical abilities in lowland rice cultivation, production facilities and infrastructures, and irrigation networks were statistically significant on the productivity of rice in the three districts in Palembang.
3. This study proves that rice cultivation in lowland areas in the City of Palembang can support the achievement of rice production sufficiency. Therefore, the efforts to utilize the available lowland areas surround the city should be sustained.

REFERENCES

- Agriculture and Food Security Agency of Palembang. 2017. The Potentials of Agriculture Sector in Palembang.
- Agus, F., and Irawan. 2006. Agricultural land conversion as a threat to food security and environmental quality. *Agriculture Research and Development Journal* 25(3);90-98.
- Central Bureau of Statistic of Palembang. 2016. Palembang Municipality in Figures.
- Directory General of Foods and Crop. 2013. Guidance for Increasing Production and Productivity of Irrigation and Swamp Rice to Support National Rice Production. Ministry of Agriculture of the Republic of Indonesia.
- Sulaeman, D. 2005. Suitabilty of Land, Irrigation, and People Culture in Rice Cultivation. The Ministry of Agriculture of the Republic of Indonesia.

Accepted Artikel
(6 Februari 2019)

Re: Submission of Article

Dari: Plygun Sergey (rjoas@yandex.ru)

Kepada: yazid_ppmal@yahoo.com

Tanggal: Rabu, 6 Februari 2019 pukul 03.31 GMT+7

Hello,

by the decision of Editorial Board your papers provisionally accepted for issue 2(86) of February 2019, please see <https://rjoas.com/submission/> for more details.

In order to continue with publishing process, please complete fee transfer: detailed information available at <https://rjoas.com/publication-fee/>

Provisional acceptance of paper expires on February 25, 2019.

If you have any questions, please do not hesitate to contact us!

Regards,
Sergey Plygun

24.01.2019, 13:29, "M Yazid" <yazid_ppmal@yahoo.com>:

Dear Editor,

please kindly accept submission of article entitled "Analysis of factors influencing the productivity of lowland rice in the second planting season in Palembang City, Indonesia" for publication in the Russian Journal of Agricultural and Socio-Economic Sciences".

Sincerely,

Muhammad Yazid, Ph.D.
Corresponding Author

Cc. Betaria Septiana (Author)

Sent from [Mail](#) for Windows 10

DOI 10.18551/rjoas.2019-02.26

ANALYSIS OF FACTORS INFLUENCING THE PRODUCTIVITY OF LOWLAND RICE DURING THE SECOND PLANTING SEASON IN PALEMBANG CITY, INDONESIA

Septiana Betaria, Yazid Muhammad*, Hakim Maryati Mustofa

Master Program in Agribusiness, Faculty of Agriculture, University of Sriwijaya, Indonesia

*E-mail: yazid_ppmal@yahoo.com

ABSTRACT

Swamp rice cultivation during the second planting season (October-March), known as IP 200, which is directed in 4 sub-districts in Palembang is expected to contribute to rice production for the city of Palembang and to support national food security program. Out of 4 sub-districts, 3 sub-districts were chosen to be the locations of this survey. Respondents of this survey were members of the farmer groups who were selected randomly using proportionate random sampling. The results showed that lowland rice production in the second planting season was influenced significantly by farmers' technical ability in cultivation (X_1), production facilities and infrastructure (X_2) and irrigation networks (X_3).

KEY WORDS

Swamp rice, planting, food program, food security.

Agriculture development is an integral part of national development in Indonesia and its role has become a solid foundation for the nation's economy. Agricultural sector has contributed to the achievement of the nation's food security. The efforts of food security achievement are mostly focused on increasing food self sufficiency, especially rice (Agus and Irawan, 2006). However, currently land use conversion has become a major threat to agricultural development and food security (Long et al., 2009 in Sulaeman, 2016).

The Directorate General of Food Crops (2013) explained that one alternative to overcome the impact of conversion of agricultural land is to optimize the use of potential agricultural land. One of the strategies is to expand the planting areas by utilizing potential lands such as upland, lowlands and tidal swamp lands and the implementation of multiple cropping.

To respond to the national programs and policies and to support the Province of South Sumatra in strengthening the capacity of the region to be self-sufficient in food supply, the city of Palembang also played a role through the optimization of its agricultural sector. Based on the data from the Central Bureau of Statistics of Palembang (2016), it still has potential agricultural land of 11,526 ha, consisting of dry land and non-irrigated rice fields which are categorized as swamp areas. The potential of swamp land suitable for rice cultivation was 6,028 hectares, among which 5,734 hectares had been used by farmers for rice farming with one planting season per year (April - September). Therefore, the Government of Palembang since 2015 began to implement rice cultivation in the second planting season (October - March) with the target stated in Table 1.

Table 1 – Lowland rice cultivation in the second planting season in Palembang in 2015-2017

n/n	2015	2016	2017
Target of Planting (Hectares)	500	500	500
Realization of Planting (Hectares)	254	407	294
Harvest Area (Hectares)	208	407	294
Productivity (Tons/Hectare)	4,69	6,15	6,713
Production (Ton)	975,52	2503,05	1.974

Since 2015, rice cultivation in the second planting season (October-March) known as IP200, has been implemented in 4 districts, namely Gandus, Kertapati, Kalidoni, and

Sematang Borang in 6 sub-districts. The target area was 500 hectares, involving 355 farmers.

Table 2 – The target of lowland rice cultivation in the second planting season in Palembang

District	Sub-District	Farmers' Group	Area (Hectares)	Number of Farmers
Gandus	Pulokerto	Gapoktan Bina Usaha Mandiri	50	41
		Gapoktan Seberang Ulu	150	90
		Kelompoktani Mandiri	50	25
Kertapati	Karya Jaya	Gapoktan Karya Makmur	100	95
	Keramasan	Kelompoktani Suka Karya	50	25
Kalidoni	Sei Selincih	Gapoktan Petani Bersatu	50	20
Sematang Borang	Karya Mulia	Kelompoktani Karya M.Mulia	30	40
	Suka Mulia	Kelompoktani Cahaya	20	19
Total			500	355

In order to support rice production enhancement through the implementation of lowland rice cultivation in the second planting season (October-March), several factors are considered to influence the successful of the program, namely 1) the ability of farmers to implement lowland rice cultivation, 2) the availability of production facilities (seeds, fertilizers, pesticides) and agricultural machinery, and 3) the condition of irrigation networks that affect water conditions in the planting area. Therefore, this research was conducted to find out factors that influence the implementation of lowland rice cultivation in the second planting season (October-March) in Palembang.

METHODS OF RESEARCH

This research was conducted in three districts where lowland rice cultivation was implemented in the second planting season, namely Kalidoni, Sematang Borang, and Kertapati from September to October in 2018. This research employed survey method. The population of this research was farmers in the 3 districts who conducted rice cultivation in the second planting season. The population was as many as 199 farmers. Sample farmers were drawn from the population using proportionate random sampling. Total numbers of sample farmers were 40 farmers.

Data collected in this research consisted of primary and secondary data. Primary data were collected through direct interviews to the respondents using a questionnaire. Secondary data were collected from papers, reports, and publications related to this research. Data collected were tabulated and descriptively analyzed. Meanwhile, to analyze the factors that influenced the production of lowland rice cultivated in the second planting season, the following equation is employed:

$$Y = \alpha + b_1X_1 + b_2X_2 + b_3X_3$$

Where: Y = Productivity of rice in the second planting season; α = Constant; β = Regression coefficient; X_1 = Farmers' technical ability to perform rice cultivation; X_2 = Production facilities and infrastructure (seeds, fertilizer, pesticides, machinery); X_3 = Irrigation networks.

Furthermore, to find out whether the three variables (X_1 , X_2 , X_3) have a significant effect on the dependent variable (Y), a partial test (t test) was carried out. In addition, to test the overall effect of the independent variables on the dependent variables, a simultaneous test F test) was used.

RESULTS AND DISCUSSION

The Development of Rice Cultivation in the Second Planting Season. Rice cultivation in second planting season in three districts in Palembang has been implemented since 2015. Table 1 described the target and realization of planting, harvest area, and productivity in

three districts in 3 consecutive years since 2015. There was a variation of target and realization in planting in District Kalidoni, but there was an increase in District Sematang Borang and Kertapati. However, in all district the productivity increased significantly from 2015 to 2017.

Table 3 – Lowland rice cultivation in the second planting season in 2015-2017

n/n	Kalidoni			Sematang Borang			Kertapati		
	2015	2016	2017	2015	2016	2017	2015	2016	2017
Target of Planting (Hectares)	50	250	150	50	75	90	150	50	150
Realization Planting (Hectares)	115	372	130	90	45	66	28	0	100
Harvest Area (Hectares)	115	372	128	80	30	66	3	0	100
Productivity (Tons/Hectare)	5.1	6.25	6.2	5.05	6.05	7.04	4.4	0	6.9
Production (Ton)	586.5	2,325	793.6	404	181.5	464.6	13.2	0	690

In 2015, there were 2 districts (Kalidoni and Sematang Borang) whose realization of the harvest area was above the target. Whereas District Kertapati was much below the target which only achieved 3 ha out of 150 ha targeted. In 2016, rice cultivation in the second planting season in the two districts was targeted higher than that in 2015, but District Kertapati was targeted lower due to the harvest fail in 2015. The area harvested in 2016 in District Kalidoni was achieved, but in District Sematang Borang the harvest area was lower than the target. Even, in District Kertapati there was no realization in planting in 2016. In 2017, in all three districts rice cultivation in the second planting season were re-targeted. Table 3 showed that in 2017 in all three districts, the targeted harvest area was achieved.

Overall, Table 3 revealed that the realization of rice cultivation in the second planting season (October-March) in 2015 was 254 hectares with the harvest area of 208 ha and the average productivity of 4.69 tons of dry harvest grain (GKP) per hectare. Furthermore, in 2016, the realization of both harvest area and productivity were higher than the previous year. The harvest area has increased to 407 hectares and the productivity has increased to 6.15 tons of GKP per hectare. However, in 2017, the harvest area was slightly decreased to 390 hectares, but the productivity increased significantly to 6.71 tons GKP per hectare.

Factors Affecting Rice Productivity in the Second Planting Season. A research sample covering 40 farmers were drawn from the population in the study area. The characteristics of respondents based on sex indicated that majority of respondents were male (92.5%). The age of respondents was between the 37 years to 67 years, but majority of respondents were in the productive aged of 41-50 years. Majority of respondents own and cultivate rice in the average area of 1 hectare.

In order to assess the influence of factors affecting the productivity of rice in the second planting season, a multiple regression analysis was performed (Table 4). The independent variables assumed to affect the productivity of rice (Y) in the second planting season as discussed above were farmers' technical ability in lowland rice cultivation (X_1), production facilities and infrastructures (X_2), and irrigation networks (X_3).

Table 4 – Results of Multiple Regression Analysis

Variable	Coefficient	Standard Error	t	Sig
Constant	-.908	.203	-4.465	.000
Farmers' technical ability (X_1)	.087	.006	13.391	.000
Production facilities and infrastructure (X_2)	.081	.011	7.229	.000
Irrigation networks (X_3)	.103	.020	5.047	.000

Sig F = .000; R square = 0.97

Based on the above analysis, the regression equation of the productivity of lowland rice in the second planting season can be stated as

$$Y = -0,908 + 0.087X_1 + 0.081X_2 + 0,103X_3$$

Where: Y = Productivity of rice in the second planting season; α = Constant; β = Regression coefficient; X_1 = Farmers' technical ability to perform rice cultivation; X_2 = Facilities and infrastructures (seeds, fertilizer, pesticides, machinery); X_3 = Irrigation networks.

Based on the analysis, the effect of all the independent variables were significant statistically. The influence of all the independent variables on the productivity of rice in the second planting season was positive, which mean that every individual independent variable had significant positive contribution to the dependent variable. Overall effect of the independent variables on the productivity of rice was also significant based on the value of F test.

The individual effect of farmers' technical ability in rice cultivation on the productivity of rice in the second planting season is positive (as indicated by the coefficient) and significant (as indicated by the significance of t-test). This indicated that the higher the farmers' ability in rice cultivation the higher the productivity of rice in the second planting season.

The effect of facilities and infrastructures on the productivity of rice in the second planting season is also positive (as indicated by the coefficient) and significant (as indicated by the significance of t-test). This indicated that the better the facilities and infrastructures the higher the productivity of rice in the second planting season.

The influence of irrigation networks on the productivity of rice in the second planting season is also positive (as indicated by the coefficient) and significant (as indicated by the significance of t-test). This indicated that the better the irrigation networks that support rice cultivation the higher the productivity of rice in the second planting season. Water availability for rice cultivation was proved to be crucial for rice cultivation in the second planting season where water was less available.

CONCLUSION

Rice cultivation in lowland areas of Palembang in the second planting season has been implemented in several districts since 2015. However, the realization of planting and harvest area varied among locations. Overall, rice cultivation in the second planting season in Palembang was proved to be successful in term of the increase in harvest area and the productivity.

The productivity of lowland rice cultivated in the second planting season was influenced significantly by three factors considered in the study. The effect of farmers' technical abilities in lowland rice cultivation, production facilities and infrastructures, and irrigation networks were statistically significant on the productivity of rice in the three districts in Palembang.

This study proves that rice cultivation in lowland areas in the City of Palembang can support the achievement of rice production sufficiency. Therefore, the efforts to utilize the available lowland areas surround the city should be sustained.

REFERENCES

1. Agriculture and Food Security Agency of Palembang. 2017. The Potentials of Agriculture Sector in Palembang.
2. Agus, F., and Irawan. 2006. Agricultural land conversion as a threat to food security and environmental quality. *Agriculture Research and Development Journal* 25(3); 90-98.
3. Central Bureau of Statistic of Palembang. 2016. Palembang Municipality in Figures.
4. Directory General of Foods and Crop. 2013. Guidance for Increasing Production and Productivity of Irrigation and Swamp Rice to Support National Rice Production. Ministry of Agriculture of the Republic of Indonesia.
5. Sulaeman, D. 2005. Suitability of Land, Irrigation, and People Culture in Rice Cultivation. The Ministry of Agriculture of the Republic of Indonesia.