Emission Factors of Biodiesel Combustion in Industrial Boiler - A Comparison to Fossil Fuel

by Muhammad Yazid

Submission date: 29-May-2023 04:57PM (UTC+0700)


Submission ID: 2104474323

File name: ombustion_in_Industrial_Boiler_-_A_Comparison_to_Fossil_Fuel.pdf (2.2M)

Word count: 4366
Character count: 22614

 $See \, discussions, stats, and \, author \, profiles \, for \, this \, publication \, at: \, https://www.researchgate.net/publication/278400395$

Emission factors of biodiesel combustion in industrial boiler: A comparison to fossil fuel



Some of the authors of this publication are also working on these related projects:





Emission factors of biodiesel combustion in industrial boiler: A comparison to fossil

L. N. Komariah, S. Arita, Novia, S. S. Wirawan, and M. Yazid

Citation: Journal of Renewable and Sustainable Energy 5, 052005 (2013); doi: 10.1063/1.4822036

View online: http://dx.doi.org/10.1063/1.4822036

View Table of Contents: http://scitation.aip.org/content/aip/journal/jrse/5/5?ver=pdfcov

Published by the AIP Publishing







Emission factors of biodiesel combustion in industrial boiler: A comparison to fossil fuel

L. N. Komariah, 1,a) S. Arita, Novia, S. S. Wirawan, and M. Yazid

¹Department of Chemical Engineering, Sriwijaya University, Inderalaya 30163, Indonesia

²Energy Technology Center (B2TE-BPPT), Serpong 15314, Indonesia

³Department of Agrobusiness, Sriwijaya University, Inderalaya 30163, Indonesia

(Received 25 February 2013; accepted 26 August 2013; published online 19 September 2013)

Boiler is one of industrial facilities, which has energy intensive in producing steam or hot water, through fuel combustion. The large use of industrial boilers contributes to large emission. Emission factor is one of the most common methods to quantify emissions from combustion appliances such as boilers. As the biodiesel is an alternative fuel that has great potential to reduce emissions, it can be potentially used as boiler fuel. In this study, biodiesel combustion emission factor is determined through fuel analysis and direct measurements (stack sampling). A series of test was performed on a fire tube boiler, in which pressure of 3 bar, using palm biodiesel and its blend with petrodiesel in a variety of composition of biodiesel of 10%, 20%, and 30%. It is known that SO₂ and CO emission factors in biodiesel combustion in boiler was significantly lower than petrodiesel, while CO₂ and NOx emission factors tend to higher. Inconsistently, the stack sampling data showed that the emission of CO and CO₂ was higher than petrodiesel, instead NOx emission of biodiesel combustion was 10% and 27% lower than petrodiesel. © 2013 AIP Publishing LLC. [http://dx.doi.org/10.1063/1.4822036]

I. INTRODUCTION

Emission inventories are fundamental tools for air quality management. They are used for identifying major contributors of atmospheric pollutants, developing emission control strategies, determining applicability of permitting programs, and other related applications by an array of users including federal, state, and local agencies, consultants, and industry. Among several entropy and industry are a defined as the emission factors are frequently the best method available. Emission factor is typically defined as the amount of a concerned pollutant emitted per unit mass per a defined task performed. The former is often referred as mass-based factor and has a unit such gr pollutant/kg fuel or lb/lb. The unit of task or activity-based emission factor depends on the definition of the task. In case of boiler operation, the activity unit is fuel consumption or heat energy input in the fuel.

As occurred in internal combustion, everytime fuels burn in boiler, they are converted into carbon dioxide (CO_2) and water. The noncombustible portion of the fuel remains as a solid residue or ash. Products of incomplete combustion are also common, and can include carbon monoixide (CO), sulfur oxides (SO_x), oxides of nitrogen (NO_x), particulate matters (PM), and other organic compounds. The respective amounts and chemical composition of the emissions formed in boilers' stack are dependent upon variables occurring within the combustion process. 7,18,19 Fuel properties are known as the major parameters which influenced the quality and quantity of the emissions.

The dominance of fossil fuel utilization for industrial boiler undoubtedly leads to a potential opportunities of the substitution to the new and renewable energy utilization. Biodiesel use

a)Present address: Doctoral Candidate of Environmental Science Post Graduate Programme of Sriwijaya University, Palembang 30139, Indonesia. E-mail: leilydiaz@yahoo.com.

in boiler is very straightforward as it is produced to have flow and combustion properties very similar to those of petroleum diesel. Some exhaustive engine tests showed that biodiesel can be adopted as an alternative fuel for existing conventional diesel engine without requiring any major modifications in the mechanical system of the engine. ^{1,2,23} In order to prove the potential use of biodiesel in the boiler, especially from the aspect of reducing emissions, the emission factor calculation needs to be studied in a comparison to fossil fuels.

II. EFFECTS OF BIODIESEL COMBUSTION ON EMISSION

Biodiesel has very favorable energy balance, it can be blended in any properties with petroleum diesel fuel, having higher cetane number and excellent lubricity, and having high flashpoint (>300 °F). ^{11,12} Due to higher content of oxygen, biodiesel has potential in promoting good combustion. Biodiesel is said to be carbon neutral as more carbon dioxide absorbed by biodiesel production than what it added to the atmosphere when it is burnt as fuel. ¹² The major advantages of biodiesel attributed to lesser exhaust emissions in terms of carbon monoxide, hydrocarbons, and particulate matter. These lower emission levels were likely due mostly to the fact that biodiesel contains about 10% oxygen by weight, and this oxygen helps to oxidize the combustion products in the boiler cylinder. As expected, application biodiesel in engines would produce less smoke and particulates than standard engines for reasons such as high gas temperatures and high temperatures of the combustion chamber wall.

Some tests of biodiesel combustion were founded a significant reductions in PM emissions. It was reported that PM emissions of biodiesel 4e was roughly ten times lower than the distillate fuel oil. 17,18,22 The reduction trend in PM is due to lower aromatic and sulfur compounds and higher cetane number of biodiesel, besides the factor of higher oxygen content. 23,24 Carbon monoxide emissions 4 re generally correlated to PM emissions trend. Sulfur emissions are essentially eliminated with the use of pure biodiesel. 6,18

In a combustic 4 process, biodiesel resulted fewer CO₂ emissions due to the lower carbon to hydrogen ratio. This is also attributed to the fact that biodiesel is a low carbon fuel and has a lower elemental carbon to hydrogen ratio than diesel fuel. CO₂ emission rise or keep similar due to more efficient combustions proceed. 15,16,21,23 Instead, while soybean biodiesel tested on boiler, the net CO₂ emissions would drop by about 79% compared to diesel oil. 18

However, biodiesel generally produces more nitrogen oxides (NO_x) than petroleum diesel. NO_x and other emission limits are requiring engine manufacturers to develop new technologies to limit petroleum diesel emissions, hence any increase is problematic. 10,15 The source of these increased emissions is unclear and still under debate. Most of the authors who tested biodiesel in diesel engine found that only the oxides of nitrogen (NOx) emission which was increased in boiler emission due to higher temperatures in combustion chamber. 6,17,23 Moreover, Miller (2008) was tested some blends of soy based and animal based biodiesel on a commercial-institutional boiler with heat input of 85 000 Btu/h. They reported that the largest emission reductions were identified on the pollutants of SO_2 , total hydrocarbon (HC) and CO_2 , while the emissions of NO_x and CO found to be higher than petroleum diesel oil. 18

Technically, a boiler's excess air supply provides for safe operation above stoichiometric conditions. As known, the stoichiometri air to fuel ratio for biodiesel was about $13.8.^{14}$ A typical burner is usually set up with 10%-20% excess air $(2\%-4\% O_2).^5$ It is set in order to perform good combustion with lesser exhaust emissions.

III. EMISSION FACTORS DEVELOPMENT

In quantification of boiler emission, the most common methods used were sampling or direct measurement, mass balance, and engineering calculation (fuel analysis and emission factors). The method used depends on available data, available resources, and the degree of accuracy requirement. In general, direct measurement is the most accurate for characterizing and quantifying the emissions.³

Emission factors developed from measurements for a specific process may sometimes be used to estimate emissions at other sites. Ideally, the emissions estimates are based upon factors

compiled through extensive fields testing and a related to the fuel type, the boiler type and size, and the method of firing. Although the use of emission factors based on the above parameters can yield an accurate first approximation of on-site boiler emissions, these factors do not reflect individual boiler operating practices or equipment conditions, both of which have a major influence on emission rates.

From fuel and stack emission data, the prission factors specific will be generated to boiler operations. The emission factors are stated as the amount of a concerned pollutant emitted per unit mass of fuel burned (gr pollutant/kg fuel). The primary information necessary to develop emission factors in the standardized units. Emission factors are commonly provided as an emission rate (e.g., lb pollutants/lb fuel combusted) and also provided above the fuel heat input rate (e.g., lb pollutants/MMBtu). Minnesota Pollution Control Agency¹⁹ has already released a database of emission factor of biodiesel combustion in boilers, as well Miller (2008) concluded in a study¹⁸ as presented in Table I.

IV. EXPERIMENTAL AND ENGINEERING CALCULATIONS

A. Direct measurement

A fire tube cylindrical pilot plant boiler was used in the study to perform the emission effect of biodiesel combustion. As shown in Fig. 1, the boiler was operated in a pressure of 3 bars and heat capacity of $60\,000\,\text{kCal/h}$, the detailed specification is listed in Table II. On burner set, the arrangement of air supply was maintained in fan damper scale of f 4.0–4.6. The biodiesel used in the test was palm methyl ester and stack flue gas was monitored with portable gas analyzer IMR 1400.

The characterization of biodiesel was conducted following the American Society for Testing and Materials (ASTM) and European Standards (EN) methods, and the analysis of fatty acid components contained in palm biodiesel was conducted by gas chromatography Hewlett Packard (HP) series with capillary column Innowax Agilent with a Flame Ionization Detector (FID) and split injector, using nitrogen as the carrier gas.

B. Calculating emission factors using Environmental Protection Agency (EPA) Method 19

Emission factors developed from pollutant concentration data, with considering oxygen percentage in the gas stream, and F factors (Fd) for oil type of fuel $(2.65 \times 10^{-7} \, \text{dscm/J} \, \text{or} \, 9.190 \, \text{dscf/MMBtu})$. The formulation is

$$EF_{x} = (C_{d} * F_{d}) \left[\frac{20.9}{20.9 - \% O_{2}} \right], \tag{1}$$

where EF_x is the emission factor in lb/MMBtu of pollutant x, Cd is the pollutant concentration (lb/dscf), and Fd is the F factor at standard condition 20 °C and 760 mmHg = 9190 dscf/MMBtu (oil fuel)—ASTM Method D 388-77.

TABLE I. Emission factor database for biodiesel combustion.

Version	Fuel	Type of boilers	Biodiesel raw materials	Emission factors (lb/MMBtu)			
				CO	CO_2	NO_x	SO_2
MPC ^a	B100	Utility boiler	Soy/rapeseed	0.055		0.109	0
	BXX		Soy/rapeseed	0.170		0.300	1.60
Millerb	B100	Fire tube boiler	Soy based	2.85×10^{-3}	142	1.11×10^{-1}	4.62×10^{-3}
	B100	3×10^6 Btu/h	Animal-based	3.14×10^{-3}	139	1.14×10^{-1}	3.15×10^{-3}
	Diesel oil no. 2			1.73×10^{-3}	168	9.92×10^{-2}	3.07×10^{-2}

^aMinnesota Pollution Control Agency (Ref. 19).

bUS EPA by Miller (Ref. 18)



FIG. 1. The fire tube boiler.

An emission factor relating emissions to the heat input rate for the boiler is expressed as

$$EF_{x} = \frac{E_{x}}{H_{in}} \tag{2}$$

and

$$H_{in} = \frac{Q_f \cdot HHV}{10^6},\tag{3}$$

who H_{in} is the heat input rate in MMBtu/h, HF $_{6}$ is the higher heating value in Btu/lb, Q_{f} is the mass fuel flow rate (lb/h), E_{x} is the emission of pollutant x in lb/h, EF_{x} is the emission factor of pollutant x in lb/MMBtu.


V. RESULT AND DISCUSSION

A. Trend in emission reductions

Biodized and its blends were tested in the boiler with a variety of blending compositions, at 10%, 20%, 30%, and 100% biodiesel in diesel oil, later labeled as B10, B20, B30, and

TABLE II. Experiment boiler specifications.

Type	Steam boiler/SB 60		
Туре	SB 60 MMT-fire tube		
Model	Cylinder vertical		
Steam capacity	60.000 kCal/h		
Working pressure	3 bar		
Temperature	150 °C		
Burner size	3		
Operating hours	Average (6 h/day × 300 day/yr)		
Manufacturing year	2008		






FIG. 2. Emission concentration of palm biodiesel vs petroleum diesel oil in boiler.

B100. The extags the missions were measured on the boiler's stack. The consistency parison of emission concentration of palm biodiesel and petroleum diesel oil combustion in boiler is presented in Figure 2. The utilization of palm biodiesel in the boiler clearly showed a lower performance in gaseous emissions compared to diesel oil.

The previous tests in boiler using biodiesel from various feed stocks, such as soybean, animal oit rubber seed showed some differences in trend of emission reduction due to the different physical properties of the fuel blends related to different feedstock of biodiesel. It is associated to the higher viscosity, higher density, lower heating value, and higher cetane number carried by palm biodiesel used in the test.

The highest emission reduction is shown in CO and un-burnt hydrocarbons (UHC). Emission of CO₂ is slightly higher than petroleum diesel oil, while O₂ in flue gas of boiler fuelled with palm biodiesel was reduced. Sigure 3 showed the changes in emissions of CO, NOx, unburnt hydrocarbon which it decreased by the increase of biodiesel contents in the fuel blends. It is associated with the better combustion performance that promoted by higher cetane number, heat of combustion and oxygen content in palm biodiesel. The condition correlates to the increase of CO₂ emissions by the increase of biodiesel. It can be affected by the changes in combustion performance due to the air supply arrangement in the boiler burner. The performance of NOx emission in gaseous surprisingly showed a reduction at 10.27% compared to petroleum diesel oil. It is strongly caused by the shorter ignition delay and lower combustion temperature.

B. Fuel analysis of palm biodiesel

The properties of the various individual fatty esters caused by different feedstock, which comprise biodiesel, determine the overall properties⁶ it included when it blends to fossil fuel.




FIG. 3. Emission changes in fire tube boiler using palm biodiesel.

TABLE III. Fuel properties of petroleum diesel and palm biodiesel.

Parameters	Unit	Petroleum diesel (oil no. 2) ^a	Palm biodiesel ^b
Density@ 40°C	kg/m³	823	894.8
Kinematic viscosity @ 40 °C	cSt	4.0	4.524
Calorific value	MJ/lb	46.8	40.135
Flash point	°C	98.0	184.0
Sulfur content	wt. %	0.10	0.001
Carbon residue	wt. %	0.14	0.17
Cetane number		53	75.2
Carbon content	%	84.15	76.30
Hydrogen content	%	12.67	11.75
Oxygen content	%	2.93	12.10

^aData from PERTAMINA and compilation from Refs. 6 and 20.

Palm biodiesel has a higher viscosity, density, flash point, and oxygen content compared to most of the other biodiesel feedstocks. As presented in Table III, palm biodiesel has a cetane number reached 42% higher than petroleum diesel. Fuel with a higher cetane number will shorten the ignition delay time at a lower temperature thereby potentially lowering NOx emissions. The heat of combustion will increase along with the length of fuel constituent molecular chains. ¹⁴ The dominance of saturated molecules in biodiesel allowed it to easily oxidized and performing a better combustion process.

However, the amount of chegical energy released during combustion changed due to the different chemical structure. The heating value of biodiesel is normally less than mineral diesel due to the fuel-bound oxygen, It means that an engine running on biodiesel will output less energy per unit mass of fuel used. The fuel analysis introduced to estimate pollutant emissions, which involves defirmining carbon, sulfur, oxygen, and hydrogen contents of fuel combusted and applying that to the amount of fuel burned to get the pollutant emissions.

The higher viscosity of biodiesel is related to the longer the fatty acids hydrocarbon chain in the molecules. Compared to other biodiesel feedstock, palm oil is dominated by unsaturated fatty acid groups and straight-chain single bonds.

The alkyl ester structure and chain position in the molecules determine some physical properties of the fuel such as cetane number, viscosity, heating value, cold flow, and oxidative stability. As presented in Table IV, the analysis of palm biodiesel composition showed that the fatty acid content consists of C16 (palmitic) and C18:1 (oleic), which means that the long hydrocarbon chains dominated the structure of palm biodiesel molecules rather than branched chain.

C. Emission factors of palm biodiesel combustion

By using engineering calculation method developed by US EPA, the emission factor of palm biodiesel combustion in fire tube boiler in this study was defined in Table V. Since there

TABLE IV. Palm biodiesel composition.

Components	Contents (wt. %)	
Lower-C14	1.21	
C16 (palmitic)	56.10	
C18 (stearic)	5.24	
C18-1 (oleic)	30.46	
C18-2 (linoleic)	6.59	
C20	0.39	

bUsing ASTM methods.

TABLE V. Emission factor for palm biodiesel combustion in fire tube boiler.

Fuel	Emission factors (lb/MMBtu)				
	O ₂	CO_2	CO	NO_X	
Diesel oil	1.343×10^{-2}	0.1322	1.1234×10^{-4}	3.1660 × 10 ⁻¹	
B10	1.538×10^{-2}	0.2669	1.1168×10^{-4}	4.5456×10^{-3}	
B20	1.688×10^{-2}	0.2640	9.8417×10^{-5}	4.5449×10^{-3}	
B30	1.601×10^{-2}	0.2406	8.5555×10^{-5}	4.1607×10^{-3}	
B100	1.766×10^{-2}	0.2307	9.1255×10^{-5}	4.2338×10^{-3}	

are differences in the tendency of emission reduction, the data resulted from the test cannot be directly used as a database in order to estimate the emission factor of biodiesel combustion in a boiler. It is important to consider the boiler type, capacity, age of boiler utilization, and other combustion performance parameters, such as air to fuel ratio, fuel injection system, burner design, etc.

The difference in the value of the emission factor of petroleum diesel oil combustion in the boiler than the existing database 13,18,19 indicates that the combustion operating conditions, equipment configuration, and performance of the engine very likely affect to the quantification of emissions, other than considering the properties of the fuel.

VI. CONCLUSION

The utilization of biodiesel is undoubtedly potential for industial boiler due to its favorable benefit on emission reductions compared to petroleum diesel oil. The utilization of palm biodiesel in fire tube boiler then becomes more potential to promote a better combustion due to its properties such as higher cetane number, heat of combustions, and oxygen contents.

Emission factors of biodiesel combustion in boilers, which are presented by previous studies, cannot be used directly as a reference, because it is derived from a series of tests on different sources of biodiesel and different types of boilers. In addition, the properties of fuels introduced by its molecular chain structures and different operating conditions affected the trend of emission factors. The emission factors of palm biodiesel combustion in fire tube boilers showed similar trends with the mange of emissions of CO, NOx, and CO₂. The emission factors of CO and NOx decreased with the increase of biodiesel content in the blends, while emission factors of CO2 tend to increase.

- S. Arita, R. Sipahutar, L. N. Komariah, F. Hadiah, and A. M. Jannah, "Performance check of biodiesel application on boiler used in biodiesel pilot plant UNSRI," in Proceeding of Sriwijaya International Seminar on Energy Science and Technology, 2010.
- ²R. Arslan, "Emission characteristics of a diesel engine using waste cooking oil as biodiesel fuel," Afr. J. Biotechnol. 10(19), 3790-3794 (2011),
- Australian Government, Emission Estimation Technique Manual for Combustion in Boilers (Australian Commonwealth,
- M. Boyd, The autoignition properties of biodiesel fuels, Short Progress Report, University of Adelaide, Adelaide, 2007.
- Cleaver-Brooks, Boiler Emission Guide (Division of Aqua-Chem Inc., 2010).
- ⁶N. D. L. Da Silva, C. B. Batistella, R. M. Filho, and R. W. Maciel, "Investigation of biofuels properties," Chem. Eng. Tr: 4. 25, 851–856 (2011).
- ⁷K. Dincer, "Lower emission 6 from biodiesel combustion," Energy Sources, Part A 30, 963–968 (2008).
- ⁸Eastern Research Group, Preferred and Alternative Methods for estimating Air Emissions from Boilers, Emission Inventory Improvement Program, Eastern Research Group, North Carolina, 2001.
- PEPA, "Revised Procedures for Preparing Emission Factor Documents," North Carolina, US, 1997.
- ¹⁰M. A. Habib, M. Elshafei, and M. Dajani, "Influence of combustion parameters on NOx production in an industrial boiler," Comput. Fluids 37, 12-23 (2008).
- A. C. Hansen, Combustion and Emissions Characteristics of Biodiesel Fuel. CABER Seminar, May 2008.
- 12S. Jaichandar and K. Annamalai, "The status of biodiesel as an alternative fuel for diesel engine-an overview," J. Therm. Sci. Technol. 2, 71-75 (2011).
- ¹³A. Karademir, "Evaluation Fuel 85, 18 9 -1903 (2006). "Evaluation of the potential air pollution from fuel combustion in industrial boilers in Kocaeli, Turkey,"
- ¹⁴G. Knothe, J. Van Gerpen, and J. Krahl, The Biodiesel Handbook (AOCS Press, 2005).

- ¹⁵C. R. Krishna, Biodiesel bends in space heating equipment. Informal Report, Brookhaven National Laboratory, New York, 2001.
- New York, 2001.

 16G. Labeckas and S. Slavinkas, "The effect of rapeseed oil methyl esther on direct injection diesel engine performance and 2 haust emissions," Energy Convers. Manage. 47, 1954–1967 (2006).

 17M. Lapuerta, J. M. Herreos, L. I. Lyons, R. Garcia-Contreras, and Y. Brice, "Effect of the alcohol type used in the produced on few sets of the alcohol type used in the produced on the set of the alcohol type used in the produced of waste cooking oil biodiesel on diesel performance and emissions," Fuel 87, 3161–3269 (2008).

 19Minnesota Pollution Control Agency Emission factor for Priority Biofuels in Minnesota (Eastern Research Group, Inc.,
- ¹⁹Minnesota Pollution Control Agency, Emission factor for Priority Biofuels in Minnesota (Eastern Research Group, Inc.,
- N(2) Carolina, 2007).

 ²⁰J. Nagi, S. K. Ahmed, and F. Nagi, "Palm biodiesel an alternative green renewable energy for energy demands of the future 4 ICCBT 07, 79–94 (2008).
- ²¹A. S. Ramadhas, C. Muraleedharan, and S. Jayaraj, "Performance and emission evaluation of a diesel engine fueled with methyl esters of rubber seed oil," Renewable Energy 30, 1789–1800 (2005).

 22 S. S. Wirawan, A. H. Tambunan, and M. Djamin, "The Effect of palm biodiesel fuel on performance and emission of the
- au 3 notive diesel engine," Eng. Int. CIGR E-J. X, 1-13 (2008).

 ²³J. Xue, T. E. Grift, and A. C. Hansen, "Effect of biodiesel on engine performances and emissions," Renewable
- Sustainable Energy Rev. 15, 1098-1116 (2011).
- Sustainable Energy Rev. 13, 1696–170 (2011).
 W. Yuan, A. C. Hansen, and Q. Zhang, "Predicting the physical properties of biodiesel for combustion modeling," Trans. Am. Soc. Agric. Eng. 46(6), 1487–1493 (2003).

Emission Factors of Biodiesel Combustion in Industrial Boiler - A Comparison to Fossil Fuel

ORIGINALITY REPORT

18% SIMILARITY INDEX

%
INTERNET SOURCES

18%
PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

Zhouhui Xia, Tao Song, Jun Sun, Shuit-Tong
Lee, Baoquan Sun. "Plasmonic enhancement
in hybrid organic/Si heterojunction solar cells
enabled by embedded gold nanoparticles",
Light, Energy and the Environment 2015, 2015

5%

Rachman, Susila Arita, and Leily Nurul Komariah. "Optimum Excess Air for the Utilization of Palm Biodiesel Blends in Fire Tube Boiler", Applied Mechanics and Materials, 2014.

2%

Publication

Komariah, Leily Nurul, Susila Arita, Sumardi Novia, Soni Solistia Wirawan, and Muhammad Yazid. "Effects of Palm Biodiesel Blends on Fuel Consumption in Fire Tube Boiler", Applied Mechanics and Materials, 2013.

Publication

2%

Jinlin Xue, Tony E. Grift, Alan C. Hansen.
"Effect of biodiesel on engine performances

and emissions", Renewable and Sustainable Energy Reviews, 2011

Publication

5	Junfeng (Jim) Zhang. "Combustion sources of particles: 2. Emission factors and measurement methods", Chemosphere, 200212 Publication	2%
6	Syed Ali Ashter. "Environmental impact of biomass conversion", Elsevier BV, 2018 Publication	2%
7	Lee, Soogab. "Preface to Special Topic: Selected Papers from the Asia-Pacific Forum on Renewable Energy 2012, Jeju Island, Korea, 2012", Journal of Renewable and Sustainable Energy, 2013.	1%
8	Sadaf Karkoodi, Soheil Roumi, Hossein Yousefi. "Environmental cost of energy consumption and biodiesel as a solution (case study: Iran)", International Journal of Sustainable Energy, 2019	1 %
9	Reda A. I. Abou-Shanab, Seong-Heon Kim,	1 0/

Reda A. I. Abou-Shanab, Seong-Heon Kim, Min-Kyu Ji, Sang-Hun Lee, Hyun-Seog Roh, Byong-Hun Jeon. "Municipal wastewater utilization for biomass and biodiesel production by HM103382 and JN169781",

1 %

Journal of Renewable and Sustainable Energy, 2013

Publication

Exclude quotes On Exclude matches < 1%

Exclude bibliography Off