

Article Submission to IJCS

1 pesan

11 Januari 2024 pukul 11.41

Rozirwan unsri <rozirwan@unsri.ac.id> Kepada: IJCS Editor <ijcs_editor@yahoo.com>

Dear Editor-in-Chief Prof. dr. Ion SANDU – Al.I.Cuza University of Iasi (RO)

Hereby I would like to submit the manuscript entitled "THE ECOLOGICAL HEALTH OF CORAL REEFS IN THE WATERS OF ENGGANO ISLAND, THE OUTERMOST ISLAND IN THE EASTERN INDIAN OCEAN" to the International Journal of Conservation Science (IJCS).

This manuscript was not submitted or published to any other journal. The authors declare that all the authors approved that the paper to be submitted to IJCS. The authors declare that the article is original and is the work of the authors. The authors declare the novelty or the significance of results. All authors declare that they are not currently affiliated or sponsored by any organization with a direct economic interest in subject of the article. My co-authors have all contributed to this manuscript and approve of this submission.

Best regards

Corresponding author Dr. Rozirwan, M.Sc

Dr. Rozirwan Head of Marine Bioecology Laboratory Department of Marine Science Faculty of Mathematics and Natural Sciences Sriwijaya University Jalan Raya Palembang-Prabumulih KM 32, Indralaya Ogan Ilir, Sumatera Selatan, Indonesia, Pos Code: 30862 Email: rozirwan@unsri.ac.id, rozirwan@gmail.com

Rozirwan_IJCS_Manuscript_The Ecological Health of Coral Reefs.docx 480K



Re: Article Submission to IJCS

1 pesan

Rozirwan ROZIRWAN <rozirwan@unsri.ac.id> Kepada: IJCS Editor <ijcs_editor@yahoo.com> 2 Oktober 2024 pukul 09.55

Dear Editor,

We would like to ask about the progress of our article with registration number IJCS-R-1880 entitled "THE ECOLOGICAL HEALTH OF CORAL REEFS IN THE WATERS OF ENGGANO ISLAND, THE OUTERMOST ISLAND IN THE EASTERN INDIAN OCEAN"?

Thank you

Pada Sel, 16 Jul 2024 pukul 20.21 IJCS Editor <ijcs editor@yahoo.com> menulis: Due to extreme hot summer and holiday, we don't have yet updates. International Journal of Conservation Science http://www.ijcs.ro Peer-reviewed Journal Indexed in SCOPUS & Web of Science On Monday, July 15, 2024 at 03:24:03 PM GMT+3, Rozirwan unsri <rozirwan@unsri.ac.id> wrote: Can we get a revision draft and Letter of Acceptance soon. We need your assistance as this relates to the main outcomes of our research. Thank you very much Best regards Pada Sen, 15 Jul 2024 pukul 18.35 Rozirwan unsri <rozirwan@unsri.ac.id> menulis: Dear Editor, How is the progress of our article with registration number IJCS-R-1880 entitled "THE ECOLOGICAL HEALTH OF CORAL REEFS IN THE WATERS OF ENGGANO ISLAND, THE OUTERMOST ISLAND IN THE EASTERN INDIAN OCEAN"? Thank you very much Best regards Pada Sel, 28 Mei 2024 pukul 23.40 IJCS Editor <ijcs editor@yahoo.com> menulis: Our editorial board now is busy with organizing EUROINVENT.org After this event (mid June) will focus on processing next articles. A V SANDU International Journal of Conservation Science http://www.ijcs.ro Peer-reviewed Journal Indexed in SCOPUS & Web of Science On Friday, May 24, 2024 at 07:35:22 PM GMT+3, Rozirwan unsri <rozirwan@unsri.ac.id> wrote: Dear Editor, After a few months ago we submitted our article, we would like to ask about the progress of our article with registration number IJCS-R-1880 entitled "THE ECOLOGICAL HEALTH OF CORAL REEFS IN THE WATERS OF ENGGANO ISLAND, THE OUTERMOST ISLAND IN THE EASTERN INDIAN OCEAN"?

Thank you very much Best regards

Pada Kam, 22 Feb 2024 pukul 22.12 IJCS Editor <ijcs_editor@yahoo.com> menulis: Dear Author,

Initial evaluation is positive, but we can't estimate in which issue will be selected for processing, due to large amount of manuscripts, IN issue 1, articles up to 1720 are processed.

International Journal of Conservation Science http://www.ijcs.ro Peer-reviewed Journal Indexed in SCOPUS & Web of Science

On Thursday, February 22, 2024 at 01:02:56 PM GMT+2, Rozirwan unsri <rozirwan@unsri.ac.id> wrote:

Dear Editor,

We would like to ask about the progress of our article with registration number IJCS-R-1880 entitled "THE ECOLOGICAL HEALTH OF CORAL REEFS IN THE WATERS OF ENGGANO ISLAND, THE OUTERMOST ISLAND IN THE EASTERN INDIAN OCEAN"? Can we get a revision draft and Letter of Acceptance soon.

Thank you very much Best regards

Pada Sen, 22 Jan 2024 pukul 08.52 Rozirwan unsri <<u>rozirwan@unsri.ac.id</u>> menulis: Thank you for your information, I accepted it

Pada Rab, 17 Jan 2024 pukul 01.05 IJCS Editor <ijcs_editor@yahoo.com> menulis:

Your manuscript has been registered with IJCS-R-1880.

Our journal received in 2023: **0.8 IMPACT FACTOR** on **Clarivate – Web of Science** and also CiteScore 2022: **1.4 (Q1) on Scopus**. We are under continuous evaluation, and we need to maintain a high standard.

Evaluation takes several months. We are dealing with a large number of manuscripts, with a queue of over 200 articles, on an acceptance rate of 30%, with a maximum of 100 articles published per year. On a regular queue, if accepted, an article can be published in 8 to 12 months.

Starting January 1, 2024, the *Article Publication Charge* is 500 EUR for accepted articles. We do not have submission or processing charges. Discounts and waivers are applied to authors with outstanding articles based on a request with a motivation letter.

Help the journal maintain the standards as Open-Access and continue its existence. You are free to support the journal publication with any amount. This doesn't influence the article's processing or publication.

While submitting, you warrant the following:

- Neither the material submitted nor the modified form have been published before.
- The manuscript is not in the process of being reviewed in any other journal.
- A paper accepted for publication will not be published elsewhere (wholly or partly) without the written permission of the **IJCS**.
- The Artificial Intelligence (AI) was not involved in creating the article.
- The Similitude Index is below 20%.
- Submission of the manuscript has been approved by all authors.

Dr.Eng.Habil. A.V. SANDU

Publishing Editor

International Journal of Conservation Science http://www.ijcs.ro Peer-reviewed Journal Indexed in SCOPUS & Web of Science

On Thursday, January 11, 2024 at 06:42:04 AM GMT+2, Rozirwan unsri <rozirwan@unsri.ac.id> wrote:

Dear Editor-in-Chief Prof. dr. Ion SANDU – Al.I.Cuza University of Iasi (RO)

Hereby I would like to submit the manuscript entitled "THE ECOLOGICAL HEALTH OF CORAL REEFS IN THE WATERS OF ENGGANO ISLAND, THE OUTERMOST ISLAND IN THE EASTERN INDIAN OCEAN" to the International Journal of Conservation Science (IJCS).

This manuscript was not submitted or published to any other journal. The authors declare that all the authors approved that the paper to be submitted to IJCS. The authors declare that the article is original and is the work of the authors. The authors declare the novelty or the significance of results. All authors declare that they are not currently affiliated or sponsored by any organization with a direct economic interest in subject of the article. My co-authors have all contributed to this manuscript and approve of this submission.

Best regards

Corresponding author Dr. Rozirwan, M.Sc

Dr. Rozirwan

Head of Marine Bioecology Laboratory Department of Marine Science Faculty of Mathematics and Natural Sciences Sriwijaya University Jalan Raya Palembang-Prabumulih KM 32, Indralaya Ogan Ilir, Sumatera Selatan, Indonesia, Pos Code: 30862 Email: rozirwan@unsri.ac.id, rozirwan@gmail.com

--Dr D

Dr. Rozirwan Head of Marine Bioecology Laboratory Department of Marine Science Faculty of Mathematics and Natural Sciences Sriwijaya University Jalan Raya Palembang-Prabumulih KM 32, Indralaya Ogan Ilir, Sumatera Selatan, Indonesia, Pos Code: 30862 Email: rozirwan@unsri.ac.id, rozirwan@gmail.com

-- -

Dr. Rozirwan

Head of Marine Bioecology Laboratory Department of Marine Science Faculty of Mathematics and Natural Sciences Sriwijaya University Jalan Raya Palembang-Prabumulih KM 32, Indralaya Ogan Ilir, Sumatera Selatan, Indonesia, Pos Code: 30862 Email: rozirwan@unsri.ac.id, rozirwan@gmail.com

Dr. Rozirwan

Head of Marine Bioecology Laboratory Department of Marine Science Faculty of Mathematics and Natural Sciences Sriwijaya University Jalan Raya Palembang-Prabumulih KM 32, Indralaya Ogan Ilir, Sumatera Selatan, Indonesia, Pos Code: 30862 Email: rozirwan@unsri.ac.id, rozirwan@gmail.com

Dr. Rozirwan

Head of Marine Bioecology Laboratory Department of Marine Science Faculty of Mathematics and Natural Sciences Sriwijaya University Jalan Raya Palembang-Prabumulih KM 32, Indralaya Ogan Ilir, Sumatera Selatan, Indonesia, Pos Code: 30862 Email: rozirwan@unsri.ac.id, rozirwan@gmail.com

Dr. Rozirwan

Head of Marine Bioecology Laboratory Department of Marine Science Faculty of Mathematics and Natural Sciences Sriwijaya University Jalan Raya Palembang-Prabumulih KM 32, Indralaya Ogan Ilir, Sumatera Selatan, Indonesia, Pos Code: 30862 Email: rozirwan@unsri.ac.id, rozirwan@gmail.com

Dr. Rozirwan Head of Marine Bioecology Laboratory Department of Marine Science Faculty of Mathematics and Natural Sciences Sriwijaya University Jalan Raya Palembang-Prabumulih KM 32, Indralaya Ogan Ilir, Sumatera Selatan, Indonesia, Pos Code: 30862 Email: rozirwan@unsri.ac.id, rozirwan@gmail.com



Article processed for publication in upcoming issue of IJCS

1 pesan

IJCS Editor <ijcs_editor@yahoo.com> Balas Ke: IJCS Editor <ijcs_editor@yahoo.com> Kepada: IJCS Editor <ijcs_editor@yahoo.com> 28 Oktober 2024 pukul 20.56

Dear Author,

If you receive this email, it means your article passed preliminary checkup (editorial and plagiarism) and is in queue for upcoming issues of IJCS.

To continue its processing please fill in and sign copyright file available here: https://ijcs.ro/Copyright_IJCS.doc

Closer to publication date you will receive the review to correct your manuscript.

Great news for our Journal: **International Journal of Conservation Science -** got **0.6** Impact Factor for 2023 according to Clarivate Web of Science. As you already know we also have DOI Number: https://doi.org/10.36868/ijcs

Starting with 2024 an **Article Publication Charge of 500 EUR** is mandatory for IJCS. **Don't forget to support** our journal to maintain its standard with any amount.

With this occasion we inform you that the acceptance rate of articles for IJCS has dropped to 30% and we will continue to select for reviewing only top articles in the field of Conservation Science, being in continuous evaluation by the international databases.

Clarivate - Web of Science

Journal Impact Factor [™] 2023: **0.6** / Journal Citation Indicator [™] 2023: 1.78

Elsevier – SCOPUS

CiteScore 2023: 1.7 / SJR 2023: 0.336 / SNIP 2023: 0.832

Details for any Payment:

Account owner: Forumul Inventatorilor Romani Address: Sf. P. Movila 3, Iasi, Romania Fiscal code : 15950343 Bank: BRD – Groupe Société Générale, Brench Iasi Bank Address: Bd. A. Panu 2, Iasi, Romania (EUR) Account: RO19 BRDE 240S V306 7680 2400 (RON) Account: RO74 BRDE 240S V235 3553 2400 SWIFT BRDEROBU

Publishing Editor,

A.V. SANDU

International Journal of Conservation Science

http://www.ijcs.ro

Peer-reviewed Journal Indexed in SCOPUS & Web of Science

International Journal of Conservation Science http://www.ijcs.ro Peer-reviewed Journal Indexed in SCOPUS & Web of Science



INTERNATIONAL JOURNAL OF CONSERVATION SCIENCE

COPYRIGHT TRANSFER AGREEMENT

I, Rozirwan corresponding author of the paper entitled:

"The Ecological Health of Coral Reefs in The Waters of Enggano Island, The Outermost Island in The Eastern Indian Ocean"

by

Rozirwan, Ajay Adefta, Rezi Apri, Fauziyah, Wike Ayu Eka Putri, Melki, Iskhaq Iskandar, Ela Novianti, Apon Zaenal Mustopa, Fatimah, Redho Yoga Nugroho

I declare and undersign, that the paper is original is the work of all the authors.

The paper as a whole or part of it has been not published or submitted to other Journal.

The right to publish the paper is transferred to and owned by International Journal of Conservation Science.

IJCS it is an open access journal. *All content is freely available without charge to any user or his/her institution*.

October 28, 2024

Signature,



Article for final correction

1 pesan

IJCS Editor <ijcs_editor@yahoo.com> Balas Ke: IJCS Editor <ijcs_editor@yahoo.com> Kepada: Rozirwan ROZIRWAN <rozirwan@unsri.ac.id> 21 November 2024 pukul 21.42

Dear Author,

Your manuscript is attached for final proof reading. PLEASE DO NOT CHANGE any setting or format. Please apply any correction with RED or Highlight and send corrected version as soon as possible. At end of manuscript some comments are attached.

Apologize for long time till decision, we are handling a huge number of manuscripts, and also editors did a part of author's job and corrected the article.

Starting with 2024 the Article Publication Charge for our journal is 500 EUR (not compulsory for articles submitted before). Authors are encouraged to support the journal to maintain the standards as Open-Access and to continue its existence.

A.V. SANDU

Publishing Editor

International Journal of Conservation Science http://www.ijcs.ro Peer-reviewed Journal Indexed in SCOPUS & Web of Science





Re: Article for final correction

1 pesan

IJCS Editor <ijcs_editor@yahoo.com> Balas Ke: IJCS Editor <ijcs_editor@yahoo.com> Kepada: Rozirwan ROZIRWAN <rozirwan@unsri.ac.id> 25 November 2024 pukul 15.27

Received.

International Journal of Conservation Science http://www.ijcs.ro Peer-reviewed Journal Indexed in SCOPUS & Web of Science

On Saturday, November 23, 2024 at 04:43:42 PM GMT+2, Rozirwan ROZIRWAN <rozirwan@unsri.ac.id> wrote:

Thank you very much for your email

We have checked our article and approved it. Here, we attach it below. We hope that our article will be continued for the next round and published as soon as possible

Thank you

Pada Kam, 21 Nov 2024 pukul 21.42 IJCS Editor <ijcs_editor@yahoo.com> menulis:

Dear Author,

Your manuscript is attached for final proof reading. PLEASE DO NOT CHANGE any setting or format. Please apply any correction with RED or Highlight and send corrected version as soon as possible. At end of manuscript some comments are attached.

Apologize for long time till decision, we are handling a huge number of manuscripts, and also editors did a part of author's job and corrected the article.

Starting with 2024 the Article Publication Charge for our journal is 500 EUR (not compulsory for articles submitted before). Authors are encouraged to support the journal to maintain the standards as Open-Access and to continue its existence.

A.V. SANDU

Publishing Editor

International Journal of Conservation Science http://www.ijcs.ro Peer-reviewed Journal Indexed in SCOPUS & Web of Science

Dr. Rozirwan

Head of Marine Bioecology Laboratory Department of Marine Science Faculty of Mathematics and Natural Sciences Sriwijaya University Jalan Raya Palembang-Prabumulih KM 32, Indralaya Ogan Ilir, Sumatera Selatan, Indonesia, Pos Code: 30862



Issue 4 of Volume 15, 2024 of IJCS is now online!

1 pesan

IJCS Editor <ijcs_editor@yahoo.com> Balas Ke: IJCS Editor <ijcs_editor@yahoo.com> Kepada: IJCS Editor <ijcs_editor@yahoo.com> 6 Desember 2024 pukul 21.51

Dear Authors,

Thank you very much for your article submitted to International Journal of Conservation Science.

We have published issue 4/2024, where your article is present: https://ijcs.ro/volume-15-2024/#Issue4 If any correction is required, it can still be done in the next 72h.

As you probably know IJCS received IMPACT FACTOR of 0.6 on Clarivate – Web of Science and also CiteScore 2024: 1.7 on Scopus. We are under continuous evaluation, and we need to maintain a high standard. This is the reason that the acceptance rate dropped under 40% and we have a large queue of article for processing, over 200.

You are free to support the journal with any amount. If you have done it already, we thank you very much! This is to maintain the standards as Open-Access and to continue its existence.

A.V. SANDU

Publishing Editor

International Journal of Conservation Science http://www.ijcs.ro Peer-reviewed Journal Indexed in SCOPUS & Web of Science



INTERNATIONAL JOURNAL CONSERVATION SCIENCE

Volume 15, Issue 4, 2024: 1947-1958



DOI: 10.36868/IJCS.2024.04.24

THE ECOLOGICAL HEALTH OF CORAL REEFS IN THE WATERS OF ENGGANO ISLAND, THE OUTERMOST ISLAND IN THE EASTERN INDIAN OCEAN

ROZIRWAN^{1*}, Ajay ADEFTA¹, Rezi APRI¹, FAUZIYAH¹, Wike Ayu Eka PUTRI¹, MELKI¹, Iskhaq ISKANDAR², Ela NOVIANTI³, Apon Zaenal MUSTOPA³, FATIMAH³, Redho Yoga NUGROHO¹

¹ Department of Marine Science, Faculty of Mathematics and Natural Science, Sriwijaya University, Indralaya, South Sumatra 30862, Indonesia

² Department of Physics, Faculty of Mathematics and Natural Science, Sriwijaya University, Indralaya, South Sumatra, 30862, Indonesia

³ Research Center for Genetic Engineering, National Research and Innovation Agency, Bogor, West Java 16911, Indonesia

Abstract

Enggano waters are located in the outer waters of the eastern Indian Ocean which is thought to have a cluster of coral reefs that are important for marine ecosystems. Coral reef ecosystems have important benefits for marine and human life. The existence of coral reefs in the outer waters needs to be monitored so as not to exploit its natural resources. This study aims to monitor coral reef ecosystems through biological and physical-chemical approaches. Coral reef data collection using the Underwater Photo Transect (UPT) method was supported by 50 m transect lines and quadrant transects measuring 58 x 44cm. Underwater data recording used an Olympus Tough TG-6 digital camera. Physical-chemical data were taken in situ using portable devices and ex situ data in the form of nitrate and phosphate were analyzed in the laboratory. The results showed that the percentage of live coral cover ranged from 8.83% -71.11%. Based on the results, 7 forms of coral reef growth were found and consisted of 14 coral reef genus. In general, the health level of coral reefs in Enggano Waters was in the medium category. Coral reef density ranged from 1.67 - 5.52colony/m², diversity index was moderate, evenness index was high and dominance index was low. In general, physical-chemical parameters were at optimal values for coral reef life except salinity which was quite low. Salinity ranging from 14 - 19‰ was a parameter that was feared to be able to significantly affect the life, sustainability and balance of the coral reef ecosystem.

Keywords: Biodiversity; Coral reefs; Ecological health; Enggano waters

Introduction

Coral reefs are one of the marine ecosystems for many marine biodiversity habitats located in tropical and sub-tropical regions [1]. They provide habitat for many marine organisms such as reef fish, sea snails, bivalves, crabs, sea cucumbers, squid and many more [2-4].

Coral reefs are also recognized as ecosystems with the greatest value of ecosystem services to humans [5]. These benefits can be categorized as direct benefits and indirect benefits. The needs of coastal communities basically depend more on the benefits provided by coral reef ecosystems [3, 6]. The strength of coral reef benefits is very high for community food supply,

^{*} Corresponding author: rozirwan@unsri.ac.id

provision of tourist areas, shoreline protection and utilization for marine bioprospecting products [7-9].

Complex ecosystems such as coral reefs require a good ecological balance [10]. However, sometimes many local activities can trigger ecological interactions, including predation or competition between organisms, the pressure of anthropogenic activities such as pollution, fisheries, agriculture and tourism [11, 12].

Several coral reef health evaluation techniques can currently be used, depending on suitability to the site and its circumstances. In general, measurements of coral reef condition can be made through biological and physical-chemical approaches [13]. The biological survey approach will rely on simple means of measuring coral reef quality and quantity using transect techniques, while the physical-chemical survey approach will reveal the condition of more complex coral reef habitat environmental parameters with specialized measuring equipment [9, 14].

The Indian Ocean is the third major ocean in the world after the Pacific Ocean and the Atlantic Ocean. The Indian Ocean is one of the oceans that store and maintain the world's megabiodiversity [15]. Geographically, it is an international ocean that borders directly with many administrative waters of various countries that have different water characteristics [16]. One of the outermost water areas is the waters of Enggano Island, which is administratively included in Indonesian waters.

Enggano Island is one of the outermost small islands of the Indian Ocean with an area of ± 400 and ± 100 km² from Sumatra mainland. This island is located in the west of Sumatra Island which has clearer waters and a minimum of suspended sediments so it is thought to store a cluster of coral reefs [17]. Reports on habitat conditions in these waters are quite minimal, especially with regard to coral reef habitats. Whereas reports on coral reef habitats, especially those in outer waters, are very important in preservation and conservation efforts [18, 19].

Strategies for monitoring marine bioindicators through coral reef health monitoring are critical [20]. They are able to provide early warning signs for the health and sustainability of the ecological components that live in them because they are ecological components that are very sensitive to extreme environmental changes [21, 22]. As marine bioindicators, coral reefs can be identified by their health based on the percentage of coral cover and the diversity of coral species living on them [23, 24].

The main objective of this research is to assess the health of coral reefs in Enggano waters through biological approaches and physical-chemical approaches. From the study will be evaluated and analyzed whether there is a special relationship between variables that affect each other because each water area in the world tends to have a distinctive character.

Experimental part

Study Site

Two coral reef sites were selected in the north and south of Enggano Island (Fig. 1). Location N (North) was in Banjarsari village and location S (South) was in Kahyapu village which was included in the administrative area of Bengkulu province, Indonesia. The north location consisted of three sampling stations and the south location consisted of two sampling stations. The north site was located in the bay area in the northern part of Enggano, while the south site was located on a cluster of small island reefs (Dua Island).



Fig. 1. Map of sampling location

Methods

Ecological survey of coral reef community structure

Coral reef data collection using the Underwater Photo Transect (UPT) method [25, 26]. The length of the transect line used was 50m with quadrant transects measuring 58 x 44cm. Underwater photography was taken using an Olympus Tough TG-6 underwater digital camera. Coral reef data collection at each station was carried out at two depths, namely 3 and 6m depth.

Photographs were taken every 1.0m interval with a zig-zag pattern. A collection of photos was analyzed using the CPCe (Coral Point Count with Excel Extension) software [27, 28]. The analysis results will present the percentage of five components namely C (live coral), ALG (algae), OT (other invertebrates), DC (dead coral) and (SR) sand, silt and rock.

Data collection of Environmental physic-chemical parameters

Data collection of physical-chemical parameters of the environment was carried out in situ and ex situ. In situ parameters include temperature, salinity, pH, dissolved oxygen, water brightness, current speed. These parameters were measured using portable devices, namely multiparameter (temperature and dissolved oxygen), hand refractometer (salinity), pH meter (pH), secchi disk (water brightness), flow meter (water current). Meanwhile, ex situ parameters were measured in the laboratory in the form of water nutrient levels including nitrate and phosphate [29-31].

Data analysis

Coral reef cover data obtained from underwater photos that have been processed by CPCe, analyzed using the formula [32]. Then, coral reef biodiversity data were analyzed using biodiversity analysis which includes coral density, diversity index (H'), evenness index (E) and dominance index (C) [33-35].

Based on the data that has been obtained, namely coral cover data, coral reef biodiversity data and environmental physical-chemical parameter data. This component analysis was carried out to determine the relationship group between these variables to revealed the characteristics

that occured in Enggano waters. The analysis used was Principal Component Analysis (PCA) which was analyzed with XLSTAT 2023 software [36-38].

Results and discussion

Coral reef community structure

Based on the results of the analysis of coral reef cover, there are three categories that are percentageed, namely life coral, dead coral and others. The others include macro algae, rubble, sand, silt, rock and other fauna. The percentage of each component was presented in Table 1.

		Percentage of coral reef cover at each station (%)										
Category	Code	N1		Ν	2	Ν	3	S	1	S	2	A 710
		D3	D6	D3	D6	D3	D6	D3	D6	D3	D6	Ave
Life Coral												
Branching Acropora	ACB	2.56	0	13.44	6.89	1.99	0.42	0	3.33	9.37	17.10	5.51
Digitate Acropora	ACD	0	0	0.17	0.67	0	0	0.20	0	0.26	0	0.13
Encrusting Acropora	ACE	0	0	0	0	2.44	4	0	0	0.32	0	0.68
Submassive Acropora	ACS	22.64	0	0	0	2.31	3.92	0.85	2.59	2.76	5.49	4.06
Tabulate Acropora	ACT	0.39	0	0	0	1.41	0	0	0	0	0	0.18
Branching Coral	CB	17.63	0	1.44	2.67	0.90	0.08	11.63	5.19	0.96	4.44	4.50
Encrusting Coral	CE	0	0	0.44	0	0	0	0.46	0	0	0	0.09
Foliose Coral	CF	0	0	47.61	37.58	0	0	0	0	0	0.56	8.57
Heliopora Coral	CHL	0.33	0	6.28	5.56	0	0	20.07	0.07	0.26	0	3.26
Massive Coral	CM	1.06	0	1.61	1.83	13.72	0.42	0.46	0.15	5.91	1.91	2.71
Millepora Coral	CME	2.73	0	0	6.89	0	0	0.13	1.48	11.10	6.42	2.88
Mushroom Coral	CMR	0	0	0.11	0	0	0	0	0	0	0	0.01
Soft Coral	SC	0	0	0	1.28	0	0	0	0	0	0	0.13
Total		47.33	0.00	71.11	63.37	22.76	8.83	33.79	12.81	30.94	35.93	32.69
Dead Coral												
Recently Dead Coral	DC	3.34	0	2.06	0.44	5.38	2.92	0.52	0	3.72	0	1.84
Dead Coral with	DCA	0	0	3 17	4 95	0	0	7.84	13.26	0	2.28	3 15
algae	DCA	0	0	5.17	4.95	0	0	7.04	15.20	0	2.20	5.15
Total		3.34	0.00	5.23	5.39	5.38	2.92	8.36	13.26	3.72	2.28	4.99
Others												
Macro Algae	MA	0	0	2.39	3.17	0	0	0	0.22	0	0,12	0.64
Rubble	R	28.14	0	6.33	1.78	70.58	86.25	9.61	50.81	34.79	11.98	30.03
Sand	S	3	0	0	0.67	0	0	45.42	1.63	28.82	0	7.95
Silt	SI	18.19	100	14.39	24.96	1.03	2	0.59	20.74	0.71	49.32	23.19
Other (Fauna)	OT	0	0	0	0	0.26	0	0	0	0	0	0.026
Rock	RK	0	0	0.56	0.67	0	0	2.22	0.52	1.03	0.37	0.54
Total		49.33	100	23.67	31.25	71.87	88.25	57.84	73.92	65.35	61.67	62.31

Table 1. '	The per	centage o	f coral	reef	cover in	Enggano	Waters
Lable 1.	The per	centage 0	i corai	reer	cover m	Enggano	vv aters

The live coral component at the Enggano Waters location was found in seven forms of reef growth, namely Acropora Branching (ACB), Acropora Branching (ACB), Acropora Digitate (ACD), Acropora Encrusting (ACE), Acropora Submassive (ACS), Acropora Tabulate (ACT), Coral Branching (CB), Coral Encrusting (CE), Coral Foliose (CF), Coral Heliopora (CHL), Coral Massive (CM), Coral Millepora (CME), Coral Mushroom (CMR), Soft Coral (SC). Based on Table 1, the percentage of live corals at station N2 at a depth of 3 and 6m was in the good category (71.11 and 63.37%). Meanwhile, at station N1 at a depth of 6m no live corals were found, but only consisted of silt type sediments. In general, the cover of live coral reefs in these waters was relatively in the medium category. In these Enggano waters, the percentage of dead coral cover was relatively very low, overall ranging from 2.28% - 13.36%

Based on Table 1, Foliose Coral was the growth form that had the highest percentage with 8.57%. At station N2, the type of Foliose Coral was found at a depth of 3m with a value of 47.61%, while at a depth of 6m the amount was 37.58%, at stations N1, N3 and S1, there were

no findings of the Foliose Coral growth form. However, at station S2, the type of Foliose Coral was detected at a depth of 6m as much as 0.56%, while at a depth of 3m, no such type was found

Coral reefs have various types of growth forms. In Enggano waters, the growth form of Foliose Coral is the type that has the highest percentage of cover. One guess why this type of reef is found dominant in Enggano waters because of its ability to survive in its habitat. Enggano waters are strongly influenced by the characteristics of the Indian Ocean waters so that it has a tendency with a strong current and high choppy environment. Foliose Coral has been known for its ability to survive in very dynamic water conditions, although in some studies reported the form of Foliose Coral is rarely found and vulnerable to certain environmental conditions [39-41]. It is able to withstand strong current conditions, very bumpy, significant temperature changes and even in locations with high sedimentation [42, 43].

Coral reefs as one of the constituent components of the benthic zone of the waters, there are several other components found, namely macro algae, rubble, sand, silt, rock and others. The presence of this component in a high percentage indicates that the Enggano water location has a coral reef cover that is not too broad. This data indicates that the coral reef ecosystem in Enggano waters really needs to be maintained. This is related to the ecological function of coral reefs which have important benefits for complex aquatic life [9, 21, 44, 45].

Based on the study, Enggano waters have moderate coral reef health in general. However, in some locations coral reef health was found in the damaged category such as at locations N1, N3, S1 and good category at location N2. Several locations scattered in the Indian Ocean region have reported their coral reef health conditions. In the Comoros Archipelago, Western Indian Ocean region, the health of the coral reefs was in medium health condition [46], The Gulf of Mannar waters showed a coral reef health category in a declining condition approaching damage with a live coral cover of $22.69 \pm 9.07\%$ [47]. When the health of coral reefs in Enggano waters was compared to some of its closest regional waters, it showed better results. In West Aceh waters, coral reefs were were in poor condition with a coral cover percentage of 17.6% [48]. The same was reported in the waters off Mande, West Sumatra with poor to moderate health conditions [49].

Coral reef health was very important to evaluate for conservation and sustainability considerations. Coral reef health was assessed through four categories: poor, medium, good and very good. Coral reef health levels in Enggano Waters were presented in Table 2.

Based on Table 2, the assessment of coral reef health was determined by the percentage of live coral cover found at the site. The percentage of coral reef cover in Enggano waters ranged from 0 - 71%. Coral reef health in the damaged category was located at the location of N1 at a depth of 6m, N3 at a depth of 3 and 6m and S1 at a depth of 6m. Coral reef health in the medium category was located at location N1 at a depth of 3m, S1 at a depth of 3m and S2 3 and 6m. Then, coral reef health in the good category was found at location N2 at a depth of 3 and 6m.

Stations	Coord	linate	Depth	Life Coral	Health	Cotogowy Dovoontogo		
Stations	Longitude	ngitude Latitude		Cover (%)	category	Category rercentage		
N1	102.1268	-5.30646	3	47	Medium			
			6	0	Poor			
N2	102.1265	-5.31102	3	71	Good			
			6	63	Good	Poor = 0 - 24.9%,		
N3	102.1219	-5.31143	3	23	Poor	Medium = 25-49.9%,		
			6	9	Poor	Good = 50-74.9%,		
S1	102.3899	-5.43841	3	34	Medium	Very Good = 75-100%		
			6	13	Poor			
S2	102.3838	-5.44261	3	31	Medium			
			6	36	Medium			
	Av	erage		33	Medium			

Table 2. The health category of life coral cover in Enggano Waters

Based on Table 3, the identified coral reefs were 14 genus consisting of *Acropora*, *Anacropora*, *Montipora*, *Dendronephthya*, *Goniastrea*, *Montastrea*, *Heliopora*, *Millepora*, *Pachyseris*, *Pavona*, *Porites*, *Psammocora*, *Scolymia* and *Seriatopora*. The highest reef density was at station N2 with a value of 5.52colony/m², consisting of 11 genera with 169 colonies, while the least density was found at station N3 with an abundance value of 1.67colonies/m² with the number of genus found as many as 5 genus and the number of colonies as many as 51 colonies. The density of coral reef genus presented in Table 3 that the most common genus found in Enggano Waters was Montipora with 73 colonies at station N2.

			Coral Reefs Colony Total										
No	Family	Genus	Ν	1	N	12	N3	3	S	1	S	2	Total
			D3	D6	D3	D6	D3	D6	D3	D6	D3	D6	
1	Acroporidae	1. Acropora	9	-	10	7	3	2	1	4	16	16	68
		2. Anacropora	-	-	-	-	-	-	-	1	-	-	1
		3. Montipora	-	-	30	43	-	-	-	-	-	-	73
2	Nephtheidae	1. Dendronephthya	-	-	-	1	-	-	-	-	-	-	1
3	Faviidae	1. Goniastrea	1	-	2	2	14	2	5	2	16	4	48
		2. Montastrea	-	-	-	-	5	3	-	-	1	-	9
4	Helioporidae	1. Heliopora	1	-	14	5	-	-	40	-	1	-	61
5	Milleporidae	1. Millepora	4	-	-	-	-	-	-	1	10	13	28
6	Agariciidae	1. Pachyseris	-	-	-	1	-	-	-	-	-	1	2
	0	2. Pavona	-	-	-	4	-	-	2	-	-	-	6
7	Poritidae	1. Porites	34	-	-	11	9	7	2	5	7	-	75
8	Siderastreidae	1. Psammocora	-	-	5	11	-	-	-	-	-	-	16
9	Mussidae	1. Scolymia	-	-	3	-	-	-	-	-	-	-	3
10	Pocilloporidae	1. Seriatopora	26	-	12	8	5	1	30	16	2	6	106
Genus Total		6	0	7	10	5	5	6	6	7	5	14	
Colony Total per Depth		75	0	76	93	36	15	80	29	53	40	497	
Colony Total per Station		on	7:	5	169		51		109		93		497
Genus Density per Station (colony/m ²)			2.4	15	5.	52	1.6	7	3.5	56	3.0	04	-

Table 3. The existence of coral genus and colony in the Enggano Waters

Coral reef biodiversity index in Enggano Waters which included diversity index (H'), Evenness index (E) and dominance index (C) were presented in Table 4. Diversity index values ranged from 1.25 - 2.23 with the highest value at station N2 and the lowest at station N1. The evenness index value ranges from 0.70 - 0.90 with the highest value at station N2 and the lowest at station N1. The dominance index value ranged from 0.24 - 0.34 with the highest value at station N1 and the lowest at stations N2, N3 and S2.

Stations —	Div	versity	Ev	enness	Dominance		
	Н'	Category	Е	Category	С	Category	
N1	1.25	Medium	0.70	High	0.34	Low	
N2	2.23	Medium	0.90	High	0.24	Low	
N3	1.28	Medium	0.80	High	0.24	Low	
S1	1.47	Medium	0.71	High	0.32	Low	
S2	1.71	Medium	0.82	High	0.24	Low	

A medium diversity value indicates that the environment is very supportive of the survival of organisms ecologically and is suitable for habitation and has the potential for growth and development [44, 50, 51]. A high evenness value indicates that the coral reef is stable because no species dominates the reef [52]. Dominance values close to zero indicate that the coral reef community structure does not have species that strongly dominate and indicate that the community structure is in a stable condition [53].

Environmental physical-chemical parameters

Measurements of water physical-chemical parameters were taken at each sampling location. The results of parameter measurements in the form of temperature, pH, dissolved oxygen, salinity, current speed, water brightness, nitrate and phosphate were presented in Table 5. Water temperature measured in Enggano waters ranged from $25.6 - 28.5^{\circ}$ C, pH ranged from 6.97 - 8.61, dissolved oxygen ranged from 4.8 - 7.4 mg/L, salinity ranged from 14 - 19‰, water current ranged from 0.1 - 0.6m/s, water brightness ranged from 4.84 - 5.32m, nitrate content ranged from 1.569 - 2.186 mg/L and phosphate of 0.107 mg/L.

D	Stations									
Parameters -	N1	N2	N3	S1	S2					
Temperature (°C)	27.1	26.7	28.5	25.9	25.6					
pH	8.61	7.58	6.97	7.65	7.55					
Dissolved oxygen (mg/L)	6.0	4.8	6.9	7.4	7.0					
Salinity (‰)	18	17	14	19	16					
Water current (m/s)	0.5	0.1	0.1	0.6	0.4					
Water brightness (m)	4.84	5.23	5.12	5.32	5.10					
Nitrate (mg/L)	1.569	2.186	1.754	2.027	1.594					
Phosphate (mg/L)	0.107	0.107	0.107	0.107	0.107					

Table 5. Environmental physical-chemical parameters in Enggano Waters

Coral reef ecosystems in Enggano waters show typical correlation values between biological variables and physico-chemical variables. The typical relationship between these variables is illustrated at location N2 which is the location of the highest coral cover in these waters. Based on the results of the analysis, that nitrate concentrations tend to be higher can increase the growth of coral reefs at a depth of 6 m, it is also supported by a slower current speed. Nitrate is known to be an important nutrient for zooxanthellae species that live in coral polyps [54]. However, the salt concentration in Enggano Waters was lower than the ideal condition of salinity of marine waters which was 30 - 35‰. Lower salinity conditions have a negative impact on coral reef survival [50, 55]. Salinity conditions that are not optimal can inhibit the photosynthesis process of *Zooxanthellae* [56]. If these conditions persist for a long time, it will cause coral bleaching and coral death [57].

Group of variables and relationships

Several groups of variables consisting of coral reef cover and environmental physicochemical parameters were analyzed to determine the main groups. The results of PCA analysis of these variables are presented in Figure 2.

Based on Figure 2, the eigenvalue obtained was 69.03% by forming 2 main groups namely F1 (41.33%) and F2 (27.69%). Group F1 consisted of variables of live coral cover at a depth of 6 m, density, diversity, evenness and nitrate concentration with observation station at N2. Group F2 consisted of dead coral covers at a depth of 3 and 6m, water current and salinity with observation station at S1.

In general, the condition of coral reef ecosystems in Enggano waters is still quite good based on biological and physical-chemical environmental variables that have been measured. However, there are several measurements that should be the main focus to assess the sustainability of coral reefs in this area. It is known that salinity in this water area is found to tend to be lower in optimal conditions. In the case of station N2, this location is in a bay area that is generally characterized as semi-enclosed. It is suspected that there has been a geomorphological change on the side of the bay that causes low-salinity water not to be mixed into marine waters during tidal conditions.



Fig. 2. The correlation of each variable parameters

Based on this, a further study is needed to follow up on the physical-chemical phenomena in Enggano waters comprehensively as an effort to preserve and conserve the coral reef ecosystem in one of the outermost places in the Indian Ocean.

Conclusions

Enggano waters are one of the important waters as the outer waters of the Indian Ocean which has a cluster of coral reefs. The coral reefs found were in fairly good condition. The highest live coral cover had a percentage of 71.11%. Station N2 was the best habitat for coral reefs with good coral reef health category. There were 14 genus of coral found, namely *Acropora, Anacropora, Montipora, Dendronephthya, Goniastrea, Montastrea, Heliopora, Millepora, Pachyseris, Pavona, Porites, Psammocora, Scolymia and Seriatopora*. The genus *Montipora* was the highest found with 73 colonies. Coral density ranged from 1.67 - 5.52colony/m². The biodiversity index showed moderate diversity, high evenness and low dominance. The study results showed that the relationship between biological and physical-chemical variables formed two main groups, namely F1 and F2. In the study at site N2, high coral cover at 6 m depth was influenced by nitrate content which tended to be higher, supported by slower current speeds. However, salinity conditions in all sampling sites that tend to be lower than the optimal conditions for coral growth suggest a negative influence on the sustainability of coral reef life in Enggano waters. The results that have been revealed in this study suggest that a comprehensive study on the dynamics of Enggano waters, especially in the bays in the north of Enggano Island.

Acknowledgments

The part of this research was funded by National Research and Innovation Agency of the Republic of Indonesia under the "Riset dan Inovasi untuk Indonesia Maju Gelombang 3" (Grant Number: 12/II.7/HK/2023; Decree Number: 76/IV/KS/05/2023; 0236/UN9.3.1/PL/2023).

References

- [1] P. Alidoost-Salimi, J.C. Creed, M.M. Esch, D. Fenner, Z. Jaafar, J. C. Levesque, A. D. Montgomery, M. Alidoost Salimi, J. K. P. Edward, K. D. Raj, M. Sweet, A review of the diversity and impact of invasive non-native species in tropical marine ecosystems, Marine Biodiversity Records, 14(1), 2021, Article Number: 11. DOI: 10.1186/s41200-021-00206-8.
- [2] S. Montano, *The extraordinary importance of coral-associated fauna*, **Diversity**, **12**(9), 2020. Article Number: 357. DOI: 10.3390/d12090357.
- [3] O. Hoegh-Guldberg, L. Pendleton, A. Kaup, *People and the changing nature of coral reefs*, Regional Studies in Marine Science, 30, 2019, Article Number: 100699. DOI: 10.1016/j.rsma.2019.100699.
- [4] K. Sambrook, A.S. Hoey, S. Andréfouët, G.S. Cumming, S. Duce, M.C. Bonin, Beyond the reef: The widespread use of non-reef habitats by coral reef fishes, Fish and Fisheries, 20(5), 2019, pp. 903–920. DOI: 10.1111/faf.12383.
- [5] A.J. Woodhead, C.C. Hicks, A. V Norström, G.J. Williams, N.A.J. Graham, *Coral reef ecosystem services in the Anthropocene*, Functional Ecology, 33(6), 2019, pp. 1023–1034. DOI: 10.1111/1365-2435.13331.
- [6] A. Brathwaite, N. Pascal, E. Clua, When are payment for ecosystems services suitable for coral reef derived coastal protection?: A review of scientific requirements, Ecosystem Services, 49, 2021, Article Number: 101261. DOI: 10.1016/j.ecoser.2021.101261.
- [7] M.F.M. Fairoz, Coral Reefs and Blue Economy, Blue Economy: An Ocean Science Perspective, Springer, 2022, 21–53.
- [8] B.J. Bethel, Y. Buravleva, D. Tang, Blue economy and blue activities: Opportunities, challenges, and recommendations for The Bahamas, Water, 13(10), 2021, Article Number: 1399. DOI: 10.3390/w13101399.
- [9] Rozirwan, I. Bahrudin, B.S. Barus, R.Y. Nugroho, N.N. Khotimah, *First assessment of coral Mussidae in Kelagian Island waters, Lampung*, AIP Conference Proceedings, AIP Publishing, 2913, 2023, Article Number: 040008. DOI: 10.1063/5.0171642.
- [10] N.M.D. Schiettekatte, S.J. Brandl, J.M. Casey, N.A. Graham, D.R. Barneche, D.E. Burkepile, J.E. Allgeier, J.E. Arias-Gonzaléz, G.J. Edgar, C.E. Ferreira, S.R. Floeter, *Biological trade-offs underpin coral reef ecosystem functioning*, Nature Ecology & Evolution, 6(6), 2022, pp. 701–708.
- [11] S.A.F. Az-Zahrah, N. N. Khotimah, R. Y. Nugroho, W. A. E. Putri, F. Agustriani, Y. I. Siregar, Ecological Risk Assessment of Heavy Metal Contamination in Water, Sediment, and Polychaeta (Neoleanira Tetragona) from Coastal Areas Affected by Aquaculture, Urban Rivers, and Ports in South Sumatra, Journal of Ecological Engineering, 25(1), 2024, pp. 303–319. DOI 10.12911/22998993/175365.
- [12] R.Y. Nugroho, W.A.E. Putri, T.Z. Ulqodry, A. Absori, I. Iskandar, *Mollusks diversity in the protected coastline of Berbak-Sembilang National Park Indonesia*, International Journal of Conservation Science, 14(4), 2023, pp. 1627–1640. DOI: 10.36868/IJCS.2023.04.25
- [13] D.O. Obura, G. Aeby, N. Amornthammarong, W. Appeltans, N. Bax, J. Bishop, R.E. Brainard, S. Chan, P. Fletcher, T.A. Gordon, L. Gramer, *Coral reef monitoring, reef assessment technologies, and ecosystem-based management*, Frontiers in Marine Science, 6, 2019, Article Number: 580. DOI: 10.3389/fmars.2019.00580.

- [14] I. Urbina-Barreto, R. Garnier, S. Elise, R. Pinel, P. Dumas, V. Mahamadaly, M. Facon, S. Bureau, C. Peignon, J.P. Quod, E. Dutrieux Which method for which purpose? A comparison of line intercept transect and underwater photogrammetry methods for coral reef surveys, Frontiers in Marine Science, 8, 2021, Article Number: 636902. DOI: 10.3389/fmars.2021.636902
- [15] K. Venkataraman, C. Raghunathan, *Coastal and Marine Biodiversity of India*, Marine faunal diversity in India, *Elsevier*, 2015, pp. 303–348.
- [16] C. Raghunathan, R. Raghuraman, S. Choudhury, *Coastal and Marine biodiversity of India: challenges for conservation*, Coastal Management, Elsevier, 2019, 201–250.
- [17] T. Whitten, S.J. Damanik, Ecology of Sumatra, Tuttle Publishing, 2012.
- [18] D.L. Gil-Agudelo, C.E. Cintra-Buenrostro, J. Brenner, P. Gonzlez-Díaz, W. Kiene, C. Lustic, H. Pérez-España, *Coral reefs in the Gulf of Mexico large marine ecosystem: conservation status, challenges, and opportunities*, Frontiers in Marine Science, 6, 2020, Article Number: 807. DOI: 10.3389/fmars.2019.00807.
- [19] E. McLeod, E.C. Shaver, M. Beger, J. Koss, G. Grimsditch, Using resilience assessments to inform the management and conservation of coral reef ecosystems, Journal of Environmental Management, 277, 2021, Article Number: 111384. DOI: 10.1016/j.jenvman.2020.111384
- [20] D.M. Carrillo-García, M. Kolb, Indicator framework for monitoring ecosystem integrity of coral reefs in the Western Caribbean, Ocean Science Journal, 57(1), 2022. pp. 1-24. DOI: 10.1007/s12601-022-00055-1.
- [21] D.L. Santavy, C.L. Horstmann, L.M. Sharpe, S.H. Yee, P. Ringold, What is it about coral reefs? Translation of ecosystem goods and services relevant to people and their well-being, Ecosphere, 12(8), 2021, Article Number: e03639. DOI: 10.1002/ecs2.3639.
- [22] C. Sun, A. J. Hobday, S. A. Condie, M. E. Baird, J. P. Eveson, J. R. Hartog, A. J. Richardson, A. D. Steven, K. Wild-Allen, R. C. Babcock, D. Yang, *Ecological Forecasting and Operational Information Systems Support Sustainable Ocean Management*, Forecasting, 4(4), 2022, pp. 1051–1079. DOI: 10.3390/forecast4040057.
- [23] C. Castro-Sanguino, J.C. Ortiz, A. Thompson, N.H. Wolff, R. Ferrari, B. Robson, M.M. Magno-Canto, M. Puotinen, K.E. Fabricius, S. Uthicke, *Reef state and performance as indicators of cumulative impacts on coral reefs*, Ecological Indicators, 123, 2021, Article Number: 107335. DOI: 10.1016/j.ecolind.2020.107335
- [24] H. Bravo, S. Cannicci, F. Huyghe, M. Leermakers, M.A. Sheikh, M. Kochzius, *Ecological health of coral reefs in Zanzibar*, Regional Studies in Marine Science, 48, 2021, Article Number: 102014. DOI: 10.1016/j.rsma.2021.102014.
- [25] E. Nocerino, F. Menna, A. Gruen, M. Troyer, A. Capra, C. Castagnetti, P. Rossi, A.J. Brooks, R.J., Schmitt, S. J. Holbrook, *Coral reef monitoring by scuba divers using underwater photogrammetry and geodetic surveying*, **Remote Sensing**, **12**(18), 2020, Article Number: 3036. DOI: 10.3390/rs12183036.
- [26] J.N.W. Schaduw, K.I.F. Kondoy, V.E.N. Manoppo, A. Luasunaung, J. Mudeng, W.E. Pelle, E.L. Ngangi, I.S. Manembu, A.S. Wantasen, D.A. Sumilat, N.D. Rumampuk, *Data on percentage coral reef cover in small islands Bunaken National Park*, Data in Brief, 31, 2020, Article Number: 105713. DOI: 10.1016/j.dib.2020.105713.
- [27] T. Kim, D.-W. Lee, H.-J. Kim, Y. H. Jung, Y.U. Choi, J.H., Oh, T.H. Kim, D. H. Kang, H. S. Park, *Estimation of the Benthic Habitat Zonation by Photo-Quadrat Image Analysis along the Fringing Reef of Weno Island, Chuuk, Micronesia*, Journal of Marine Science and Engineering, 10(11), 2022, Article Number: 1643. DOI: 10.3390/jmse10111643
- [28] C. D. M. Safuan, W.I.A.W. Talaat, N. Aziz, H. Jeofry, R.K. Lai, H. Khyril-Syahrizan, A.M. Afiq-Firdaus, A.M. Faiz, M.J. N. Arbaeen, W.Y. Lua, W.Y. X. Z. Xue, Assessment of coral health status using two-dimensional Coral Health Index (2D-CHI): A preliminary study in Pulau Perhentian Marine Park, Malaysia, Regional Studies in Marine Science, 55, 2022,

Article number: 102543. DOI: 10.1016/j.rsma.2022.102543

- [29] A.P. Saputri, R.Y. Nugroho, N.N. Khotimah, W.A.E. Putri, A.I.S. Purwiyanto, An Assessment of Pb and Cu in Waters, Sediments, and Mud Crabs (Scylla serrata) from Mangrove Ecosystem Near Tanjung Api-Api Port Area, South Sumatra, Indonesia, Science and Technology Indonesia, 8(4), 2023, pp. 675–683.
- [30] P. I. Wulandari, R. Y. Nugroho, F. Agutriani, A. Agussalim, F. Supriyadi, I. Iskandar, Assessment distribution of the phytoplankton community structure at the fishing ground, Banyuasin estuary, Indonesia, Acta Ecologica Sinica, 42(6), 2022, pp. 670–678. DOI: 10.1016/j.chnaes.2022.02.006
- [31] F. Rozirwan, R.Y. Nugroho, M. Melki, T.Z. Ulqodry, F. Agustriani, E.N. Ningsih, W.A.E. Putri, A. Absori, M. Iqbal, An ecological assessment of crab's diversity among habitats of migratory birds at Berbak-Sembilang National Park Indonesia, International Journal of Conservation Science, 13(3), 2022, pp. 961–972.
- [32] S. English, C. Wilkinson, V. Baker, Survey Manual for Tropical Marine Resources, Australian Institute of Marine Science, Townsville, 1997.
- [33] C.E. Shannon, A mathematical theory of communication, The Bell System Technical Journal, 27(3), 1948, pp. 379–423.
- [34] R. Margalef, *Information theory in biology*, General Systems Yearbook, 3, 1958, pp. 36–71.
- [35] E.C. Pielou, Ecological diversity, Jhon Wiley&Sons, 1975, p. 168.
- [36] Y. Fitria, Rozirwan, M. Fitrani, R.Y. Nugroho, Fauziyah, W.A.E. Putri, Gastropods as bioindicators of heavy metal pollution in the Banyuasin estuary shrimp pond area, South Sumatra, Indonesia, Acta Ecologica Sinica, 43(6), 2023, pp. 1129–1137. DOI: 10.1016/j.chnaes.2023.05.009.
- [37] R. Apri, A. Agussalim, I. Iskandar, Assessment the macrobenthic diversity and community structure in the Musi Estuary, South Sumatra, Indonesia, Acta Ecologica Sinica, 41(4), 2021, pp. 346–350. DOI: 10.1016/j.chnaes.2021.02.015.
- [38] S. Almaniar, R. Herpandi, Abundance and diversity of macrobenthos at Tanjung Api-Api waters, South Sumatra, Indonesia, AACL Bioflux, 14, 2021, pp. 1486–1497.
- [39] J.P. Gilmour, K.L. Cook, N.M. Ryan, M.L. Puotinen, R.H. Green, A.J. Heyward, A tale of two reef systems: Local conditions, disturbances, coral life histories, and the climate catastrophe, Ecological Applications, 32(3), 2022, Article Number: e2509. DOI: 10.1002/eap.2509
- [40] N. Aldyza, T.A. Barus, M.B. Mulya, M.A. Sarong, Coral resilience inside and outside of Pesisir Timur Pulau Weh conservation zone, Sabang City, Indonesia, Biodiversitas Journal of Biological Diversity, 23(11), 2022, pp. 5744–5751. DOI: 10.13057/biodiv/d231126
- [41] C.S.U. Dewi, A. Capriati, D. Prabuning, A. Maududi, C.J. Harsindhi, *Current status of coral reef ecosystems in Brumbun Bay, Tulungagung*, **IOP Conference Series: Earth and Environmental Science, IOP Publishing**, **744**, 2021, Article Number: 012082. DOI:10.1088/1755-1315/744/1/012082.
- [42] M.K. Zapalski, A.H. Baird, T. Bridge, M. Jakubowicz, J. Daniell, Unusual shallow water Devonian coral community from Queensland and its recent analogues from the inshore Great Barrier Reef, Coral Reefs, 40, 2021, pp. 417–431.
- [43] A. Zweifler, M. O'leary, K. Morgan, N.K. Browne, *Turbid coral reefs: past, present and future—a review*, Diversity, 13(6), 2021, Article Number: 251. DOI: 10.3390/d13060251.
- [44] K. Wolfe, K. Anthony, R.C. Babcock, K. Wolfe, K. Anthony, R.C. Babcock, L. Bay, D.G. Bourne, D. Burrows, M. Byrne, D.J. Deaker, G. Diaz-Pulido, P.R. Frade, M. Gonzalez-Rivero, Priority Species to Support the Functional Integrity of Coral Reefs, In Oceanography and marine biology. Taylor & Francis, 2020.
- [45] H.A. El-Naggar, Human Impacts on Coral Reef Ecosystem, Natural Resources

Management and Biological Science, IntechOpen, 2020.

- [46] B. Cowburn, M.A. Samoilys, D. Obura, The current status of coral reefs and their vulnerability to climate change and multiple human stresses in the Comoros Archipelago, Western Indian Ocean, Marine Pollution Bulletin, 133, 2018, pp. 956–969. DOI: 10.1016/j.marpolbul.2018.04.065
- [47] J.K.P. Edward, G. Mathews, K.D. Raj, R.L. Laju, M.S. Bharath, A. Arasamuthu, P.D. Kumar, D.S. Bilgi, H. Malleshappa, H., Coral mortality in the Gulf of Mannar, southeastern India, due to bleaching caused by elevated sea temperature in 2016, Current Science, 114(9), 2018, pp. 1967–1972.
- [48] R.A. Annas, Z.A. Muchlisin, M.A. Sarong, Coral reefs condition in Aceh Barat, Indonesia, Biodiversitas Journal of Biological Diversity, 18(2), 2017, pp. 514–519. DOI: 10.13057/biodiv/d180210.
- [49] I.J. Zakaria, A. Wulandari, F.A. Febria, Diseases and health disturbances on scleractinian corals in the West Sumatra Sea, Indian Ocean, Aquaculture, Aquarium, Conservation & Legislation, 14(1), 2021, pp. 462–477.
- [50] S.J. Brandl, J.L. Johansen, J.M. Casey, L. Tornabene, R.A. Morais, J.A. Burt, *Extreme environmental conditions reduce coral reef fish biodiversity and productivity*, Nature Communications, 11(1), 2020, Article Number: 3832. DOI: 10.1038/s41467-020-17731-2.
- [51] Rozirwan, H.Y. Sugeha, N. Fitriya, M.R. Firdaus, P. Avianto, I. Iskandar, Correlation Between the Phytoplankton Distribution with the Oceanographic Parameters of the Deep-Sea Surface of Sangihe-Talaud, North Sulawesi, Indonesia, IOP Conference Series: Earth and Environmental Science, 789(1), 2021, Article Number: 012007. DOI: 10.1088/1755-1315/789/1/012007.
- [52] Z.A. Harahap, Y.H. Gea, I.E. Susetya, *Relationship between coral reef ecosystem and coral fish communities in Unggeh Island Central Tapanuli Regency*, **IOP Conference Series:** Earth and Environmental Science, **IOP Publishing**, 260, 2019, Article Number 012113. DOI: 10.1088/1755-1315/260/1/012113.
- [53] M.F.M. Hanapiah, S. Saad, Z. Ahmad, M.H. Yusof, M.F.A. Khodzori, Assessment of benthic and coral community structure in an inshore reef in Balok, Pahang, Malaysia, Biodiversitas Journal of Biological Diversity, 20(3), 2019, pp. 872–877. DOI: 10.13057/biodiv/d200335
- [54] W.M. Goldberg, Coral Food, Feeding, Nutrition, and Secretion: A Review BT Marine Organisms as Model Systems in Biology and Medicine (Editors: M. Kloc and J.Z. Kubiak, eds., Springer International Publishing, Cham, 2018, pp. 377–421.
- [55] J.A. Burt, E.F. Camp, I.C. Enochs, J.L. Johansen, K.M. Morgan, B. Riegl, A.S. Hoey, Insights from extreme coral reefs in a changing world, Coral Reefs, 39, 2020, pp. 495–507.
- [56] S.L. Coles, P.L. Jokiel, *Effects of salinity on coral reefs*, **Pollution in tropical aquatic** systems, *CRC Press*, 2018, 147–166.
- [57] A. Curran, S. Barnard, What is the role of zooxanthellae during coral bleaching? Review of zooxanthellae and their response to environmental stress, South African Journal of Science, 117(7–8), 2021. DOI: 10.17159/sajs.2021/8369.

Received: February 15, 2024 Accepted: November 2, 2024