

## DAFTAR PUSTAKA

- Acmalya, F. D. 2010. Hubungan Antara Asupan Natrium, Kalium, Kalsium, Magnesium dan Serat dengan Tekanan Darah pada Remaja. *jurnal Universitas Diponegoro*, pp. 1–3.
- Anderson, Y. C. *et al.* 2017. Assessment of health-related quality of life and psychological well-being of children and adolescents with obesity enrolled in a New Zealand community-based intervention programme: An observational study. *BMJ Open*. 7(8), pp. 1–9.
- Andrew, A. P., Leann, M. and Michael, W. 2015. Left Atrial Enlargement and Reduced Physical Function During Aging. *J Aging Physic Act*, 32(7), pp. 736–740.
- Anyaegbu, E. I. and Dharnidharka, V. R. 2014. Hypertension in the Teenager. *Pediatric Clinics of North America*, 61(1), pp. 131–151.
- Berendes, A. *et al.* 2013. Association of elevated blood pressure with low distress and good quality of life: Results from the nationwide representative german health interview and examination survey for children and adolescents', *Psychosomatic Medicine*, 75(4), pp. 422–428.
- Bintari, N. P. & Darmawan, C. 2016. Peran Pemuda sebagai Penerus Tradisi Sambatan dalam Rangka Pembentukan Karakter Gotong Royong Pramudiyasari. *Jurnal Pendidikan Ilmu Sosial*, 25(1), pp. 57–76.
- Blakely, T. J. and Dziadosz, G. M. 2007. Social functioning: A sociological common base for social work practice', *The Journal of Sociology & Social Welfare*, 34(4), pp. 151–168.
- Bradford, R., Rutherford, D. L. and John, A. 2002. Quality of life in young people: ratings and factor structure of the Quality of Life Profile-Adolescent Version. *Journal of adolescence*, 25(3) pp. 261–274.
- Bugaje, M., Yakubu, A. and Ogala, W. 2005. Prevalence of adolescent hypertension in Nigeria. *Nigerian Journal of Paediatrics*, 32(4), pp. 77–82.
- Carretero, O. A. and Oparil, S. 2000. Essential Hypertension. Part I: definition and etiology. *Circulation*, 101(3), pp. 329–35,  
(<https://www.ncbi.nlm.nih.gov/pubmed/10645931>. Diakses 22 Juni 2019).
- Centers for Disease Control and Prevention (CDC). 2009. Cigarette smoking among adults and trends in smoking cessation - United States, 2008.
- Claude Lenfant. 2003. JNC 7 Hypertension Guidelines, *The Seventh Report of The*

*Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure*. *AHA Journals*. 107(24). pp. 2993-2994.

Coster, W. *et al.* 2008. Overview of the School Function Assessment. *School Function Assessment: User's Manual*, pp. 1–8.

Depkes . 2008. Riset Kesehatan Dasar 2007', *Kementerian Kesehatan Republik Indonesia*, pp. 1–384.

Dewi, R. A. 2012. Analisis Faktor Risiko Hieprtensi pada Remaja Usia 15-17 Tahun di Indonesia (Analisis Data Riskesdas 2007). Tesis pada Jurusan Kesehatan Masyarakat UI yang tidak dipublikasikan, hal 46-48.

Dinas Kesehatan Kota Palembang. 2014. Profil Kesehatan Kota Palembang Tahun 2014. *Profil Kesehatan Kota Palembang Tahun 2014*.

Ejike, C., Ugwu, C. and Ezeanyika, L. U. 2010. Variations in the prevalence of point (pre)hypertension in a Nigerian school-going adolescent population living in a semi-urban and an urban area. *BMC Pediatrics*. 39(1), pp. 1–7.

Eiser, C and Jenney, M. 2007. Mesuring Quality of Life. *Arch Dis Child*. 92(4). pp. 348-350.

Ewald, D. R. and Haldeman, L. A. 2016. Risk Factors in Adolescent Hypertension', *Global Pediatric Health*, 3, pp. 1-26.

Ezeudu, C. E. *et al.* 2018. Hypertension and prehypertension among adolescents attending secondary schools in urban area of South-east, Nigeria. *Pan African Medical Journal*, 31, pp. 1–9.

Flynn, J. T. *et al.* 2017. Clinical Practice Guideline for Screening and Management of High Blood Pressure in Children and Adolescents. *Pediatrics*. 140(3), (<https://www.ncbi.nlm.nih.gov/pubmed/28827377>. Diakses 10 Juni 2019).

Frisén, A. 2007. Measuring health-related quality of life in adolescence *Ann. Acta Paediatrica*, 96(7), pp. 109-114.

Fryar, C. D. *et al.* 2017. Hypertension Prevalence and Control Among Adults: United States, 2015-2016.', *NCHS data brief*, (289), pp. 1–8. (<http://www.ncbi.nlm.nih.gov/pubmed/29155682>. Diakses 22 Juni 2019)

Gangwisch, J. E. *et al.* 2006. Short Sleep Duration as a Risk Factor for Hypertension. *Hypertension*, 47(5), pp. 833–839.

Gareth Beevers, Gregory Y H Lip, E. O. 2001. ABC of hypertension The

- pathophysiology of hypertension. *The BMJ*. 322(7291). pp. 912-916, (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1120075/>. Diakses 21 Juni 2019).
- Giles, T. D. *et al.* 2009. Definition and classification of hypertension: An update. *Journal of Clinical Hypertension*. 11(11), pp. 611–614.
- Gottlieb, D. J. *et al.* 2006. Association of usual sleep duration with hypertension: the Sleep Heart Health Study. *Sleep*. 29(8), pp. 1009–14.
- Hall, J. E. & Guyton, A. C. 2014. Guyton dan Hall Buku Ajar Fisiologi Kedokteran, Elsevier, Singapore.
- Irgil, E Erkenci, Y. Aytekin, N. Aytekin, H. 1998. Prevalence of hypertension among schoolchildren aged 13-18 years in Gemlik, Turkey, *European Journal of Public Health*, 8(2), pp. 176–178.
- Jago, R. 2006. Prevalence of Abnormal Lipid and Blood Pressure Values Among an Ethnically Diverse Population of Eighth-Grade Adolescents and Screening Implications. *Pediatrics*. 117(6), pp. 2065–2073.
- JNC VII (2003) ‘Prevention , Detection , Evaluation , and Treatment of’, *Blood Pressure*, 289(19), pp. 1206–52.
- Kartikasari, A. N., Chasani, S. and Ismail, A. 2012. Faktor Risiko Hipertensi Pada Masyarakat Di Desa Kabongan Kidul, Kabupaten Rembang Jurnal Media Medika Muda’, *Jurnal Media Medika Muda*. (<https://media.neliti.com/media/publications/115982-ID-faktor-risiko-hipertensi-pada-masyarakat.pdf>. Diakses 13 Juni 2019)
- Kementerian Kesehatan RI. 2014. Pusat Data dan Informasi Kementerian Kesehatan RI’, *Infodatin Hipertensi*. Kemenkes RI, 2016 (2014) ‘Pusdatin Hipertensi’, *Infodatin*, (Hypertension), pp. 1–7.
- Khodijah, D., Lukman, E. and Munigar, M. 2013. Obesitas Dengan Kualitas Hidup Remaja. *Health Quality*, 3(2), pp. 133–140.
- Kuczmariski, R. J. *et al.* 2002. 2000 CDC growth charts for the United States: Methods and development. *Nationale Center for Health Statistics, Vital and Health Statistics*. May(246). pp. 1-190, (<https://www.ncbi.nlm.nih.gov/pubmed/12043359>. Diakses 23 Juni 2019).
- Kuschnir, M. C. C. and Mendonça, G. A. S. 2007. Risk factors associated with arterial hypertension in adolescents. *Jornal de Pediatria*. 83(4), pp. 335–342.
- Lande, M. B. *et al.* 2003. Elevated blood pressure and decreased cognitive function

- among school-age children and adolescents in the United States. *Journal of Pediatrics*, 143(6), pp. 720–724.
- Lande, M. B. and Kupferman, J. C. 2019. Blood Pressure and Cognitive Function in Children and Adolescents. *American Journal of Hypertension*. 73(3), pp. 532–540.
- Lauer, R. M. *et al.* 2016. Childhood Predictors for High Adult Blood Pressure. *Pediatric Clinics of North America*. Elsevier Masson SAS, 40(1), pp. 23–40.
- Lee, J. A. and Park, H. S. 2014. Relation between sleep duration , overweight , and metabolic syndrome in Korean adolescents. *Nutrition, Metabolism and Cardiovascular Diseases*. Elsevier Ltd, 24(1), pp. 65–71.
- Leidy, N. K., Revicki, D. A. and Genesté, B. 1999. Recommendations for Evaluating the Validity of Quality of Life Claims for Labeling and Promotion', *Value in Health*. International Society for Pharmacoeconomics and Outcomes Research (ISPOR), 2(2), pp. 113–127.
- Lesley, Triscott, J. and Dobbs, B. 2017. AFP-secondary HTN- discovering the underlying cause. *American Family Physician*, 96(7), pp. 453–461.
- Luma, G. B. and Spiotta, R. T. 2006. Arterial Hypertension in Children and Adolescents. *Casopis Lekaru Ceskych*, 145(8), pp. 625–632.
- Lurbe, E., Álvarez, J. and Redon, J. 2010. Diagnosis and treatment of hypertension in children', *Current Hypertension Reports*, 12(6), pp. 480–486.
- Mannan, H., Wahiduddin and Rismayanti. 2012. Faktor Risiko Kejadian Hipertensi di Wilayah Kerja Puskesmas Bangkala Kabupaten Jeneponto Tahun 2012. *Jurnal MKMI*.
- Matza, L. S. *et al.* 2004. Assessment of Health-Related Quality of Life in Children: A Review of Conceptual, Methodological, and Regulatory Issues', *Value in Health*. 7(1), pp. 79–92,  
(<https://www.ncbi.nlm.nih.gov/pubmed/14720133>. Diakses 10 Juni 2019)
- Meade, T. and Dowswell, E. 2016. Adolescents' health-related quality of life (HRQoL) changes over time: A three year longitudinal study. *Health and Quality of Life Outcomes*. 14(1), pp. 1–8.
- National High Blood Pressure Education Program Working Group on High Blood Pressure in Children and Adolescents (2004) 'The fourth report on the diagnosis, evaluation, and treatment of high blood pressure in children and adolescents.', *Pediatrics*.

- Oparil, S., Zaman, A. and Calhoun, D. A. 2003. Pathogenesis of hypertension. *The American Journal of Medicine*. 10(2), pp. 189–209.
- Petek, T. (2018) ‘Health-related quality of life in paediatric arterial hypertension : a cross-sectional study’, *BMC Pediatrics*, 18(146), pp. 1–9.
- Poluan, M. A. D., Kalesaran, A. F. C. and Ratag, B. T. 2017. Hubungan Antara Hipertensi dengan Kualitas Hidup pada Penduduk di Kelurahan Kinilow Kecamatan Tomohon Utara kota Tomohon. pp. 1–8.
- Ramos, E. and Barros, H. 2005. Prevalence of hypertension in 13-year-old adolescents in Porto, Portugal. *Revista Portuguesa de Cardiologia*, 24(9), pp. 1075–1087.
- Reboussin, D. M. *et al.* 2018. Systematic Review for the 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association. *Hypertension*. 71(6). pp. 116-135, (<https://www.ncbi.nlm.nih.gov/pubmed/29133355>. Diakses 23 Juni 2019).
- Reckelhoff, J. F. 2001. Gender Differences in the Regulation of Blood Pressure *American Journal of Hypertension*. 37(5). pp. 1199-1208, (<https://www.ncbi.nlm.nih.gov/pubmed/11358929>. Diakses 23 Juni 2019).
- Robert M. Kliegman, M. 2004. Nelson Text Book of Pediatrics 20th edition. Elsevier
- Saing, J. H. (2005). Hipertensi pada Remaja. *Sari Pediatri*. 6(4), pp. 159–165.
- Sari, Y. and Pardede, S. 2016. Hipertensi pada Remaja. *Majalah Kedokteran UKI*, XXXII(1).
- Savitha, M. . *et al.* 2007. Essential Hypertension in Early and Mid-adolescence. *Indian Journal of Pediatrics*, 74(11), pp. 1007–1011.
- Schwimmer, J. B., Burwinkle, T. M. and Varni, J. W. 2003. Health-Related Quality of Life of Severely Obese Children and Adolescents. *Journal of the American Medical Association*, 289(14), pp. 1813–1819.
- Sekarwana, N., Rachmadi, D. and Hilmanto, D. 2011. *Unit Kerja Koordinasi Nefrologi Ikatan Dokter Anak Indonesia Konsensus Tatalaksana Hipertensi pada Anak, UKK Nefrologi*.
- Singh, M., Mensah, G. A. and Bakris, G. 2010. Pathogenesis and Clinical

- Physiology of Hypertension. *Cardiology Clinics*. 18(4). pp. 545-559. (<https://www.ncbi.nlm.nih.gov/pubmed/20937440>. Diakses 12 Juni 2019)
- Sinha, M. D. and Reid, C. J. D. 2007. Evaluation of Blood Pressure in Children. *Current Opinion in Nephrology and Hypertension*, 16(6), pp. 577–584.
- Soenarta, A. A. *et al.* 2015. Pedoman Tatalaksana Hipertensi Pada Penyakit Kardiovaskuler. *Indonesia Heart Association*. pp. 6-16.
- Spurway, N and MacLaren, D. 2006. *The Physiology of Training, The Physiology of Training*. Elsevier Ltd.
- Taler, S. J. 2008. Secondary Causes of Hypertension. *Primary Care - Clinics in Office Practice*. 35(3), pp. 489–500, (<https://www.ncbi.nlm.nih.gov/pubmed/18710666>. Diakses 20 Juni 2019).
- Tanjung, M. C. and Sekartini, R. 2017. Masalah Tidur pada Anak, *Sari Pediatri*, 6(3), p. 138.
- Theodore, R. F. *et al.* 2017. Childhood to Early Mid-Life Systolic Blood Pressure Trajectories: Early Life Predictors, Effect Modifiers, and Adult Cardiovascular Outcomes. *Physiology & behavior*. 176(3), pp. 139–148.
- Trevisol, D. *et al.* 2016. Health-related quality of life and hypertension: a systematic review and meta-analysis of observational studies. *Journal of Hypertension*. 29(02), pp. 179–188.
- Ujunwa, F. A. *et al.* 2013. Hypertension and prehypertension among adolescents in secondary schools in Enugu, South East Nigeria. *Italian Journal of Pediatrics*, 39(1), pp. 1–6.
- Varni, J. W., Seid, M. and Rode, C. A. 2010. The PedsQL™: Measurement model for the pediatric quality of life inventory. *Medical Care*. 37(2). pp. 126-139, (<https://www.ncbi.nlm.nih.gov/pubmed/10024117>. Diakses 3 Juli 2019).
- Van der Velde, J. H. P. M. *et al.* 2017. Sedentary behavior is only marginally associated with physical function in adults aged 40-75 years-the maastricht study', *Frontiers in Physiology*, 8(APR), pp. 1–9.
- Whelton, P. K. *et al.* 2017. Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Hypertension*. 71(6), pp. 13–115.