Segmentation model validation and area mapping classification area of peatlands as initial value of Fuzzy Kohonen Clustering Network.

By Erwin

WORD COUNT 2530 TIME SUBMITTED 20-SEP-2016 07:01AM
PAPER ID 25020481

Segmentation model validation and area mapping classification area of peatlands as initial value of Fuzzy Kohonen Clustering Network.

Abstract. Ogan Komering Ilir (OKI) is located at the eastern of South Sumatra Province, $7^0$37'22"-$7^0$47'37" latitude and $108^0$45'11"-$109^0$2'54" longitude. Digital image of land was captured from Landsat 8 satellite path 124/row 062. Landsat 8 is new generation satellite which has two sensors, Operation Land Manager (OLI) and Thermal Infra-Red Sensor (TIRS). In preprocessing step, there are a geometric correction, radiometric correction, and cropping of the digital images which resulting coordinated geography. Classification uses maximum likelihood estimator algorithm. In segmentation process and classification, gray value spread is into evenly after applying histogram technique. The results of entropy value are 7,42 which is the highest of result image classification, then the smallest entropy value in the result of correction mapping are 6,39. The three of them prove that they have enough high entropy value. Then the result of peatlands classification is given overall accuracy value = = 94,0012% and *overall kappa value* = 0,9230 so the result of classification can be considered to be right.

Introduction

Image segmentation is one of the complicated problems in image processing. The target which has to be achieved from image processing is partitioning the image into multiple areas which mean according to some features, so there are some features in one area and others area are not same. Image segmentation is a feature based on pixel classification procedure, then the clustering analysis is a viable way to apply the image segmentation.(Bosheng, Yuke, & Jiangping, 2009). Image segmentation techniques automatically classify adjacent pixels to contiguous region according to similarity criteria of property pixels. The object can be better than a pixel, in terms of knowing their neighbors along with spatial connection and spectral between pixels.

Some of the features affect the segmentation result depending on several things; parameters scale, shape, Smoothness, and harmony. Parameters scale is a measure that specifies the maximum value of allowed heterogeneity in generating image objects where for heterogeneous data, the objects that are generated will be smaller than more homogeneous data and by modifying parameters scale value can be made the diverse size of image objects. An indirect form can specify color criteria, stating what percentage of spectral values in the layer image that will contribute to the overall criteria of their homogeneity.

Image segmentation includes part of image processing (Jabbar & Mehrotra, 2008). Image segmentation aims to separate the region object with the background region so that the object in the image are easy to be analyzed in order to identify objects. (Arifin, Asano, Hiroshima, Sciences, & Arts, 2006).
The utilization of neuro-fuzzy systems is for automatic image segmentation and detect the edge is one of new breakthrough that will certainly add to the advanced digital world particularly image (Shweta Lawanya Rao and C.L.Chandrakar, 2012).

The whole procedure of image classification of remote sensing aims to group all the pixels in the image into thematic cover class and land utilization. Conventional classification technique uses the unsupervised technique as well as supervised technique while taking decision method can be used minimum distance method, parallelepiped and maximum likelihood. However, because of the clustering process, the partition is very sensitive in the steps of clustering center initialization so that causes tend to stick on local optimization, therefore it needs validation on the model.

Several methods can be used to find a model segmentation optimization and classification such as Fuzzy Kohonen Clustering Network for Hazard zonation with Algorithm Kringing for Interpolation Data, identifying flood area using Classifier which is known as Fuzzy Kohonen Local Information C-Means (FKLICM) with the assistance or the comparison using HKFCM-r Classifier (Singh & Singh, 2016), comparing learning methods in clustering on pattern recognition , extraction,VQ, Image Segmentation, dan data mining (Du, 2010), Analysis Entropy using spatial information by adopting general characteristics Hopfield Neural Network (HNN) and multi-synapse neural network (MSNN) (Huo, Yin, & Polytechnic, 2015), Comparing a Segmentation of different color images (Jabbar & Ahson, 2010). Test the effectiveness of the maximum iteration t and initialization maximum value 0 m on the behavior of FKCN(Jabbar, 2012). Obtaining and Analyzing information about object or earth, region or symptom (Jabbar & Ahson, 2010). The concept of fuzzy gives the set to handling a vague and inaccurate data (Hamdy, 2012). It can be divided into two main categories : Supervised and unsupervised (Jecheva & Nikolova, 2016). The algorithm used is a modified version of the Kohonen Algorithm which found in network nerve. So, this algorithm can also refer as Fuzzy Clustering Kohonen Network (FKCN) (Fernandes, Thomas, Joseph, & Joseph, 2011).

Statistic Characteristic

One of the Characteristic of digital image textures which can be calculated from statistics is the intensity value of the gray scale in the image that is mean, deviation standard, histograms, and entropy value. In this research, all those three parameters are calculated and used to validate the model. Mean indicates the average value of the matrix which formed from the value of the pixels

of an image while the deviation standard indicates the spread of data. Mathematically the calculation of mean and standard deviation using equations (1)

$$\bar{x} = \frac{1}{n}\sum_{i=1}^{n} x_i$$

$$std = \sqrt{\frac{1}{n}\left(\sum_{i=1}^{n} x_i - \bar{x}\right)^2} \qquad (1)$$

Histogram

The histogram is a graph that shows the spread of the values of the pixels of the image, then it can be known the value of relative frequency. In addition, the histogram can indicate the level of brightness and contrast of an image. Histogram calculation mathematically can be calculated using equation (2)

The distribution of It and ft provide information about the appearance of the image. The image histogram is distributed evenly on the whole level of grayscale which means having a good level of contrast when histogram accumulates in the dark area means having Dim image and histograms which accumulate in the light area (high intensity) means showing a bright image.

Entropy.

Image Entropy is statistic to measure the randomness of a distribution value pixels. The image is called as perfect if have zero entropy. Entropy can be used as a measure of statistics on the characterization of the texture of the grayscale image input. Entropy formulated by equation (3).

2.Materials and Method

a. The subject of the research is an area of peat moss distribution in the province of Ogan Komering Ilir (OKI) South Sumatra which is geographically situated between 104o20 ' and 106o00 ' East longitude and 2o30 ' to 4o15 ' South latitude

b. the Data used in this research is the primary data. The data used in this study i.e. Landsat 8 image downloaded from the USGS website with path/row 124/062 with photoshoot on 17-07-2015 Landsat7 Image and ETMorthorectification in 2010 which will be used for geometric correction of reference

Steps Image data processing on Landsat 8 which done in this research are:

1. Radiometric and Geometric Correction

Image data of the Landsat 8 is done using the image of Landsat 7 ETM orthorectification (the image has been processed and corrected geometric) in 2009 to the date of acquisition 4th August 2009. While Radiometric corrections were done to fix the value of the pixels to match with the histogram adjustment technique. While the geometric correction is done for corrected between the coordinates of the pixel digital image field controls with topographic map coordinates.

2. Radiometric Correction

Radiometric correction is done by changing the value of the digital number (DN) on the image of being a value of reflectance. The value of the DN retrieved from metadata which contained in one of the files in the image data folder which downloaded. The calculation of the value of the reflectance done for channel 2 (blue), 4 (red) and 5 (Infrared close/NIR). The selection of the channel based on the channel that will be used in the calculation of an index of vegetation.

3.Cropping

The image is done to get the research areas with a view to being able to do image data processing that is more focused, detailed and optimal. With expectation generates the image of a representative and continuous. The cutting image has value to other utilities, namely reducing the areas that will be examined in accordance with the area of interest. The image cuts can be carried out in accordance with the desired polygon shape such as restrictions on the territory of the County, district or village. So, image cropping (cutting images) can be useful to facilitate the performance of a person while being observing the image, especially in restricting certain regions.

4.Classification of land cover

Land cover classification is used the guidance classification by using the maximum likelihood algorithm and based on land cover types on the map. In this algorithm the pixels classified as a particular object according to the shape, size and orientation of the samples in the feature space. While the accuracy of the algorithm can be computed using the confusion matrix with the given tolerance limit i.e. $\geq 80\%$.

Maximum Likelihood Algorithm

1. Supposed random variable $x_1, x_2, \dots, x_n$ has joint probability distribution $f(x_1, x_2, \dots, x_n; \theta)$
2. Form of Likelihood function as $L(\theta) = f(x_1, x_2, \dots, x_n; \theta)$
3. Maximum Likelihood function (Max $L(\theta)$) with method:

$$\frac{dL(\theta)}{d\theta} = 0 \text{or} \frac{dLog\ L(\theta)}{d\theta} = 0$$

4. If more than one parameter:

$$L(\theta_1, \theta_2, \dots, \theta_n) = \prod_i^n f(x_i; \theta_1, \theta_2, \dots, \theta_n)$$

$$\frac{dL(\theta_1,\theta_2,\dots,\theta_n\theta)}{d\theta_1} = 0, \text{---}, \frac{dL(\theta_1,\theta_2,\dots,\theta_n\theta)}{d\theta_n} = 0.$$

3. Result and Discussions

Histogram for 3 (three) mapping image is the map of correction result (radiometric and geometric) and map of classification result are counted using Matlab 2009a. Those are presented in figure 1 as :



a b c

Figure 1. Histogram a. Map of correction result, b. Map of segmentation result dan c. Map of classification result

From histogram result which can be seen in figure 1. Map image of correction result originally has heap histogram in a low area (0-100). The heap histogram in this area is caused the map is too dark (dim).

After the segmentation process has done, the histogram is seen to start spreading and in the classification process, the histogram is seen spreading in all gray area(0-255). Spread histogram evenly means the image result into better quality and better level brightness.

Calculation value of statistic value RGB (red, green and blue) is in the form of entropy, mean, and deviation standard for three type of image is seen in table 1 below:

Table 1.Comparision of the Statistic of Correction Geometry, Segmentation and Classification Results

Statistics	Corrected Map	Segmentation	Classification
Matrix Dimension	193x223x3	227x226x3	309x304x3
Entropy of Image	6.39	7.69	7.42
Red			
Entropy	6.50	7.36	7.60
Mean	53.32	157.71	115.51
Standard Deviation	39.04	54.34	51.07
Green			
Entropy	6.30	6.80	7.34
Mean	43.69	134.50	108.89
Standard Deviation	19.98	47.42	47.10
Blue			
Entropy	6.28	6.87	5.48
Mean	43.80	76.49	18.95
Standard Deviation	19.99	32.28	17.55

Based on table 1, it is shown that the highest entropy value in classification image result is 7,42, while the smallest entropy value in the map of correction result is 6,39.Statistic of blue color shows the smallest entropy value for corrected map and map of classification result are 6,28 and 5,48, while in the map of segmentation result shows green color has the smallest entropy value is 6,89. The three of image prove that those have enough high entropy value. It means that the image is still far from excellence. The image can be said excellence if it has zero in entropy value. Zero entropy value can be earned if image histogram evenly in all of the parts.

Map of correction result, segmentation, and peatlands classification is seen in figure 2, as:



Figure 2. Peat lands Mapping Ogan Komering Ilir District, South Sumatra Province a. Classification Result, b. Correction Result and c. Segmentation Result

In this research, the image of red color shows peatlands classification result and generate overall accuracy value = 94,0012% and overall kappa value = 0,9230. With that result, classification can be considered to be right.

. Contour plot for the three map show in figure 3, as:



Figure 3, Contour Plot with level automatically, 1,2 and 3, a. corrected map b. map of segmentation result and c. map of the classification result

Conclusion

Utilization histogram technique can be applied in segmentation process and classification in the image of peatlands mapping which causes the spread of gray value evenly.

The highest entropy value in classification image result is 7,42, while the smallest entropy value in correction mapping result is 6,39. The three of image prove that those have enough high entropy value.

The result of peatlands classification is given overall accuracy value = 94,0012% and overall kappa value = 0,9230 so the classification result is considered correct.

Acknowledgements

Thank you so much to reviewers for all review result which has completed this journal. This journal is powered by grants research Unggulan Kompetitif UniversitasSriwijaya scheme.

References

Arifin, A. Z., Asano, A., Hiroshima, H., Sciences, I., & Arts, I. (2006). Review Paper Image segmentation by histogram thresholding using hierarchical cluster analysis, *1*, 1–4.

Bosheng, L., Yuke, W., & Jiangping, L. (2009). A noise-resistant fuzzy kohonen clustering network algorithm for color image segmentation. *Proceedings of 2009 4th International Conference on Computer Science and Education, ICCSE 2009*, 44–48. http://doi.org/10.1109/ICCSE.2009.5228527

Du, K. L. (2010). Clustering: A neural network approach. *Neural Networks*, *23*(1), 89–107.

http://doi.org/10.1016/j.neunet.2009.08.007

Faisal, M., & Irwansyah, E. D. Y. (2014). BUILDING DAMAGE HAZARD ZONATION USING FKCN, *70*(2), 288–292.

Fernandes, D. V., Thomas, T., Joseph, N., & Joseph, J. (2011). Image Segmentation using Fuzzy - Kohonen Algorithm, (Icmlc), 176–179.

Hamdy, A. (2012). Fuzzy Logic for Enhancing the Sensitivity of COCOMO Cost Model, *3*(9), 1292–1297.

Huo, B., Yin, F., & Polytechnic, B. (2015). Image Segmentation using Neural Network and Modified Entropy, *8*(3), 251–260.

Jabbar, N. I. (2012). Estimation Clusters Based Preprocessing in Fuzzy Kohonen Clustering Network for Image Segmentation. *International Conference on Artificial Intelligence and Image Processing*, 207–210.

Jabbar, N. I., & Ahson, S. I. (2010). Modified fuzzy Kohonen clustering network for image segmentation. *2010 International Conference on Financial Theory and Engineering, ICFTE 2010*, 176–179. http://doi.org/10.1109/ICFTE.2010.5499400

Jabbar, N. I., & Mehrotra, M. (2008). Application of Fuzzy Neural Network for Image Tumor Description. *Proceedings of World Academy of Science*, *1*(8), 575–577. Retrieved from http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.193.1921&rep=rep1&type=pdf

Jecheva, V., & Nikolova, E. (2016). Some clustering-based methodology applications to anomaly intrusion detection systems. *International Journal of Security and Its Applications*, *10*(1), 215–228. http://doi.org/10.14257/ijsia.2016.10.1.20

Shweta Lawanya Rao and C.L.Chandrakar. (2012). An Adaptive Neuro-Fuzzy System for Automatic Image Segmentation and Edge Detection. *International Journal of Data Warehousing (IJDW)*, *4*(1), 33–40.

Singh, K. K., & Singh, A. (2016). Identification of flooded area from satellite images using Hybrid Kohonen Fuzzy C-Means sigma classifier. *The Egyptian Journal of Remote Sensing and Space Science*. http://doi.org/10.1016/j.ejrs.2016.04.003

Segmentation model validation and area mapping classification area of peatlands as initial value of Fuzzy Kohonen Clustering Network.

ORIGINALITY REPORT

10%

SIMILARITY INDEX

PRIMARY SOURCES

1	www.sersc.org Internet	28 words — 1%
2	Bosheng Lu. "A noise-resistant fuzzy Kohonen clustering network algorithm for color image segmentation", 2009 4th International Conference on Computer Science & Education, 07/2009 Crossref	28 words — 1%
3	103.1.115.132 Internet	27 words — 1%
4	Huseyin Bayraktar. "Fuzzy logic analysis of flood disaster monitoring and assessment of damage in SE Anatolia Turkey", 2009 4th International Conference on Recent Advances in Space Technologies, 06/2009 Crossref	26 words — 1%
5	m.scirp.org Internet	23 words — 1%
6	Selvaraj, D. and Dhanasekaran, R.. "Segmentation of Cerebrospinal Fluid and Internal Brain Nuclei in Brain Magnetic Resonance Images", International Review on Computers & Software, 2013. Publications	21 words — 1%
7	dspace.aus.edu:8443 Internet	21 words — 1%

8	community-infrastructuring.org Internet	18 words — 1%
9	Neural Networks and Statistical Learning, 2014. Crossref	12 words — < 1%
10	Bingquan Huo and Fengling Yin. "Image Segmentation using Neural Network and Modified Entropy", International Journal of Signal Processing, Image Processing & Pattern Recognition, 2015. Publications	11 words — < 1%
11	www.academia.edu Internet	11 words — < 1%
12	www.scribd.com Internet	8 words — < 1%
13	www.combustion.org.uk Internet	8 words — < 1%
14	www.di.uevora.pt Internet	8 words — < 1%
15	Advances in Intelligent and Soft Computing, 2010. Crossref	6 words — < 1%

EXCLUDE QUOTES OFF
EXCLUDE MATCHES OFF
EXCLUDE BIBLIOGRAPHY OFF