

## DAFTAR PUSTAKA

- Astakhov, V. P. and Davim, J. P. (2008) *Tools ( Geometry and Material ) and Tool Wear*. London: Springer London. doi: 10.1007/978-1-84800-213-5\_2.
- Bothroyd, G. and Knight, W. A. (1989) *Fundamentals Of Machining And Machine Tools*. 2nd edn. New York: Marcel Dekker, INC.
- Cheng, C., Phipps, D. and Alkhaddar, R. M. (2005) 'Treatment of spent metalworking fluids', 39, pp. 4051–4063. doi: 10.1016/j.watres.2005.07.012.
- Ginting, A. (2006) 'Karakteristik Pemotongan Ortogonal Kering Paduan Titanium Ti6Al4V Menggunakan Pahat Karbida', *Jurnal Teknik Mesin*, 8(2), pp. 37–43. Available at: <http://puslit2.petra.ac.id/ejournal/index.php/mes/article/view/16522>.
- Grzesik, W. (2006) 'Determination of temperature distribution in the cutting zone using hybrid analytical-FEM technique', 46, pp. 651–658. doi: 10.1016/j.ijmachtools.2005.07.009.
- Hong, S. Y. and Ding, Y. (2001) 'Cooling approaches and cutting temperatures in cryogenic machining of Ti-6Al-4V', 41, pp. 1417–1437.
- Hyatt, J. (1984) 'Liquid and supercritical carbon dioxide as organic solvents', *Organic Chemistry*.
- Hyatt, J. A. (1984) 'Liquid and Supercritical Carbon Dioxide as Organic Solvents', (2), pp. 5097–5101. doi: 10.1021/jo00200a016.
- Jayal, A. D., Badurdeen, F., Jr, O. W. D. and Jawahir, I. S. (2010) 'CIRP Journal of Manufacturing Science and Technology Sustainable manufacturing : Modeling and optimization challenges at the product , process and system levels', 2, pp. 144–152. doi: 10.1016/j.cirpj.2010.03.006.
- Kalpakjian, S. and Schmid, S. R. (2000) *Manufacturing Engineering and Technology Forth Edition*. 4th edn. Richmond: Prentice Hall.
- Karpat, Y. (2011) 'Temperature dependent flow softening of titanium alloy Ti6Al4V: An investigation using finite element simulation of machining', *Journal of Materials Processing Technology*, 211(4), pp. 737–749. doi: 10.1016/j.jmatprotec.2010.12.008.
- Kesavan, D. R. and Ramnath, B. V. (2010) *Machining Tools*. 1st edn. New Delhi: Laxmi Publications Pvt.
- Kim, K. W., Lee, W. Y. and Sin, H. (1999) 'A finite element analysis for the characteristics of temperature and stress in micro-machining considering the size effect', *International Journal of Machine Tools and Manufacture*,

- 39(9), pp. 1507–1524. doi: 10.1016/S0890-6955(98)00071-6.
- Machai, C. and Biermann, D. (2011) ‘Journal of Materials Processing Technology Machining of  $\alpha$ -titanium-alloy Ti – 10V – 2Fe – 3Al under cryogenic conditions: Cooling with carbon dioxide snow’, *Journal of Materials Processing Tech.* Elsevier B.V., 211(6), pp. 1175–1183. doi: 10.1016/j.jmatprotec.2011.01.022.
- Markopoulos, A. P. (2013) *Finite Element Method in Machining Processes*. Edited by J. Paulo Davim. London: Springer London. doi: 10.1007/978-1-4471-4330-7.
- Özel, T. (2006) ‘The influence of friction models on finite element simulations of machining’, *International Journal of Machine Tools and Manufacture*, 46(5), pp. 518–530. doi: 10.1016/j.ijmachtools.2005.07.001.
- Ozlu, E., Budak, E. and Molinari, A. (2009) ‘Analytical and experimental investigation of rake contact and friction behavior in metal cutting’, *International Journal of Machine Tools and Manufacture*. Elsevier, 49(11), pp. 865–875. doi: 10.1016/j.ijmachtools.2009.05.005.
- Rahim, E. A., Rahim, A. A., Ibrahim, M. R. and Mohid, Z. (2016) ‘Experimental Investigation of Supercritical Carbon Dioxide ( SCCO 2 ) Performance as a Sustainable Cooling Technique’, *Procedia CIRP*. Elsevier B.V., 40, pp. 637–641. doi: 10.1016/j.procir.2016.01.147.
- Rochim, T. (1993) *Teori Dan Teknologi Proses Pemesinan*. Bandung: Higher Education Development Support.
- Rochim, T. (2007) *PROSES PEMESINAN buku 1: Klasifikasi Proses, Gaya dan Daya Pemesinan*. 1st edn. Bandung: ITB.
- Rusnaldy and Setiyana, B. (2006) ‘PENGARUH PEMAKANAN (FEED) TERHADAP GEOMETRI DAN KEKERASAN GERAM PADA HIGH SPEED MACHINING PROCESSES’, 8, pp. 15–20.
- Shokrani, A., Dhokia, V., Muñoz-Escalona, P. and Newman, S. T. (2013) ‘State-of-the-art cryogenic machining and processing’, *International Journal of Computer Integrated Manufacturing*, 26(November), pp. 616–648. doi: 10.1080/0951192X.2012.749531.
- Sun, S., Brandt, M., Palanisamy, S. and Dargusch, M. S. (2015) ‘Journal of Materials Processing Technology Effect of cryogenic compressed air on the evolution of cutting force and tool wear during machining of Ti – 6Al – 4V alloy’, *Journal of Materials Processing Tech.* Elsevier B.V., 221, pp. 243–254. doi: 10.1016/j.jmatprotec.2015.02.017.
- Tom, J. W. and Debenedetti, P. G. (1991) ‘Particle formation with supercritical fluids-a review’, *Journal of Aerosol Science*, 22(5), pp. 555–584. doi: 10.1016/0021-8502(91)90013-8.
- Wang, S. and Clarens, A. F. (2012) ‘Analytical model of metalworking fluid penetration into the flank contact zone in orthogonal cutting’. doi:

<http://dx.doi.org/10.1016/j.jmapro.2012.09.015>.

Yildiz, Y. and Nalbant, M. (2008) 'A review of cryogenic cooling in machining processes', 48, pp. 947–964. doi: 10.1016/j.ijmachtools.2008.01.008.