

Freshwater fishes of Gegas Dam, South Sumatra Indonesia: composition and diversity

Dian Samitra^{1,3*}, Harmoko¹, Sepriyaningsih¹, Zico Fakhrur Rozi¹, Arum Setiawan² and Indra Yustian²

¹*STKIP PGRI Lubuklinggau, Jalan. Mayor Toha Kec. Lubuklinggau Timur 1, Lubuklinggau, South Sumatra, Indonesia*

²*Departement of Biology, Faculty of Science, Universitas Sriwijaya, Jalan Raya Palembang-Prabumulih km 32, Indralaya, South Sumatra, 30662, Indonesia.*

³*Zoology Division, Generasi Biologi Indonesia Fundation (Genbonesia), Jalan Swadaya Barat No.4, Gersik 61171, East Java, Indonesia*

(Received 5 July, 2020; accepted 11 August, 2020)

ABSTRACT

Fish studies can be essential information about the health of aquatic ecosystems as well as a basis for policy making management of fish resources. Study of fishes in the Gegas Dam has never been reported. This study aims to determine the diversity of fish in the Gegas Dam. Data collection was conducted during rainy season in March 2020 at the Gegas Dam, Musi Rawas Regency, South Sumatra. Fish samples were caught with fish bait, cast net, gill net, and hexagonal fish trap. The fish obtained are tabulated based on species, genus and family. Data analysis included the index of Shannon diversity, Pielou's evenness index and Simpson dominance index. Total fishes collected during the study were 414 individuals. The composition of the fish consists of 25 species representing 19 genera, and 12 families. *Desmopuntius gemellus* is the species most caught during the study. The results of diversity index analysis were 3.01, evenness index was 0.93 and dominance index was 0.05. Diversity in the Gegas Dam is of medium category with high species evenness and no species dominate.

Key words : Biodiversity, Ecology, Ecosystems, Fish, Population

Introduction

Dam construction is a plays role in human development to control river flow and is used to generate electricity, and irrigation (Agostinho *et al.*, 2008; Jellyman & Harding, 2012). The dam threat to biodiversity is due to changing functional characteristics of biological communities, ecosystem processes and creating new ecosystems (Baxter, 1977; Cardinale *et al.*, 2012; Oliveira *et al.*, 2018). Dams change anthropogenic, including water pollution, overfishing, lake reclamation for agricultural land

(Hu *et al.*, 2015). Dam can also cause problems for fish i.e diversity, migration delay, non-native species (Agostinho *et al.*, 2008; Azami *et al.*, 2012; Cheng *et al.*, 2015; Jawad, 2003; Marschall *et al.*, 2011; Sá-Oliveira *et al.*, 2015).

Fish studies in South Sumatra has been widely carried out in rivers such as the Kelingi River (Samitra and Rozi, 2018a), Lakitan River (Samitra and Rozi, 2019b), Musi River (Prianto and Nurdawaty, 2013; Prianto and Suryanti, 2010, and Iqbal *et al.*, 2018) and the Banyuasin River (Prianto and Aprianti, 2012). The study focused on the river,

even though a complete study including the dam needs to be done. Fish studies can be essential information about the health of aquatic ecosystems and become the basis for policy making management of fish resources and conservation of an aquatic area (Hasan *et al.*, 2015; Mote, 2017; Sukmono *et al.*, 2013). In addition, the fish study of dam is helpful in problems like pollution control, the construction and renovation of dams and lakes, fish and aquatic life (Theurkar *et al.*, 2013). This study aims to determine the diversity of fish in the Gegas Dam.

Materials and Methods

The field study was carried out in March 2020 at the Gegas Dam, Musi Rawas, South Sumatra, with coordinates $3^{\circ}14'57.9''S$ $103^{\circ}08'10.2''E$ (Figure 1). Fish sample were collected through fishing efforts using fish bait, cast net, gill nets, hexagonal fish trap and also help from the local Fisherman. Sampling is done at the selected point by purposive sampling based on potential spots of fish. Captured fish were identified refers to Kottelat *et al.* (1993); Iqbal (2011); Iqbal *et al.* (2018) and Sukmono and Margaretha (2017).



Fig. 1. Location of the Gegas Dam, Musi Rawas, South Sumatra

Fish data are tabulated by species and family. Data analysis includes species composition, Shannon diversity index, Pielou's evenness index and Simpson dominance index (Guo *et al.*, 2018; Hossain

et al., 2017; Samitra and Rozi, 2019b).

Results

Fish composition

A total of 414 fish sample were caught during research. The fish composition consists of 25 species representing 19 genera, and 12 families (Table 1). Three families [Cyprinidae ($n=237$ specimens, 9 species), Clariidae ($n=23$ specimens, 3 species) and Osphronemidae ($n=29$ specimens, 3 species)] are the most species-rich families. The most common species found in Gegas Dam *Desmopuntius gemellus* (8.45%), while the least commonly found was *Pangio kuhlii* and *Chitala lopis* (0.24%) (Table 1).

Table 1. Fish Composition in Gegas Dam

Families	Species	Abundance Relative (%)
Anabantidae	<i>Anabas testudineus</i>	3.14
Aplocheilidae	<i>Aplocheilus panchax</i>	6.52
Bagridae	<i>Mystus nigriceps</i>	3.38
Channidae	<i>Channa striata</i>	2.66
	<i>Channa micropeltes</i>	3.14
Clariidae	<i>Clarias leiacanthus</i>	2.66
	<i>Clarias nieuhofii</i>	2.17
	<i>Clarias gariepinus</i>	0.72
Cobitidae	<i>Pangio kuhlii</i>	0.24
Cyprinidae	<i>Hampala macrolepidota</i>	6.28
	<i>Puntigrus tetrazona</i>	6.76
	<i>Cyclocheilichthys apogon</i>	5.07
	<i>Osteochilus vittatus</i>	3.86
	<i>Rasbora trilineata</i>	6.28
	<i>Labiobarbus leptochelus</i>	6.28
	<i>Desmopuntius gemellus</i>	8.45
	<i>Rasbora nematotaenia</i>	7.49
	<i>Rasbora cephalotaenia</i>	6.76
Helostomatidae	<i>Helostoma temminckii</i>	5.56
Nandidae	<i>Nandus nebulosus</i>	1.21
Notopteridae	<i>Chitala lopis</i>	0.24
Osphronemidae	<i>Osphronemus goramy</i>	1.21
	<i>Trichopodus trichopterus</i>	3.62
	<i>Trichopodus pectoralis</i>	2.17
Pristolepididae	<i>Pristolepis fasciata</i>	4.11

Ecological index

The results of the data analysis in the field revealed that the diversity of fish in the Gegas Dam was 3.01 with the medium category, while the evenness index was 0.93 with the evenly distributed category and the index of dominance was 0.05 with the low category (Table 2). Environmental parameter data

(Table 3) shows that water temperature is 27.5, visibility is 93.45 cm, pH is 6.87, and DO is 40 mg.L⁻¹. Based on these data it can be said that the environmental parameters in the Gegas Dam are still within the tolerance limits for fish growth and development.

Table 2. Index of Diversity, Evenness and Dominance in Gegas Dam

Index	Value
Diversity (H')	3.01
Evenness (E)	0.93
Dominance (C)	0.05

Table 3. Data on Environmental Parameters at Gegas Dam

Parameter	Average
Water Temperature (!)	27.5
Visibility (cm)	93.45
pH	6.87
DO (mg/L)	42.3

Discussion

The fish most common in Gegas Dam are different from the results of research in Lakitan Dam (*Barbonyx gonionotus*) and Perjaya Weir (*Mystacoleucus marginatus*) (Nizar *et al.*, 2014; Samitra and Rozi, 2018b) in Gegas Dam the most caught fish is *Desmopuntius gemellus*. This can affect the habitat in Dam Gegas suitable for the growth of *Desmopuntius gemellus*, habitat because it gives importance to the success of fish (Thomas *et al.*, 2003). The difference in species in each water due to differences in habitat characteristics, food composition as well as chemical and physical factors (Daga *et al.*, 2012; Tobes *et al.*, 2016).

Fish *Chitala Lopis* and *Pangio kuhlii* the fewest fish found in the Gegas Dam. Some studies explain that the population of belida fish (*Chitala* sp) this has decreased due to human activities that are not environmentally friendly, changes in environmental conditions (Nugroho *et al.*, 2019; Wibowo *et al.*, 2010). *Chitala* sp is much in demand by the community so that fishermen over fishing even though this fish has a low fecundity, so it can cause these fish to become scarce (Wibowo *et al.*, 2010). The Government of Indonesia in 2018 has determined that all types of belida fish in Indonesia are protected (Indo-

nesian Government, 2018)

We found *Pangio kuhlii* in puddles that arise after rain around the Gegas Dam. Though these fish live in forest canals and peat waters (Froese and Pauly, 2019), so the possibility of these fish carried by the current when it rains. This fish can be used as ornamental fish and has been traded in the domestic and export markets (Fahmi *et al.*, 2015).

The Cyprinidae family is the fish family most commonly found in the Gegas Dam, this is the same as several other studies such as in the Lakitan Dam, Musi Rawas, South Sumatra (Samitra and Rozi, 2019a, 2018b), Perjaya Weir, Komering River in South Sumatra (Nizar *et al.*, 2014) and Kelingi River, South Sumatra (Samitra and Rozi, 2018a) and the Luk Ulo River, Kebumen (Wahyuni and Zakaria, 2018). Cyprinidae is the largest family in the World except in Australia, Madagascar, New Zealand, and South America (although in some places it has been introduced) (Esmaeili *et al.*, 2010). They are easily adaptable, most commonly found in tropical waters and generally plays an important role in supporting human life (Kottelat and Whitten, 1996; Samitra and Rozi, 2019b; Thai *et al.*, 2007).

We refer to Froese & Pauly (2019) for species distribution and habitat. The native species were found as many as 24 species and non-native species as many as 1 species of fish. We did not find endemic fish in South Sumatra, but found the endemic fish of Sumatra, namely *Desmopuntius gemellus*. The non-native species found was *Clarias gariepinus*, this fish from Africa and was cultivated for consumption fish (Froese and Pauly, 2019; Muhammad and Andriyanto, 2013). We interview community around dam, that the Government of Musi Rawas Regency has ever released (introduced) fish such as *Clarias gariepinus*, *Pangasius* sp, and *Oreochromis niloticus*. The non-native species carried out by the government might aim fortaken restocking, this activity needs to be into consideration because many studies have shown the non-native species can reduce native fish (Britton and Orsi, 2012; Latini and Jr, 2004; Nuryanto *et al.*, 2015; Umar and Sulaiman, 2013). The non-native species very dangerous for native fishes of the Gegas Dam, because it can be a competitor of native fish in obtaining habitat and food, predation, ecological changes (Gallardo *et al.*, 2016; Grabowska *et al.*, 2020; Ribeiro and Leunda, 2012). In fact, native fish can be cultivated for consumption and ornamental fish. *Osphronemus goramy*, *Hampala macrolepidota*, *Helostoma temminckii*,

Pristolepis fasciata and *Chitala lopis* for consumption. *Pangio Kuhlii* andfish of the genus *Rasbora* can be cultivated into ornamental fish.

The diversity of fish in the Gegas Dam is of medium category, with evenly distributed species and low dominance. Fish diversity in the Gegas Dam is lower than in the Perjaya Dam (Nizar *et al.*, 2014), and higher than the diversity of fish in the Simpur Dam (Gustomi *et al.*, 2013). Diversity index depends on variation in the number of individuals of each species (Hossain *et al.*, 2013; Sihombing *et al.*, 2017). The greater the number of fish species and the variation in the number of individuals of each species, the greater the diversity of fish in an aquatic ecosystem (Grenouillet, *et al.*, 2002; Sriwidodo *et al.*, 2013).

The category diversity is showing the diversity of fish in the Gegas Dam in good condition because it is supported by a stable ecosystem and there is no disturbance. The dominance of fish in the Gegas Dam can be said to be relatively nonexistent as the dominance index value reaches almost 0. The absence of high dominance in the Gegas Dam signifies competition for balanced food and habitat as well as a balance between predators and prey (Zulfikri *et al.*, 2016; Sinclair *et al.*, 2006). The government has banned the use of electrofishing and poison, helping to maintain the diversity of fish in dams. Data on environmental parameters in the Gegas Dam still (Table 3) support fish life, where the optimum temperature is 20-30 °C, pH 6-9, DO > 4 mg.L⁻¹ (Wahyuni and Zakaria, 2018).

Conclusion

Diversity in the Gegas Dam is of medium category with high species evenness and no species dominate.

Acknowledgements

This research was funded by the Indonesian Ministry of Education and Culture. We would like to thank the Lubuklinggau Kehati Team for helping us gather data.

References

- Agostinho, A., Pelicice, F. and Gomes, L. 2008. Dams and the fish fauna of the Neotropical region : impacts and management related to diversity and fisheries. *Braz. J. Biol.* 68(4) : 1119–1132.
- Azami, K., Takemoto, M., Otsuka, Y., Yamahishi, S. and Nakazawa, S. 2012. Meteorology and species composition of plant communities , birds and fishes before and after initial impoundment of Miharu Dam Reservoir, Japan. *Landscape Ecol Eng.* 2012 : 81–105.
- Baxter, R.M. 1977. Environmental effects of dams and impoundments. *Annu. Rev. Ecol. Syst.* 8 : 255–283.
- Britton, J. R. and Orsi, M. L. 2012. Non-native fish in aquaculture and sport fishing in Brazil/: economic benefits versus risks to fish diversity in the upper ' Basin River Parana. *Rev Fish Biol Fisheries.* 22 : 555–565.
- Cardinale, B. J., Duffy, J. E., Gonzalez, A., Hooper, D. U., Perrings, C. and Venail, 2012. Biodiversity loss and its impact on humanity. *Nature.* 486 : 59–65.
- Cheng, F., Li, W., Castello, L., Murphy, B. R. and Xie, S. 2015. Potential effects of dam cascade on fish/: lessons from the Yangtze River. *Reviews in Fish Biology and Fisheries.*
- Daga, V. S., Gubiani, É. A. and Cunico, A. M. 2012. Effects of abiotic variables on the distribution of fish assemblages in streams with different anthropogenic activities in southern Brazil. *Neotropical Ichthyology.* 10(3) : 643–652.
- Esmaeili, H.R., Zareian, H., Gholamhosseini, A., Ebrahimi, M., Gholami, Z., Teimori, A. and Ansari, T.H. 2010. Karyotype Analysis of the King Nase Fish, *Chondrostoma regium* (Heckel, 1843) (Actinopterygii: Cyprinidae) from Iran. *Turkish Journal of Fisheries and Aquatic Sciences.* 10 : 477-481.
- Fahmi, M. R., Ginanjar, R. and Kusumah, R. V. 2015. *Keragaman Ikan Hias di Lahan Gambut Cagar Biosfer Bukit-Batu, Propinsi Riau.* Seminar Nasional Masyarakat Biodiversitas Indonesia, June, 51–58.
- Froese, R. and Pauly, D. 2019. <https://www.fishbase.de/> (Accessed 10 May 2020)
- Gallardo, B., Clavero, M., I, S. M. and Vila, M. 2016. Global ecological impacts of invasive species in aquatic ecosystems. *Global Change Biology.* 22 : 151–163.
- Grabowska, J., Jan, K. and Witkowski, A. 2020. Alien invasive fish species in Polish waters/: an overview Alien invasive fish species in Polish waters/: an overview. *Folia Zoologica.* 59 (1) : 73–85.
- Grenouillet, G., Pont, D. and Seip, K. L. 2002. Abundance and species richness as a function of food resources and vegetation structure: juvenile sh assemblages in rivers. *Ecography.* 25(6) : 641–650.
- Guo, Q., Liu, X., Ao, X., Qin, J., Id, X. W. and Ouyang, S. 2018. Fish diversity in the middle and lower reaches of the Ganjiang River of China: Threats and conservation. *PLOS ONE.* 13(11) : 1–17.
- Gustomi, A., Sulistiono, and Vitner, Y. 2013. *Keanekaragaman Sumber Daya Ikan di Kolong - Bendungan Simpur Kabupaten Bangka Provinsi Bangka Belitung.* Seminar Nasional Ikan Ke 8, 10 (1) : 33–39.
- Hasan, Z., Khan, M. ., Ali, Z., Zia, Q., Masood, Z. and

- Khan, W. 2015. Fish Diversity of Sharki Dam, District Karak, Khyber Pakhtunkhwa, Pakistan. *Sindh University Research Journal*. 47(1) : 167–170.
- Hossain, M. A., Akter, M. and Iqbal, M. M. 2017. Diversity of Fish Fauna in Kusiara River (Fenchungonj Upazilla), Northeast Bangladesh. *Journal of Aquaculture in the Tropics*. 32 : 1–13.
- Hossain, M. S., Das, N. G., Sarker, S. and Rahaman, M. Z. 2013. Fish diversity and habitat relationship with environmental variables at Meghna river estuary, Bangladesh. *The Egyptian Journal of Aquatic Research*. 38(3) : 213–226.
- Hu, M., Hua, Q., Zhou, H. and Wu, Z. 2015. The effect of dams on the larval abundance and composition of four carp species in key river systems in China. *Environ Biol Fish*. 98 : 1201–1205.
- Indonesian Government. 2018. http://ksdae.menlhk.go.id/assets/news/peraturan/P.20_Jenis_TSL_.pdf(Accessed 10 May 2020)
- Jawad, L. A. 2003. Impact of Environmental Change on The Freshwater Fish Fauna of Iraq. *Intern.J. Environ. Studies*. 60(6) : 581–593.
- Jellyman, P. G. and Harding, J. S. 2012. The role of dams in altering freshwater fish communities in New Zealand. *New Zealand Journal of Marine and Freshwater Research*. 46 (4) : 475–489.
- Iqbal, M. 2011. *Ikan-ikan di Hutan Rawa Gambut Merang Kepayang dan sekitarnya*. Merang REDD Pilot Project, Sumatra Selatan, 92 pp.
- Iqbal, M., Yustian, I., Setiawan, A. and Setiawan, D. 2018. *Ikan-Ikan di Sungai Musi dan Pesisir Timur Sumatera Selatan*. Kelompok Pengamat Burung Spirit of South Sumatra bekerjasama dengan Jurusan Biologi FMIPA Universitas Sriwijaya and Zoological Society for the Conservation of Species and Populations, Palembang. 294 pp
- Kottelat, M., Whitten, J.A., Kartikasari, N. and Wiryoatmojo, S. 1993. *Freshwater Fishes of Western Indonesia and Sulawesi*. Periplus Edition, Jakarta. 293 pp
- Kottelat, M. and Whitten, A. J. 1996. https://www.researchgate.net/publication/270508914_Freshwater_fishes_of_western_Indonesia_and_Sulawesi_additions_and_corrections(Accessed 10 April 2020)
- Latini, A. O. and Jr, M. P. 2004. Reduction of a native fish fauna by alien species: an example from Brazilian freshwater tropical lakes. *Fisheries Management and Ecology*. 11 : 71–79.
- Marschall, E. A. M., Mather, M. E. M., Parrish, D. L. P., Llison, G. W. and McMenemey, J. R. 2011. Migration delays caused by anthropogenic barriers: modeling dams, temperature, and success of migrating salmon smolts. *Ecological Applications*. 21 (8) : 3014–3031.
- Mote, N. 2017. Biodiversitas Iktiofauna Di Muara Sungai Kumbe Kabupaten Merauke. *Al-Kauniyah: Jurnal Biologi*. 10(1) : 26–34.
- Muhammad, W. N. and Andriyanto, S. 2013. Manajemen Budidaya Ikan Lele Dumbo (*Clarias Gariepinus*) Di Kampung Lele, Kabupaten Boyolali, Jawa Tengah. *Media Akuakultur*. 8(1) : 63–71.
- Nizar, M., Mukhlis Kamal, M. and M Adiwilaga, E. 2014. Komposisi jenis dan struktur komunitas ikan yang bermigrasi melewati tangga ikan pada Bendung Perjaya, Sungai Komering, Sumatera Selatan. *Depik*. 3(1) : 27–35.
- Nugroho, E., Roro, R., Pudji, S., Dewi, S., Subagja, J. and Priono, B. 2019. Keragaman Genetik Dan Karakter Biometrik Ikan Belida (*Chitala Lopis*, Bleeker 1851) Budidaya Asal Sungai Kampar, Riau. *Jurnal Riset Akuakultur*. 14(1) : 1–8.
- Nuryanto, A., Bhagawati, D. and Abulias, M. N. 2015. Fauna ikan di Sungai Cikawung Kabupaten Cilacap Jawa Tengah. *Jurnal Iktiologi Indonesia*. 15(1) : 25–37.
- Oliveira, A. G., Baumgartner, M. T., Gomes, L. C., Dias, R. M. and Agostinho, A. A. 2018. Long-term effects of flow regulation by dams simplify fish functional diversity. *Freshwater Biology*. 63(3) : 293–305.
- Prianto, E. and Aprianti, S. 2012. Komposisi jenis dan biomasa stok ikan di Sungai Banyuasin. *Jurnal Penelitian Perikanan Indonesia*. 18(1): 1–8.
- Prianto, E. and Nurdawaty, S. 2013. Distribusi, Kelimpahan Dan Variasi Ukuran Larva Ikan Di Estuaria Sungai Musi. *Bawal*. 5(2) : 73–79.
- Prianto, E. and Suryanti, N. K. 2010. Komposisi jenis dan potensi sumber daya ikan di Muara Sungai Musi. *Jurnal Penelitian Perikanan Indonesia*. 16(1): 1–8.
- Ribeiro, F. and Leunda, P. M. 2012. Non-native fish impacts on Mediterranean freshwater ecosystems: current knowledge and research needs. *Fisheries Management and Ecology*. 19 : 142–156.
- Sá-Oliveira, J. C., Hawes, J. E., Isaac-Nahum, V. J. and Peres, C. A. 2015. Upstream and downstream responses of fish assemblages to an eastern Amazonian hydroelectric dam. *Freshwater Biology*. 60(10): 2037–2050.
- Samitra, D. and Rozi, Z. F. 2018a. Keanekaragaman Ikan di Sungai Kelingi Kota Lubuklinggau. *Jurnal Biota*. 4(1) : 1–6.
- Samitra, D. and Rozi, Z. F. 2018b. *Keanekaragaman Ikan Air Tawar Di Bendungan Lakitan Kabupaten Musi Rawas Provinsi Sumatera Selatan*. Seminar Nasional Sains Dan Teknologi Terapan, Palembang, Indonesia
- Samitra, D. and Rozi, Z. F. 2019a. Potensi dan Status Konservasi Ikan Di Bendungan Lakitan Kabupaten Musi Rawas, Provinsi Sumatera Selatan. *Pro-Life*. 6(1) : 13.
- Samitra, D. and Rozi, Z. F. 2019b. The Fish Fauna in Lakitan River, Musi Rawas Regency, South Sumatras. *Jurnal Biodjati*. 4 (1) : 11–20.
- Sihombing, V. S., Gunawan, H. and Sawitri, R. 2017. Diversity and community structure of fish, plankton and benthos in Karangsong Mangrove Conservation

- Areas, Indramayu, West Java, Indonesia. *Biodiversitas.* 18(2) : 601–608.
- Sinclair, A.R.E., Fryxell, J.M. and Caughley, G. 2006. *Wild-life Ecology, Conservation, And Management 2nd Edition.* Blackwell Publishing, United Kingdom. 469 pp
- Sriwidodo, D. E., Budiharjo, A. and Sugiyarto, 2013. Keanekaragaman Jenis Ikan di Kawasan Inlet dan Outlet Waduk Gajah Mungkur Wonogiri. *Bioteknologi.* 10(2) : 43–50.
- Sukmono, T., Solihin, D. D., Rahardjo, M. F. and Affandi, R. 2013. Iktiofauna di perairan hutan tropis dataran rendah, Hutan Harapan Jambi. *Jurnal Iktiologi Indonesia.* 13(2) : 161–174.
- Sukmono, T. and Margaretha, M. 2017. Ikan Air Tawar di Ekosistem Bukit Tigapuluh. Yayasan Konservasi Ekosistem Hutan Sumatera & Frankfrut Zoological Society, Jambi. 104 pp
- Tobes, I., Gaspar, S., Oscoz, J. and Miranda, R. 2016. Diagnosing stream ecosystem integrity in the Ordesa-Vinamala Biosphere Reserve, central Spanish Pyrenees. *Journal Applied Ichthyology.* 32 : 229–239.
- Thai, B. T., Si, V. N., Phan, P. D. and Austin, C. M. 2007. Phylogenetic evaluation of subfamily classification of the Cyprinidae focusing on Vietnamese species. *Phylogenetic evaluation of subfamily classification of the Cyprinidae focusing on Vietnamese species.*
- Aquatic Living Resources.* 20 : 143–153.
- Theurkar, S. V., Takalakar, D. L., Jadhav, S. S. and Pawar, R. M. 2013. Diversity and Composition of Fishes of Chaskaman Dam, Rajgurunagar, part of Northern Western Ghats, Pune, MS, India. *Research Journal of Animal, Veterinary and Fishery Sciences.* 1(1) : 7–10.
- Thomas, J., S. Venu and Kurup, B.M. 2003. Length-weight relationship of some deep-sea fish inhabiting the continental slope beyond 250m depth along the West Coast of India. *NAGA, World Fish Center Quaterly,* 26(2) : 17-21.
- Umar, C. and Sulaiman, P. S. 2013. Status Introduksi Ikan dan Strategi Pelaksanaan Secara Berkelanjutan Di Perairan Umum Daratan Di Indonesia. *Jurnal Kebijakan Perikanan Indonesia.* 5(2) : 113–120.
- Wahyuni, T. T. and Zakaria, A. 2018. Keanekaragaman Ikan di Sungai Luk Ulo Kabupaten Kebumen. *Biosfera.* 35(1) : 23–28.
- Wibowo, A., Affandi, R., Soewardi, K. and Sudarto. 2010. Pengelolaan Sumber Daya Ikan Belida (*Chitala lopis*) Di Sungai Kampar, Provinsi Riau. *Jurnal Kebijakan Perikanan Indonesia.* 2(2) : 79–89.
- Zulfikri, A., Umroh, and Utami, E. 2016. Pengaruh Aktivitas Tambang Apung terhadap Keanekaragaman Ikan di Perairan Sungai Pakil, Bangka. *Akuatik, Jurnal Sumberdaya Perairan.* 10(1) : 42–46.

SJR

Scimago Journal & Country Rank

also developed by scimago:



SCIMAGO INSTITUTIONS RANKINGS

[Home](#)[Journal Rankings](#)[Country Rankings](#)[Viz Tools](#)[Help](#)[About Us](#) [ⓘ](#)[X](#)

Applied Linguistics Journal

American Linguistics Journal

American Journal of Applied Linguistics: Best Academic Journal in the USA. Top US Journal

american-journals.com[OPEN](#)

Ecology, Environment and Conservation

COUNTRY**SUBJECT AREA AND CATEGORY****PUBLISHER****H-INDEX**[India](#)
 Universities and research institutions in India

[Agricultural and Biological Sciences](#)
[Ecology, Evolution, Behavior and Systematics](#)

[EM International](#)**15**

[Environmental Science](#)
[Ecology](#)
[Nature and Landscape](#)
[Conservation](#)

PUBLICATION TYPE**ISSN****COVERAGE****INFORMATION**[Journals](#)[0971765X](#)[1997-2020](#)[Homepage](#)[How to publish in this journal](#)r_trivedy@bharatmail.co.in [ⓘ](#)[X](#)**Get Your Complimentary Ticket**

Open

SCOPE

Published Quarterly Since 1995. Ecology, Environment and Conservation is published in March, June, September and December every year. ECOLOGY, ENVIRONMENT AND CONSERVATION is one of the leading International environmental journal. It is widely subscribed in India and abroad by Institutions and Individuals in education and research as well as by Industries, Govt. Departments and Research Institutes.

 Join the conversation about this journal

Indexed in SCOPUS and CPCI

Proceedings in Advances in Intelligent Systems and Computing Serie

OpenPublish.eu



 Quartiles



Indexed in SCOPUS and CPCI

Proceedings in Advances in Intelligent Systems and Computing Serie

OpenPublish.eu



FIND SIMILAR JOURNALS ?

1
Applied Ecology and Environmental Research
 HUN

38%
 similarity

2
Nature Environment and Pollution Technology
 IND


36%
 similarity




3
DYNA (Colombia)
 COL

35%
 similarity

4
EnvironmentAsia
 THA

33%
 similarity





← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com
```

SCImago Graphica

Explore, visually communicate and make sense of data with our **new free tool**.

Get it



Get Your Complimentary Ticket

More than 40 sessions centred around the Asia-Pacific ocean econo

World Ocean Summit



Metrics based on Scopus® data as of April 2021

D

Dr P K Gupta

Dear sir, Could you pl let me know if EEC journal is Scopus indexed for 2021.

Developed by:



Powered by:



Follow us on [@ScimagoJR](#)

[Scimago Lab](#), Copyright 2007-2020. Data Source: Scopus®

EST MODUS IN REBUS

Horatio (Satire 1,1,106)

ECONOMIST
IMPACT




WORLD OCEAN
Summit Asia-Pacific

December 6th–10th 2021
Virtual event

[Shopping Bag \(Items \)](#)[Home](#)[International Journals](#)[Books](#)[About Us](#)[Contact](#)

Ecology, Environment and Conservation Journal Papers

Issue: Vol 27, Issue 1, 2021[Archived Issues](#)[Contents](#)[Search Articles](#)

ASSOCIATIONS BETWEEN ANTHROPOGENIC ACTIVITIES, FOREST CHARACTERISTICS AND WATER QUALITIES IN THE NORTH SELANGOR PEAT SWAMP FOREST, SELANGOR, MALAYSIA

Hamidu Saadu, Ahmad Ismail, Syaizwan Zahmir Zulkifli, Amalia Mohd Hashim and Mohammad Noor Azmai Amal

[Get Abstract](#)[Get Paper](#)

STUDY OF SOME FACTORS TO TOLERANCE OF DIFFERENT ENVIRONMENTAL STRESS TO SWEET CORN PLANTS

Ali A. Arat and Ali H. Jasim

[Get Abstract](#)[Get Paper](#)

AN INTERNATIONAL ENVIRONMENTAL COURT AND THE INTERNATIONAL LEGALISM: AN OVERVIEW FROM LEGAL CONTEXT

Kudrat-E-Khuda (Babu)

[Get Abstract](#)[Get Paper](#)

STRATEGY DEVELOPMENT TO IMPROVE FOOD SECURITY AT THE HOUSEHOLD LEVEL OF RICE FARMERS IN SOUTH SULAWESI INDONESIA

Ida Rosada, Nurliani, Fatma A. Gobel, Farizah D. Amran and Aminah

[Get Abstract](#)[Get Paper](#)

ANALYSIS OF SOIL OF AGRICULTURAL FIELD USED FOR RICE PRODUCTION WITH RESPECT TO BORON AND FEW SELECTED CATIONS OF LAKHIMPUR DISTRICT OF ASSAM, INDIA

Md. Yamin Hassan, Naranaryayn Buragohain and Maitreyee Sarma Bezbarua

[Get Abstract](#)[Get Paper](#)

RAPFISH ANALYSIS ON SUSTAINABILITY STATUS OF POST-TIN MINING IN JEBUS SUBDISTRICT, WEST BANGKA REGENCY, BANGKA BELITUNG ISLANDS PROVINCE, INDONESIA

Fitri Ramdhani Harahap, Ridhah Taqwa, Restu Juniah and Elisa Wildayana

[Get Abstract](#)[Get Paper](#)

EFFECT OF DIFFERENT AGRICULTURAL MEDIA AND WOUNDING ON ROOTING AND GROWING OF GRAPES (*VITIS VINIFERA L.*) SEMI WOOD CUTTING

Suzan Ali Hussein, Raad Ahmed Medan and Ali Mohammed Noori

[Get Abstract](#)

[Get Paper](#)

SUITABILITY FORMULATION AND PREDICTION OF SEAWEED (*GRACILARIA VERRUCOSA*) PRODUCTIVITY IN A POND AREA

Agus Dharmawan, Nuddin Harahab, Muhammad Musa and Soemarno

[Get Abstract](#)

[Get Paper](#)

ADOPTING THE WATER QUALITY INDEX TO ASSESS THE VALIDITY OF GROUNDWATER IN AL-ZUBAIR CITY SOUTHERN IRAQ FOR DRINKING AND HUMAN CONSUMPTION

Bayan A. Mahdi, Mohammad Salim Moyel and Raghad Shubbar Jaafar

[Get Abstract](#)

[Get Paper](#)

SEASONALITY OF LITTER DWELLING MICROARTHROPODS AND THEIR RELATION WITH THE CLIMATIC VARIABLES IN ACACIA PLANTATION OF CACHAR DISTRICT, ASSAM

Rajeeb Chetia Pator and Dular Chandra Ray

[Get Abstract](#)

[Get Paper](#)

IDENTIFICATION AND ANALYSIS OF MARINE ECOTOURISM POTENTIAL IN PACITAN, EAST JAVA, INDONESIA

Sukandar, C.S.U. Dewi, R.S.Q. Haq and R. Fatmawati

[Get Abstract](#)

[Get Paper](#)

THERMAL POWER PLANT DISCHARGED WASTEWATER CHARACTERIZATION: A CASE STUDY

Afroza Akhter, Naseer Hussain Shah and Arif Inam

[Get Abstract](#)

[Get Paper](#)

ANALYSIS OF FACTORS RELATED TO FLOOD MITIGATION IN THE WELANG WATERSHED, PASURUAN CITY

Heri Suroso, Loeki Enggar Fitri and Yati Sri Hayati

[Get Abstract](#)

[Get Paper](#)

BIOGAS PRODUCTION TO PROMOTE RENEWABLE ENERGY – A CASE STUDY ON BHIMTAL AREA

Amrita Verma Pargaien, Saurabh Pargaien, Himanshu Joshi, Neema Bisht and Kamal Nayan Joshi

[Get Abstract](#)

[Get Paper](#)

BIOREMEDIATION OF METAL IONS FROM AQUEOUS SOLUTIONS USING ALGAE *CLADOPHORA SP.*

Shareena Nazeer, Murtuza Ali Syed and Feroz Shaik

[Get Abstract](#)

[Get Paper](#)

ATTITUDE AND PERCEPTION OF THE LOCAL COMMUNITY TOWARDS COMMUNITY BASED TOURISM DEVELOPMENT IN HAR KI DUN VALLEY UTTARAKHAND

Alka Maheshwari

[Get Abstract](#)

[Get Paper](#)

COMPARING THE USE OF BIOPLASTIC CASSAVA AND PLASTICS ETHYLENE AS PACKAGING CAYENNE PEPPER

Akhmad Rizali

[Get Abstract](#)

[Get Paper](#)

A REVIEW OF MULTI-DIMENSIONAL BENEFITS OF INNOVATIVE AGRICULTURAL PRACTICES WITH SPECIAL REFERENCE TO AGROFORESTRY AND AGROSILVIPASTORAL SYSTEM

Ankita Choudhary and Shilpi Rijhwani

[Get Abstract](#)

[Get Paper](#)

SUSTAINABILITY MANAGEMENT EVALUATIONS OF BEE JAY BAKAU RESORT IN PROBOLINGGO USING MULTI DIMENSIONAL SCALING RAPECO TOURISM APPROACH

Mochammad Fattah, Candra Adilnytas and Tiwi Nurjannati Utami

[Get Abstract](#)

[Get Paper](#)

PRINCIPAL COMPONENT ANALYSIS OF THE PHYTOPLANKTON INTERACTION WITH THE ENVIRONMENTAL FACTORS IN KOTTAKAYAL (KERALA, INDIA)

Jensy Roshan F. and Sreejai R

[Get Abstract](#)

[Get Paper](#)

IDENTIFICATION OF OXYGEN PRODUCTION AND OXYGEN DEMANDS IN PARKS AND GREEN PATHS AS AN ENVIRONMENTAL SUSTAINABILITY EFFORT IN SELONG AREA, JAKARTA, INDONESIA

Nur Intan Simangunsong and Rini Fitri

[Get Abstract](#)

[Get Paper](#)

ECOLOGICAL ASSESSMENT AND WATER QUALITY USING BENTHIC DIATOM COMMUNITIES IN AN ECUADORIAN AMAZON RIVER

Luis Quevedo, Karla Merino, Sofia Godoy and Cumanda Carrera

[Get Abstract](#)

[Get Paper](#)

INTERPRETATION OF SPECIES HABITAT RELATIONSHIP AND ANIMAL INTERACTION THROUGH REMOTE SENSING WITH REFERENCE TO SPOTTED DEER AND LANGUR POPULATIONS IN KANHA NATIONAL PARK, INDIA

Debashis Roy and Kamonasish Mistry

[Get Abstract](#)

[Get Paper](#)

RANGE EXPANSION OF THE INVASIVE NILE TILAPIA OREOCHROMIS NILOTICUS (PERCIFORMES: CICHLIDAE) IN SULAWESI SEA AND FIRST RECORD FOR SANGIHE ISLAND, TAHUNA, NORTH SULAWESI, INDONESIA

Novalina Serdiati, Ligalnsani, Muhammad Safir, Andi Heryanti Rukka, Septina F. Mangitung, Fitri Sil Valen, Muhammad Badrul Tamam and Veryl Hasan

[Get Abstract](#)[Get Paper](#)

CHANGING TREND OF FOREST COVER IN THE PABHA RESERVE FOREST IN THE LAKHIMPUR DISTRICT OF ASSAM, INDIA

Jyoti Saikia and Sailajananda Saikia

[Get Abstract](#)[Get Paper](#)

GLOBAL CITIZENSHIP ELEMENTS IN MALAYSIAN PRIMARY SCHOOL CURRICULUM TOWARDS SUSTAINABLE DEVELOPMENT GOALS (SDGS)

Sharifah Zarina Syed Zakaria, Raja Nur Amirah Raja Abu Bakar, Nasharudin Mat Isa, Siti Nur Diyana Mahmud, Azlina Abdullah, Che Nidzam Che Ahmad, Sharifah Intan Sharina Syed Abdullah, Nuriah Abd. Majid and Muhammad Rizal Razman

[Get Abstract](#)[Get Paper](#)

BIRDS IN SEMI-NATURAL WETLANDS OF ARID LANDSCAPE- A STUDY ON THEIR DIVERSITY IN KACHCHH REGION OF GUJARAT, INDIA

Prapti J. Gohil and Arun Kumar Roy Mahato

[Get Abstract](#)[Get Paper](#)

SUPPORTING SUSTAINABLE DEVELOPMENT GOALS (SDGS): EMBEDDING GLOBAL CITIZENSHIP EDUCATION ACROSS MALAYSIAN PRIMARY SCHOOLS CURRICULUM

Raja Nur Amirah Raja Abu Bakar, Sharifah Zarina Syed Zakaria1, Nasharudin Mat Isa, Nuriah Abd. Majid and Muhammad Rizal Razman

[Get Abstract](#)[Get Paper](#)

ANALYSIS OF CORRELATION AMONG ZOOPLANKTON IN TWO NEAR BY PONDS OF JAMMU REGION

Sarjeet Kour, Nidhi Sharma, Rajan Verma, Supreet Kour and Vipan Kumar

[Get Abstract](#)[Get Paper](#)

TEACHERS' PERCEPTION AND ROLES REGARDING GLOBAL CITIZENSHIP FOR SUSTAINABLE DEVELOPMENT

Raja Nur Amirah Raja Abu Bakar, Sharifah Zarina Syed Zakaria, Nasharudin Mat Isa, Nuriah Abd. Majid and Muhammad Rizal Razman

[Get Abstract](#)[Get Paper](#)

FRESHWATER FISHES OF GEGAS DAM, SOUTH SUMATRA INDONESIA: COMPOSITION AND DIVERSITY

Dian Samitra, Harmoko, Sepriyaningsih, Zico Fakhrur Rozi, Arum Setiawan and Indra Yustian

[Get Abstract](#)[Get Paper](#)

EFFECTS OF TEMPERATURE ON COVID-19 TRANSMISSION IN INDIA

Indranil Bhattacharjee, Biplab Mandal, Anuradha Deb, Priyanka Sarangi and Partha Pratim Chakravorty1*

[Get Abstract](#)[Get Paper](#)

GENETIC RESOURCES PRESERVATION AND UTILIZATION OF INDONESIAN NATIVE FRESHWATER FISH CONSUMPTION

Kurniawan, Rudhy Gustiano, Irin Iriana Kusmini and Vitas Atmadi Prakoso

[Get Abstract](#)

[Get Paper](#)

ANALYSIS OF CRIMINAL LAW APPLICATION IN ENVIRONMENTAL OFFENCES

Shivi Chola

[Get Abstract](#)

[Get Paper](#)

INTERNATIONAL ENVIRONMENTAL LAW ENFORCEMENT USING ISO 14001 IN THE WTO FREE TRADE SYSTEM AND ITS IMPLEMENTATION IN INDONESIAN LAW

Ferdi

[Get Abstract](#)

[Get Paper](#)

AN ANALYSIS OF TOTAL FACTOR PRODUCTIVITY OF COTTON IN TAMIL NADU

V. Kavitha, S. Usha Nandhini and V. David Chella Baskar

[Get Abstract](#)

[Get Paper](#)

DIVERSITY OF ECTOPARASITES AND THEIR PATHOGENS IN BIRDS (PASSERIFORMES AND COLUMBIFORMES) IN BOUINAN REGION (BLIDA - ALGERIA)

Samia Ouarab, Affef Baaloudj, M. Aouar-Sadli, F. Medjdoub-Bensaad and Djouamaa Abdelkader

[Get Abstract](#)

[Get Paper](#)

PRELIMINARY SURVEY FOR LEPIDOPTERAN FAUNA OF KALRAYAN HILLS, KALLAKURICHI DISTRICT, TAMIL NADU, INDIA

Pavithra Dharani, S.K. and Kathirvelu, C.

[Get Abstract](#)

[Get Paper](#)

CRUSTACEANS ECTOPARASITE OF TRACHINOTUS BLOCHII CULTIVATION IN HATCHERIES TUB AND FLOATING NET CAGES

Panji Aulia Syahputra, Kismiyati and Ahmad Taufiq Mukti

[Get Abstract](#)

[Get Paper](#)

A STUDY ON ECOTOXICITY OF CARTAP HYDROCHLORIDE ON "PERONYX EXCAVATUS"

Maminee Panda and Aliva Patnaik

[Get Abstract](#)

[Get Paper](#)

ISOLATION AND CHARACTERIZATION OF SULFATE REDUCING BACTERIA FROM CULTIVATION POND SEDIMENTS

Bakhtiar Ibrahim, Sukoso, Rudi Sulistiyono and Saida

[Get Abstract](#)

[Get Paper](#)

PERFORMANCE OF HERBICIDE APPLIED AT 2 TO 4 LEAF STAGE OF WEEDS ON WEED DYNAMICS AND YIELD IN SPRING PLANTED SUGARCANE

Shiv Poojan Yadav, Ramesh Kumar Singh, Anubha Singh, Deepak Kumar Yadav, Tikendra Kumar Yadav and Harsita Nayak

[Get Abstract](#)[Get Paper](#)

THE INFLUENCE OF SOCIAL FACTORS AND PSYCHOLOGICAL FACTORS IN LANDSCAPE DESIGN FOR CHILDREN'S PLAYGROUND (CPG)

Pangaribowo and Rustam Hakim Manan

[Get Abstract](#)[Get Paper](#)

SIGNIFICANCE OF ORGANIC FOOD TOWARDS HUMAN HEALTH IN THE PRESENT COVID-19 TIME

Deepa Tomar¹, Monika Sharma and Chandra Kant Sharma

[Get Abstract](#)[Get Paper](#)

THE ROLE OF VEGETATION ON THERMAL COMFORT THE RIA RIO RESERVOIR AREA IN DKI JAKARTA PROVINCE

Rustam Hakim Manan and Hana Nadasiyatus

[Get Abstract](#)[Get Paper](#)

THE INFLUENCE OF BINARY IRRIGATION (BI), HUMIC ACID (HA), AND VARIOUS SALINE WATER ON WATER CONSUMPTION (WC), WATER USE EFFICIENCY (WUE) OF CORN (*ZEA MAYS L.*)

Wael F.A. Alshamary , A.M.H. Aljumily, Emad T. Abdel Ghani and Bassam A. Alkhateb

[Get Abstract](#)[Get Paper](#)

WINTER AVIFAUNAL ASSEMBLAGE IN A PERIURBAN AGRICULTURAL LANDSCAPE OF GANGETIC WEST BENGAL, INDIA

Pratyush Ghosh, Akash Chakraborty and Shouvanik Sengupta

[Get Abstract](#)[Get Paper](#)

IDENTIFICATION OF RUBIAH ISLAND AS A NATURE TOURISM DESTINATION IN SABANG, ACEH

Nur Intan Simangunsong, Rini Fitri and Dewi Rezalini Anwar

[Get Abstract](#)[Get Paper](#)

REMOVAL OF NICKEL (II) IONS FROM AQUEOUS SOLUTION USING ACTIVATED CARBON DEVELOPED FROM AZADIRACHTA INDICA A LOW COST ADSORBENT

Maninder Singh, D.P. Tiwari and Mamta Bhagat

[Get Abstract](#)[Get Paper](#)

DIVERSITY, VEGETATION STRUCTURE AND C STOCKS OF INUNDATED RIPARIAN FOREST PROTECTED FROM CONVERSION TO OIL PALM IN C. KALIMANTAN

Cahyo Prayogo, Risky Maulana Ishaq, Muhammad Khoirul Anwar, Didik Suprayogo, Choirul Anshori, Yudha Asmara, Bandung Sahari and Kurniatun Hairiah

[Get Abstract](#)[Get Paper](#)

SEASONAL VARIATION ASSESSMENT IN PHYSICOCHEMICAL PARAMETERS OF NAKATIA RIVER, UTTAR PRADESH (INDIA)

Deepti, Archana Bachheti, R.K. Bachheti and V.K. Mishra

[Get Abstract](#)

[Get Paper](#)

DRINKING WATER QUALITY EVALUATION FOR GROUNDWATER OF DELHI, INDIA USING GIS TECHNIQUES

Ayushi Raghav and S.K. Singh

[Get Abstract](#)

[Get Paper](#)

RESPONSE OF AVENA SATIVA L. INTERCROPPING WITH EGYPTIAN CLOVER TO DIFFERENT PLANTING DENSITY AND DISTANCES IN GREEN FODDER YIELD

Mundher Kh. Jabbar and Hayder A. Hasan

[Get Abstract](#)

[Get Paper](#)

DISTRIBUTION AND POPULATION DENSITY FOREST DORMOUSE (DRYOMYS NITEDULA, RODENTIA, GLIRIDAE) IN A REGION OF THE MIDDLE VOLGA, RUSSIA

Alexey Andreychev

[Get Abstract](#)

[Get Paper](#)

DIVERSITY OF EDIBLE PLANTS IN HOME GARDENS OF THE EASTERN CAPE PROVINCE, SOUTH AFRICA

Alfred Maroyi

[Get Abstract](#)

[Get Paper](#)

POLLUTION IN RIVER GANGA DUE TO HEAVY METAL TOXICITY AND VARIOUS MITIGATION PLANS- A REVIEW

Akansha Patel, Vinod Kumar Chaudhary, Anurag Singh, Dhananjai Rai and Naveen Patel

[Get Abstract](#)

[Get Paper](#)

SPATIAL DIVERSITY OF OXIDES IN SOIL AFFECTING CERAMICS IN BABIL GOVERNORATE

Afrah Kadhim Hasan and Samer Ahmed Alkarady

[Get Abstract](#)

[Get Paper](#)

ASSESSMENT OF WATER QUALITY SUPPLIES IN SOME AREAS OF BASRAH GOVERNORATE, IRAQ

Ansam Jasim Mohammad, Nassir Abdullah Alyousif, Um Albneen Sadiq Al-Mosawi and Makia M. Al-Hejuie

[Get Abstract](#)

[Get Paper](#)

EFFECT OF SOWING DATE AND PLANTING DISTANCE ON GROWTH AND YIELD OF OAT

Zaman S.A. Al-dulaimi, Maher H.S. Al-Asady and Husham S. Ali

[Get Abstract](#)

[Get Paper](#)

EXPRESSION AND RECOMBINANT PROTEIN PURIFICATION OF PHYCOCYANIN α AND β SUBUNITS FROM ARTHROSPIRA PLATENSIS: ANTIMICROBIAL ACTIVITY

Rachanimuk Hiransuchalert, Kanchana Sittikankaew, Patchari Yocawibun, Maliwan Kutako, Chalee Paiboonkichakul, Sirawut Klinbunga and Narongsak Paunglarp

[Get Abstract](#)[Get Paper](#)**ESTIMATION OF REFERENCE EVAPOTRANSPIRATION UNDER HYPER-ARID CLIMATES:
TESTING SEVERAL VAPOR PRESSURE DEFICIT MODELS**

Azel Almutairi

[Get Abstract](#)[Get Paper](#)**HYDROLOGICAL CHARACTERISTICS ANALYSIS OF OGAN WATERSHED, SOUTH SUMATRA,
INDONESIA**

Utari Hikmah Pratiwi, Eddy Ibrahim, Edward Saleh and Ngudiantoro

[Get Abstract](#)[Get Paper](#)**SEASONAL MICROPLASTIC DOCUMENTATION IN KERALA MANGROVE SEDIMENTS**

Manju P. Nair, Minnu Maria Wilson, Jenees Mathew, Rosily A.V. and Anu Gopinath

[Get Abstract](#)[Get Paper](#)**SPATIO-TEMPORAL DYNAMICS OF MANGROVE FORESTS IN SURABAYA FROM 1996
THROUGH 2016**

Sumarmi, Purwanto and Tuti Mutia

[Get Abstract](#)[Get Paper](#)**ASSESSMENT OF FOREST LAND DEGRADATION BY REMOTE SENSING AND GIS: A CASE
STUDY OF JAISAMAND WILDLIFE SANCTUARY, UDAIPUR (RAJASTHAN)**

Anil Panchal, Nidhi Rai and Nirmal Kumar Sharma

[Get Abstract](#)[Get Paper](#)**SIMULATION OF PREDICTION THE CAPACITY OF RANDEGAN LANDFILL, INDONESIA**

Titien Setiyo Rini, Yuwono Budi Pratikno and Maritha Nilam Kusuma

[Get Abstract](#)[Get Paper](#)**EMPOWERMENT BASED PEATLAND ECOSYSTEM CONSERVATION FOR FIRE CONTROL AND
ENVIRONMENTAL CONSERVATION**

Zulkarnain and Owin Jamasy Djamiludin

[Get Abstract](#)[Get Paper](#)**ANALYSIS OF THE DISTRIBUTION OF SEA TURTLE NESTING GROUNDS BASED ON
PHYSICAL CHARACTERISTICS ALONG THE COAST OF KRETEK DISTRICT, BANTUL
REGENCY, YOGYAKARTA, INDONESIA**

Rini Fathoni Lestari, Muhammad Kamal and Pramaditya Wicaksono

[Get Abstract](#)[Get Paper](#)**CONVERGENCE ANALYSIS OF TERRESTRIAL PROTECTED AREAS BY 159 COUNTRIES**

Yu Sang Chang, Moon Jung Kim and Sung Jun Jo

[Get Abstract](#)[Get Paper](#)

**EFFECT OF ENVIRONMENTAL CONCERN AND SUSTAINABILITY ON REVISIT INTENTION
WITH ENVIRONMENTAL AWARENESS AS A MEDIATING VARIABLE**

Zainal Abidin, Budi Setiawan, A. Wahib Muhammin, A. Shinta and H. Islamiyah

[Get Abstract](#)

[Get Paper](#)

A STUDY ON THE GUILD INTERACTION OF PREDATOR NATURAL ENEMIES IN A RICE FIELD

Gobinda Chandra Roy, Kaushik Chakraborty and Siddhartha Sankar Banerjee

[Get Abstract](#)

[Get Paper](#)

ORIGIN OF THE GYPSUM-BEARING HORIZON OF CALCIC CHERNOZEMS IN THE SOUTH OF RUSSIA

O.S. Bezuglova, E.N. Minaeva, I.V. Morozov, S.S. Mandzhieva, V.D. Rajput and V.E. Boldyreva

[Get Abstract](#)

[Get Paper](#)

MICROPROPAGATION OF TOMATO RED ROCK USING BA AND KINETIN

Aysar Mohammed Salim Almemry, Ziyad Shihab Ahmed and Bashar Zaki Bashi

[Get Abstract](#)

[Get Paper](#)

[Home](#) | [International Journals](#) | [Books](#) | [About Us](#) | [Contact Us](#) | [Submit Paper](#) | [Search Journal Article](#) |

[Become a fan](#)

[Follow us](#)



© EM International 2012-2019 | Developed by [Eneblur Consulting](#)