



PROCEEDING

GRADUATE SCHOOL OF UNIVERSITAS SRIWIJAYA
THE 1ST SRIWIJAYA INTERNATIONAL CONFERENCE
ON ENVIRONMENTAL ISSUES
(1ST SRICOENV 2018)

September
26-27, 2018

Horison Ultima Hotel,
Palembang, Indonesia



our partners :



YAYASAN
Belantara



Conference name : The 1st Sriwijaya International Conference on Environmental Issues
Venue : Hotel Horison Ultima Palembang, South Sumatera, Indonesia
Date : September 26-27th, 2018

Group Picture



Chairman : Hermansyah, PhD
Universitas Sriwijaya, Indonesia

Advisory Committee:

Bunyamin Tar'an (University of Saskatchewan, Canada)
Rashid Mehmood (Ottawa Hospital Research Institute, Canada)
Tsukasa Inaoka (Departemen of Human Ecology, Saga University, Japan)
Anis Saggaff (Universitas Sriwijaya, Indonesia)
Zainuddin Nawawi (Universitas Sriwijaya, Indonesia)

Steering Committee:

Nurul Huda (Universiti Sultan Zainal Abidin, Kuala Trengganu, Malaysia)
Suryo Purwono (Universitas Gajah Mada, Indonesia)
Prodono (Institut Teknologi Bandung, Indonesia)
Nimmi Zulbainarni (Institut Pertanian Bogor, Indonesia)
Ratna Juwita (Universitas Indonesia, Indonesia)
Fakhili Gulo (Universitas Sriwijaya, Indonesia)
Iskhaq Iskandar (Universitas Sriwijaya, Indonesia)
Aldes Lesbani (Universitas Sriwijaya, Indonesia)
Siti Nurmaini (Universitas Sriwijaya, Indonesia)
Benyamin Lakitan (Universitas Sriwijaya, Indonesia)
Rujito A. Suwingnyo (Universitas Sriwijaya, Indonesia)
M.T. Kamaluddin (Universitas Sriwijaya, Indonesia)

REVIEWER/EDITOR

Mohamad Amin (Universitas Sriwijaya, Indonesia)
Fakhili Gulo (Universitas Sriwijaya, Indonesia)
Iskhaq Iskandar (Universitas Sriwijaya, Indonesia)
Benyamin Lakitan (Universitas Sriwijaya, Indonesia)
M. T. Kamaluddin (Universitas Sriwijaya, Indonesia)
Isni Andriana (Universitas Sriwijaya, Indonesia)
Yuliana (Universitas Sriwijaya, Indonesia)
Henny Fitriani (Universitas Sriwijaya, Indonesia)
Siti Nurmaini (Universitas Sriwijaya, Indonesia)
Aldes Lesbani (Universitas Sriwijaya, Indonesia)
Eddy Ibrahim (Universitas Sriwijaya, Indonesia)
Nurhayati (Universitas Sriwijaya, Indonesia)
Nengyanti (Universitas Sriwijaya, Indonesia)
Rico Januar (Universitas Sriwijaya, Indonesia)
Dessy Adriani (Universitas Sriwijaya, Indonesia)
Indah Widiastuti (Universitas Sriwijaya, Indonesia)
Merynda Indriyani Syafutri (Universitas Sriwijaya, Indonesia)
Sofia Sandi (Universitas Sriwijaya, Indonesia)
Dade Jubaedah (Universitas Sriwijaya, Indonesia)
Herpandi (Universitas Sriwijaya, Indonesia)
Tengku Zia Ulqodry (Universitas Sriwijaya, Indonesia)
Puspitahati (Universitas Sriwijaya, Indonesia)
Afnur Imsya (Universitas Sriwijaya, Indonesia)
Rizky Tirta Adiguna (Universitas Sriwijaya, Indonesia)
Yulisman (Universitas Sriwijaya, Indonesia)
Eli Sahara (Universitas Sriwijaya, Indonesia)
Diah Kusuma Pratiwi (Universitas Sriwijaya, Indonesia)
Laila Hanum (Universitas Sriwijaya, Indonesia)
Rizky Palupi (Universitas Sriwijaya, Indonesia)
Marini Wijayanti (Universitas Sriwijaya, Indonesia)
Rozirwan (Universitas Sriwijaya, Indonesia)
Liliana (Universitas Sriwijaya, Indonesia)
Novrikasari (Universitas Sriwijaya, Indonesia)
M. Bakri (Universitas Sriwijaya, Indonesia)
Fitri Maya Puspita (Universitas Sriwijaya, Indonesia)
Ridho Zulfahmi (Universitas Sriwijaya, Indonesia)

THE KEYNOTE SPEAKERS

1. Prof. Juahir Hafizan (Universiti Sultan Zainal Abidin, Kuala Trengganu, Malaysia)
2. Prof. Jatna Supriatna. Ph.D. (Universitas Indonesia)
3. Prof. Dr. Philipp Wiedemann (Mainhaim University)
4. Prof. Dr. Ir. Fachrurrozie Sjarkowie, M.Sc. PhD (Universitas Sriwijaya)
5. Dr. Duong Van Thao (Thai Nguyen University of Agriculture and Forestry)
6. Assoc.Prof. Dr. Khalida Muda (Universiti Teknologi Malaysia)

Preface

Environmental issues such as climate change or global warming is the greatest universal problem over the world. How we respond to this crisis will greatly impact both current and future generations.

The 1st Sriwijaya International Conference on Environmental Issues has been held to provide a vehicle the state of the art in research results and trends environmental and climate change topics, to offer interaction, discussion and possible collaboration among researchers in the future. This conference was held on September 26-27th, 2018 in Hotel Ultima Horison Palembang, South Sumatera, Indonesia hosted by Graduate School of Universitas Sriwijaya, Indonesia with co-organizer and Thai Nguyen University of Agriculture and Forestry Vietnam and Universiti Sultan Zainal Abidin Malaysia as Co-organizer. Participants of this conference was a combination of academics/researchers, development practitioners, community/civil society representatives, and national and local government units and non-government organizations.

This conference consists of 6 keynotes speakers from Germany, Malaysia, Vietnam and Indonesia, and 94 selected participants as oral presenters. For the selected articles will be published in Environment, Energy and Earth Sciences (E3S) Web of Conferences (Scopus and Thomson Reuters- indexed proceeding). Keynotes and participants presented topics related to following topics: 1) Promoting Environment System ; 2) Strengthening People-Environment Inter-Relationship; 3) Reducing Global Warming Effect; 4) Mitigation and Adaptation in Climate Change in Wetland. This conference was a great opportunity not only for sharing knowledge and experience in environmental research, but also for starting a long and fruitful cooperation and friendship among participants.



Hermansyah, PhD
Chair personman of the 1st Sricoenvironment.

3S Web of Conferences

Volume 68 (2018)

The 1st Sriwijaya International Conference on Environmental Issues 2018 (1st SRICOENV 2018)

Palembang, Indonesia, September 26-27, 2018

M. Amin (Ed.)

Export the citation of the selected articles [Export](#)

[Select all](#)

Open Access

Statement of Peer review

Published online: 27 November 2018

- PDF (56.8 KB)

Open Access

About the conference

Published online: 27 November 2018

- PDF (816 KB)
- [Promoting Environment System](#)
- [Strengthening People-Environment Inter-Relationship](#)
- [Reducing Global Warning Effect](#)
- [Mitigation and Adaptation in Climate Change in Wetland](#)

Promoting Environment System



Open Access

Comparison of Blade Dimension Design of a Vertical Wind Turbine Applied in Low Wind Speed 01001

Rizky Brilliant Yuliandi, Rusdianasari and Tresna Dewi

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801001>

- PDF (1.760 MB)
- References
- NASA ADS Abstract Service



Open Access

Characteristics of the Genetic Variation of a Swamp Buffalo (*Bubalus bubalis*) of South Sumatra Based on Polymerase Chain Reaction-Random Amplified Polymorphic DNA (PCR-RAPD) 01002

Yuanita Windusari, Laila Hanum, Arum Setiawan and Veronika Larasati

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801002>

- PDF (1.376 MB)
- References
- NASA ADS Abstract Service



Open Access

Promoting Industrial Symbiosis at Supply Chain 01003

Yunita Ismail

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801003>

- PDF (1.327 MB)
- References
- NASA ADS Abstract Service



Open Access

Habitat Characterization of *Mansonia spp* as Filariasis Vector in Banyuasin, South Sumatra, Indonesia 01004

Rini Pratiwi, Chairil Anwar, Salni, Hermansyah, Novrikasari, Rachmat Hidayat and Ahmad Ghif fari

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801004>

- PDF (1.756 MB)
- References
- NASA ADS Abstract Service



Open Access

Structure and Species Composition in Logged-over Swamp Forest, Bengkalis, Riau 01005

Mohammad Basyuni, Jayusman Jayusman and Rahmah Hayati

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801005>

- PDF (1.359 MB)
- References
- NASA ADS Abstract Service



Open Access

Bacterial Contamination of Food Handlers in X Hospital Palembang 01006

Sri Utari, Irsan Saleh, Hermansyah and Rindit Pambayun

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801006>

- PDF (1.503 MB)
- References
- NASA ADS Abstract Service



Open Access

Family Burden of Narcotics Abusers Experiencing Relapse and Factors Exacerbating It 01007

Rico Januar Sitorus, Novrikasari and Imelda G. Purba

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801007>

- PDF (1.481 MB)
- References
- NASA ADS Abstract Service



Open Access

Bioavailability of Silica on Paddy Soils with Various Land Aging in Musi Rawas South Sumatera of Indonesia 01008

Jon. Bimasri, Dedi Budianta, Marsi and Umar Harun

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801008>

- PDF (1.708 MB)
- References
- NASA ADS Abstract Service



Open Access

The Quality of Life Chronic Renal Failure (CRF) Patients in Hemodialysis Unit at District General Hospital Pringsewu Regency Lampung Province in 2018 01009

Virna Widora Saputri, Rico Januar Sitorus and H. M. Zulkarnain

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801009>

- PDF (1.735 MB)
- References
- NASA ADS Abstract Service



Open Access

Determinant of Health Services Utilization by Persons with Disabilities in Palembang City 01010

Herawati Idris, Tilla Safitri, Dian Safriantini and Inoy Trisnaini

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801010>

- PDF (1.424 MB)
- References
- NASA ADS Abstract Service



Open Access

Understanding Abundance of Litter on Urban Lake in Developing Country: a Systems-thinking Approach 01011

Muhammad Muhsin, Mahawan Karuniasa and Herr Soeryantono

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801011>

- PDF (1.293 MB)
- References
- NASA ADS Abstract Service



Open Access

The Philanthropy Culture in the Local Area: The Role Study of Philanthropy Institution after the Termination of PNPM in Boyolali Regency 01012

Putut Suharso, Sarbini Sarbini and Dicky Sumarsono

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801012>

- PDF (1.656 MB)
- References
- NASA ADS Abstract Service



Open Access

The Effectiveness of BCG (*Bacillus-Calmette Guerin*) Immunization to the Tuberculosis Incidence on Children at Banyuasin Regency 01013

Ayu Febri Wulanda, Rico Januar Sitorus and Zulkarnain

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801013>

- PDF (1.623 MB)
- References
- NASA ADS Abstract Service



Open Access

Optimization of Ensilage Total Mixed Fiber (TMF) with Additive and Incubation Periods Differences 01014

A. Imsya, Yuanita Windusari and Riswandi

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801014>

- PDF (1.253 MB)
- References
- NASA ADS Abstract Service



Open Access

Municipal Solid Waste Transport Operational Cost of Seberang Ulu Area, Palembang City 01015

Septi Rika Putri, Khalida Muda, Anis Saggaf and Dewi Astuti

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801015>

- PDF (1.953 MB)
- References
- NASA ADS Abstract Service



Open Access

Freshwater Molluscs as Bioindicator of Fe and Mn Contamination in Lematang River, South Sumatera, Indonesia 01016

Novin Teristiandi

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801016>

- PDF (1.781 MB)
- References
- NASA ADS Abstract Service



Open Access

The Characteristics and Potential of Lactic Acid Bacteria as Probiotics in Silage Made from *Hymenachne acutigluma* and *Neptunia oleracea* lour 01017

Sofia Sandi, Fitra Yosi, Meisji Liana Sari and Nuni Gofar

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801017>

- PDF (1.490 MB)
- References
- NASA ADS Abstract Service



Open Access

The Dominant Factors of Scabies Incidence in Two Islamic Boarding School Students, South Sumatera, Indonesia 01018

Yessi Arisandi, Chairil Anwar, Salni, Dadang Hikmah

Purnama, Novrikasari and Ahmad Ghiffari

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801018>

- PDF (1.514 MB)
- References
- NASA ADS Abstract Service



Open Access

The Effect of Degradation Time Variation on Porous Magnesium Implant Bone Scaffold 01019

Hasan Basri, Ardiansyah Syahrom, Amir Putra Md Saad, Adibah AR Rabiatal, Tri Satya Ramadhoni, Risky Utama Putra and Apreka Diansyah

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801019>

- PDF (1.865 MB)
- References
- NASA ADS Abstract Service



Open Access

The Effect of Morphology on the Biodegradation Behavior of Porous Magnesium Bone Scaffold 01020

Hasan Basri, Ardiansyah Syahrom, Amir Putra Md Saad, Adibah AR Rabiatal, Prakoso Akbar Teguh, Apreka Diansyah and Risky Utama Putra

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801020>

- PDF (1.967 MB)
- References
- NASA ADS Abstract Service



Open Access

The Physical of Biscuit Complete Ration Based on Hymenacne Acutigluma Supplemented with Different Legumes 01021

Riswandi, Basuni Hamzah, Agus Wijaya, Arfan Abrar, S Agus, Afnur Imsya, Fitra Yosi, Sofia S andi and Eka Fitriani

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801021>

- PDF (1.632 MB)
- References
- NASA ADS Abstract Service



Open Access

The Influence of Phytase Enzyme to Laying Performance and Quality of Egg Shell of Golden Arabian Chicken 01022

Eli Sahara, Feni Despedia and Raden Ayu Aminah

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801022>

- PDF (1.430 MB)
- References
- NASA ADS Abstract Service



Open Access

DNA Barcoding of Swamp Sediment Bacterial Isolates for Swamp Aquaculture Probiotic 01023

Marini Wijayanti, Dade Jubaedah, Januar Ahlan Suhada, Siti Yuliani, Nabilah Saraswati, Tanbiy askur, Mochamad Syaifudin and Hary Widjajanti

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801023>

- PDF (1.702 MB)
- References
- NASA ADS Abstract Service



Open Access

The Risk Factors Analysis Occurrence of Chlamydia Infection to Direct Female Seks Workers (DFSW) in Indonesia 01024

Masayu Gemala Rabiah, Rini Mutahar and Rico Januar Sitorus

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801024>

- PDF (1.526 MB)
- References
- NASA ADS Abstract Service



Open Access

Model of Demand Robust Counterpart Open Capacitated Vehicle Routing Problem (DRC-OCVRP) Simplification by Applying Preprocessing Techniques in Rubbish Controlling in Sematang Borang District, Palembang 01025

Fitri Maya Puspita, Endro Setyo Cahyono, Siti Rahayu and Bauty Lisna Sintia

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801025>

- PDF (1.981 MB)
- References
- NASA ADS Abstract Service



Open Access

Effect of Storage Duration and Butyric Acid Supplementation to Egg Quality of Laying Hens in The Third Phase of Production 01026

Rizki Palupi, Fitri Novaliya Lubis and Demila Syukrima

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801026>

- PDF (1.506 MB)
- References
- NASA ADS Abstract Service



Open Access

Resilience Concept in Indonesian Small Town Development and Planning: a Case of Lasem, Central Java 01027

Jawoto Sih Setyono, Wiwandari Handayani, Iwan Rudiarto and Landung Esariti

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801027>

- PDF (1.611 MB)
- References
- NASA ADS Abstract Service



Open Access

Prevalence and Determinants Factors that Influence the Behaviour of People with Pediculosis Capitis in Orphanage 01028

Ahmad Ghiffari, Anggun Nurul Fitria, Chairil Anwar and Mutiara Budi Azhar

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801028>

- PDF (1.443 MB)
- References
- NASA ADS Abstract Service



Open Access

Toxicity *Bacillus thuringiensis*-based Bio Insecticide Enriched with Golden Snail Meat Flour Against Worker and Soldier Castes of *Coptotermes Curvignathus* (Isoptera: Termitidae) 01029

Yulia Pujiastuti

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801029>

- PDF (1.758 MB)
- References
- NASA ADS Abstract Service



Open Access

Study of Natural Dyes and Pineapple Leaf Fibres Growing Locations within Plant Stems on Dyeing Intensity. 01030

Amin Rejo, Rizky Tirta Adhiguna and Debora Geovanni Rajagukguk

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186801030>

- PDF (1.423 MB)
- References
- NASA ADS Abstract Service

Strengthening People-Environment Inter-Relationship



Open Access

Surviving Strategies of Rural Livelihoods in South Sumatra Farming System, Indonesia 02001

Elisa Wildayana, Mustika Edi Armanto, Zulkifli Idrus, Iwan Adi Radiatmoko, Syuhada Adjiz Umar, Bella Syakina, Nursittah, Mubarika, Reszki Oktavia and Eka Sari

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802001>

- PDF (1.597 MB)
- References
- NASA ADS Abstract Service



Open Access

The Social Impact and Environmental Risks of Public Oil Mining in Musi Banyuasin Regency South Sumatera Province 02002

Mulyanto

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802002>

- PDF (1.338 MB)
- References
- NASA ADS Abstract Service



Open Access

Do Cultural Styles Predict Pro-Environment Behaviour among Slum-area Resident of Jakarta? 02003

Gumgum Gumelar, Ayuza Vania and Herdiyan Maulana

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802003>

- PDF (1.529 MB)
- References
- NASA ADS Abstract Service



Open Access

Naturalistic Intelligence and Environmental Awareness among Graduate Students 02004

Zarah Beby Ningrum, Tri Edhi Budhi Soesilo and Herdis Herdiansyah

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802004>

- PDF (1.656 MB)
- References
- NASA ADS Abstract Service



Open Access

Socio-Economic Strategy of Sustainability and Post-Mining Land Use in South Sumatra 02005

Rizkia Ayu Lestari, Mahawan Karuniasa, Tri Edhi Budhi Soesilo and Lana Saria

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802005>

- PDF (1.629 MB)
- References
- NASA ADS Abstract Service



Open Access

The Concept of Green Management in the Management of CSR: Implementation study of CSR Programs at Azana Hotel Group 02006

Dicky Sumarsono, Bani Sudardi, Wardo Wardo and Wakit Abdullah

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802006>

- PDF (1.640 MB)
- References
- NASA ADS Abstract Service



Open Access

Exploring Historical and Projection of Drought Periods in Cirebon Regency, Indonesia 02007

Nila Ardhyarini H. Pratiwi, Mahawan Karuniasa and Djoko Santoso Abi Suroso

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802007>

- PDF (1.812 MB)
- References
- NASA ADS Abstract Service



Open Access

Legal Aspects of PT. Gojek Indonesia in the Partnership Agreement Dealing with the Public Transport Standards 02008

Suhartoyo Suhartoyo, Sonhaji Sonhaji, Muhamad Azhar and Putut Suharso

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802008>

- PDF (1.405 MB)
- References
- NASA ADS Abstract Service



Open Access

Economic Valuation of Mangrove Forest at Taman Ayu Village, West Lombok Regency 02009

Siti Dian Rosadi, Mufti Petala Patria and Nisyawati

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802009>

- PDF (1.305 MB)
- References
- NASA ADS Abstract Service



Open Access

Developing Payment for Ecosystem Services Scheme on Pari Island Kepulauan Seribu 02010

Nurul Hidayati, Mahawan Karuniasa, Mufti Petala Patria and M. Suparmoko

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802010>

- PDF (1.510 MB)
- References
- NASA ADS Abstract Service



Open Access

The Local Wisdom of Tunggu Tubang Culture in the Challenges of the Times (Study on Ethnical Semende District Muara Enim South Sumatera) 02011

Eni Murdiati, Sriati, Alfitri, Muhammad and Ridhah Taqwa

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186802011>

- PDF (1.477 MB)
- References
- NASA ADS Abstract Service

Reducing Global Warning Effect



Open Access

Analysis of Fire Control Hotel in Palembang City 03001

Jimmy Tiarlina, Novrikasari and Rico Januar Sitorus

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803001>

- PDF (1.675 MB)
- References
- NASA ADS Abstract Service



Open Access

Sustainability for Management and Protection Tin Mining Environment 03002

Fitri Ramdhani Harahap, Ridha Taqwa, Restu Juniah and Elisa Wildayana

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803002>

- PDF (1.578 MB)
- References
- NASA ADS Abstract Service



Open Access

Marketing Performance Evaluation of Purun Agroindustry as Peatland Friendly Commodities in South Sumatera 03003

Dessy Adriani, Elisa Wildayana, Yulius, Nurilla E. Putri, Idham Alamsyah, Maryanah Hamzah, Maryadi and Melati Andarini

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803003>

- PDF (1.990 MB)
- References
- NASA ADS Abstract Service



Open Access

Extraction of Uranium from Artificial Liquid Waste using Continuous Flow Emulsion Liquid Membrane Technique 03004

Rusdianasari, Yohandri Bow, Tresna Dewi and Eka Sri Yusmartini

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803004>

- PDF (1.463 MB)
- References
- NASA ADS Abstract Service



Open Access

Comparison Analysis of Anthocyanin Substances in various Plants for Testing Media of Formalin and Borax Content in Food 03005

Neny Rochyani

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803005>

- PDF (1.484 MB)
- References
- NASA ADS Abstract Service



Open Access

Pollutants of Fish Processing Industry and Assessment of its Waste Management by Wastewater Quality Standards 03006

Setia Devi Kurniasih, Tri Edhi Budhi Soesilo and Roekmijati Soemantojo

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803006>

- PDF (1.455 MB)
- References
- NASA ADS Abstract Service



Open Access

Peat Swamp Forest Degradation: Impacts, Affected Communities and Losses 03007

Nur Arifatul Ulya, Efendi Agus Waluyo, Sri Lestari and Bambang Tejo Premonoi

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803007>

- PDF (1.472 MB)
- References
- NASA ADS Abstract Service



Open Access

The New Renewable Energy Consumption Policy of Rare Earth Metals to Build Indonesia's National Energy Security 03008

Muhamad Azhar, Solechan Solechan, Retno Saraswati, Putut Suharso, Suhartoyo Suhartoyo and Budi Ispriyarso

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803008>

- PDF (1.746 MB)
- References
- NASA ADS Abstract Service



Open Access

Building an Integrated Mining Licensing System in Order to Preserve the Environment in Indonesia 03009

Muhamad Azhar, Putut Suharso, Budi Ispriyarso, Agus Purnomo, Suhartoyo Suhartoyo and Suki rno Sukirno

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803009>

- PDF (1.536 MB)
- References
- NASA ADS Abstract Service



Open Access

Effects of Heat Treatment on the Color Change and Dimensional Stability of *Gmelina arborea* and *Melia azedarach* Woods 03010

Wahyu Hidayat, Fauzi Febrianto, Byantara Darsan Purusatama and Nam Hun Kim

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803010>

- PDF (2.081 MB)
- References
- NASA ADS Abstract Service



Open Access

Control of Chromium Hexavalent (Cr -VI) Pollution on Waste Water in Nickel Ore Extraction Industry with Phytoremediation Technology 03011

Erikha Maurizka Mayzarah, Setyo Sarwanto Moersidik and Lana Saria

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803011>

- PDF (1.687 MB)
- References
- NASA ADS Abstract Service



Open Access

The Effects of Lead Contamination in Public Health Case: Pesarean Village, Tegal District, Indonesia 03012

Indah Lestari, Tri Edhi Budhi Soesilo and Haruki Agustina

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803012>

- PDF (1.482 MB)
- References
- NASA ADS Abstract Service



Open Access

Oil Spill Incidents and Their Impacts to Fisheries and Tourism Activities in Kepulauan Seribu 03013

Mohammad Abdul Jabbar, Tri Edhi Budhi Soesilo and Udi Syahno Edi Hamzah

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803013>

- PDF (1.597 MB)
- References
- NASA ADS Abstract Service



Open Access

Optimisation of Phenol Removal from Palm Oil Mill Effluent (POME) Using Natural Bentonite 03014

Muhammad Said, Tarmizi Taher, Addy Rachmat, Poedji Loekitowati Hariani and Aldes Lesbani

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803014>

- PDF (1.889 MB)
- References
- NASA ADS Abstract Service



Open Access

Determinant Factors Effect Environmental Disclosure and Firm Value at Mining Companies listed Indonesia Stock Exchange 03015

Luk Luk Fuadah, Kencana Dewi and Anton Arisman

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803015>

- PDF (1.846 MB)
- References
- NASA ADS Abstract Service



Open Access

Unlicensed Mining as an Alternative Policy: Valuable Experiences in Southeast Sulawesi and East Java 03016

Ahmad Sudiro, Ahmad Redi, Ade Adhari and Mardiana Rachman

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803016>

- PDF (1.448 MB)
- References
- NASA ADS Abstract Service



Open Access

Integrative Law Enforcement about Tin Mining Reclamation Responsibility at Bangka Belitung Island. 03017

Dwi Haryadi, Darwance and Reko Dwi Salfutra

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803017>

- PDF (1.524 MB)
- References
- NASA ADS Abstract Service



Open Access

Bioethanol Production from Microalgae *Oscillatoria sp* Cultured in Blue Green 11 and Bold Basal Media 03018

Hermansyah, Rona Ayu Sakinah, Julinar, Zazili Hanafiah and Hilda Zulkifli

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803018>

- PDF (1.758 MB)
- References
- NASA ADS Abstract Service



Open Access

Contribution of Management Commitment in Industrial Waste Management: Impact on Waste Minimazation 03019

Lidya E. Simanjuntak, Tri Edhi Budhi Soesilo and Herdis Herdiansyah

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186803019>

- PDF (1.977 MB)
- References
- NASA ADS Abstract Service

Mitigation and Adaptation in Climate Change in Wetland



Open Access

Dynamics, Degradation and Future Challenges of Wetlands in South Sumatra Province, Indonesia 04001

Armanto Mustika Edi, Wildayana Elisa and Syakina Bella

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804001>

- PDF (1.563 MB)
- References
- NASA ADS Abstract Service



Open Access

The Prospective Study of Driving Factors on Industrial Estate Environmental Management Policy, Case Study of Industrial Estate in Bekasi Regency 04002

Temmy Wikaningrum and Rijal Hakiki

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804002>

- PDF (1.532 MB)
- References
- NASA ADS Abstract Service



Open Access

Phytoremediation Potential of *Typha orientalis* and *Scirpus littoralis* in Removal of Nitrogen and Phosphorus from Intensive Whiteleg Shrimp Wastewater 04003

Ngo Thuy Diem Trang, Lam Thi Nhu Mo, Vo Chi Linh and Hans Brix

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804003>

- PDF (2.224 MB)
- References
- NASA ADS Abstract Service



Open Access

Damage Analysis of Moldboard Plow 04004

Diah Kusuma Pratiwi, Hendri Chandra, Nurhabibah Paramitha Eka

Utami, Okta Irawan and Arman Natal Purba

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804004>

- PDF (1.722 MB)
- References
- NASA ADS Abstract Service



Open Access

Identification of Mosquito Larva in Water Containers in Line with the Knowledge, Attitude and Practice of Cleaning Service in Relation to Mosquito Breeding at Pascasarjana Unsri 04005

Ahmad Ghiffari, Mukhlasinia Aprilita, Chairil Anwar and Bahrun Indawan Kasim

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804005>

- PDF (2.052 MB)
- References
- NASA ADS Abstract Service



Open Access

Rapid Assessment of Water Quality in Teluk Lake by Using Macroinvertebrates (A Family Level Biotic Index) 04006

Siswanta Kaban, M. Edi Armanto, M. Rasyid Ridho and Poedji L. Hariani

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804006>

- PDF (1.837 MB)
- References
- NASA ADS Abstract Service



Open Access

Study of Water Quality in Bengalon River on Oil Palm Estate 04007

La Sarido

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804007>

- PDF (1.562 MB)
- References
- NASA ADS Abstract Service



Open Access

Sustainable Food Security Strategy: Study of Land Suitability of Rice and Sago Commodity in Kampong Wapeko, Merauke District, Papua Province, Indonesia 04008

Hayati Sari Hasibuan, Leonora Fillany Waromi and Suyud Warno Utomo

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804008>

- PDF (1.226 MB)
- References
- NASA ADS Abstract Service



Open Access

Water Quality Assessment of Cimanuk River in West Java Using Pollution Index 04009

Ihya Sulthonuddin, Djoko Mulyo Hartono and Suyud Warno Utomo

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804009>

- PDF (1.442 MB)
- References
- NASA ADS Abstract Service



Open Access

The Role of Science in The Management of Biodiversity: a Case of Stingrays (Dasyatidae) Research to Provide Basic Data for Aquatic Fauna Conservation in South Sumatra 04010

Iqbal Muhammad, Yustian Indra and Zulkifli Hilda

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804010>

- PDF (1.743 MB)
- References
- NASA ADS Abstract Service



Open Access

Marine Animals Protected by the IUCN Red Data List and CITES 1973 on Seagrass Ecosystems 04011

Andreas Pramudianto, Putut Suharso and Nurul Hidayati

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804011>

- PDF (1.495 MB)
- References
- NASA ADS Abstract Service



Open Access

Healthy Dwelling Design at Wetland Area 04012

Widya Fransiska F. Anwar

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804012>

- PDF (1.348 MB)
- References
- NASA ADS Abstract Service



Open Access

The Prevalence of Diarrhea Based on Knowledge and Environmental Sanitation in Tanjung Lago Village Wetland Area 04013

Masagus M. Hakim, Irfanuddin, Hermansyah and Novrikasari

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804013>

- PDF (1.220 MB)
- References
- NASA ADS Abstract Service



Open Access

Insecticides Residue in the Centre of Paddy Field in Musi Rawas, South Sumatera, Indonesia 04014

Wartono, Rujito. A. Suwignyo, Adipati. Napoleon and Suheryanto

Published online: 27 November 2018
DOI: <https://doi.org/10.1051/e3sconf/20186804014>

- PDF (1.301 MB)
- References
- NASA ADS Abstract Service



Open Access

Physical and Chemical Characteristics of Betok Fish (*Anabas testudineus*) from Swamp Water in South Sumatera, Indonesia 04015

Merynda Indriyani Syafutri, Mirna Fitriani, Friska Syaiful and Imfrantoni Purba
Published online: 27 November 2018
DOI: <https://doi.org/10.1051/e3sconf/20186804015>

- PDF (1.441 MB)
- References
- NASA ADS Abstract Service



Open Access

Utilization of Golden Apple Snail (*Pomacea canaliculata*) Shells as Liming Materials for *Pangasius* sp Culture in Swamp Fish Pond 04016

Dade Jubaedah, Marini Wijayanti, Marsi and Nazario Rizaldy
Published online: 27 November 2018
DOI: <https://doi.org/10.1051/e3sconf/20186804016>

- PDF (1.576 MB)
- References
- NASA ADS Abstract Service



Open Access

Evaluation of Land Subsidence Impact at Lowland Areas Using Analytical Hierarchy Process (AHP) Method 04017

Andriani, Eddy Ibrahim, Dinar Dwi Anugerah Putranto and Azhar Kholiq Affandi
Published online: 27 November 2018
DOI: <https://doi.org/10.1051/e3sconf/20186804017>

- PDF (1.653 MB)
- References
- NASA ADS Abstract Service



Open Access

Performance of Fire Risk Estimates Based on Soil Moisture of Selected Peat Land Use 04018

Holidi, M Edi Armanto, Nurhayati Damiri and Dinar Dwi Anugerah Putranto

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804018>

- PDF (1.596 MB)
- References
- NASA ADS Abstract Service



Open Access

Tuna Fisheries Sustainable Management: Assessing of Indonesia Fish Aggregating Devices (FADs) Fisheries 04019

Ignatius Tri Hargiyatno, Suyud Warno Utomo, Rauf Achmad Sue and Wudianto

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804019>

- PDF (1.527 MB)
- References
- NASA ADS Abstract Service



Open Access

Biosorption Process of Synthetic Textile Waste-water using *Bjerkandera Agustavia* Response Surface Methodology (RSM) 04020

Ariani Dwi Astuti and Khalida Muda

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804020>

- PDF (2.071 MB)
- References
- NASA ADS Abstract Service



Open Access

Performing Spatial Variability of Peat Depth by Using Geostatistics 04021

Mohd. Zuhdi, M. Edi Armanto, Dedi Setiabudidaya and Ngudiantoro

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804021>

- PDF (1.773 MB)
- References
- NASA ADS Abstract Service



Open Access

Risk Analysis Income of Fish Business at Ranau Lake of South Sumatera Indonesia 04022

Fifian Permatasari and Munajat

Published online: 27 November 2018

DOI: <https://doi.org/10.1051/e3sconf/20186804022>

- PDF (1.661 MB)
- References
- NASA ADS Abstract Service

The Physical of Biscuit Complete Ration Based on Hymenacne Acutigluma Supplemented with Different Legumes

Riswandi¹, Basuni Hamzah³, Agus Wijaya³, Arfan Abrar¹, Agus S², Afnur Imsya¹, Fitra Yosi¹, Sofia Sandi¹, and Eka Fitriani¹

¹Department of Animal Science, Faculty of Agriculture, Universitas Sriwijaya

¹Department of Fishery Product Technology, Faculty of Agriculture, Universitas Sriwijaya

²Department of Agricultural Product Technology, Faculty of Agriculture, Universitas Sriwijaya

Abstract. The aim of this research was to study the effects of supplementation different legumes on the physical quality of biscuit complete ration based on hymenacne acutigluma. This study was conducted in Animal Feed and Nutrition Laboratory of Agriculture Faculty, Sriwijaya University. This study was done in 2 months. A completely randomized design with four treatments and four replicates was used in this study. Each treatments were P0= 70% kumpai grass + 30% concentrate + 0% legume, P1= 55% kumpai grass + 7.5% lamtoro leaves + 7.5% water mimmosa + 30% concentrate, P2= 55% kumpai grass + 7.5% acacia leaves + 30% concentrate, and P3= 55% kumpai grass + 5% lamtoro leaves + 5% acacia leaves + 5% water mimmosa + 30% concentrate. Variables measured were water content, density, average collision endurance, specific gravity and water absorption. The result indicated that The adding of different legumes in the ration significantly ($P < 0.05$) affected the specific gravity and water absorption, but no significant effect on density, average collision endurance. Duncan Multirange Range Test showed that treatment of control (P0) had the highest of water absorption (264.56%). The highest content of water gravity was obtained in the treatment of adding lamtoro, acacia and water mimmosa (P3), namely 0.9 g/ml water gravity. The conclusion of this study is the addition of different legumes in kumpai grass-based diets can improve the physical quality of the complete ration biscuit. The addition of lamtoro leaves, water mimosa and acacia at the level of 5%, gave the best result in specific gravity and water absorption.

* Corresponding author: riswandi_dya@yahoo.com

1 Introduction

The productivity of ruminants is mostly determined by the quality and quantity of feed consumed. Feed quality includes the content of various nutrients, such as energy, protein, minerals, vitamins, and anti-nutritive substances, including tannin, lignin, and other secondary compounds. The interaction between the components of nutrients and anti-nutritive substances required attention in an effort to formulate an efficient feed and meet the needs of livestock so that high production can be achieved [1].

Problems that occur in the supply of feed for ruminants requirement is the amount of forage over time decreases along with the shift in land use, such as for housing, roads, industries, as well as food crops and plantations. In addition, the availability of forage is also influenced by season, where production will be plentiful in the rainy season and less during the dry season [1]. This requires the use of non-conventional feed resources. Utilization of alternative feed in the future needs to be improved through optimization of the utilization of swamp forage, and various types of trees legume as high quality feed. Utilization of fibrous feed for ruminants need to be supplemented by feed energy and protein. This is due to the high fiber content which can reduce digestibility and feed quality. Nutrient supplementation both energy and protein together aim to optimize microbial growth so that the use of fibrous feed is more optimal [2, 3].

Technology of complete feed in the form of biscuits is one alternative to overcome the lack of forage, especially during the dry season. Development of technology for cattle feed formulation is known as a complete feed (CF). CF for ruminants is a mixture of concentrates and forage [4]. Complete feed is very suitable to be applied in Indonesia. This is because most of the farm is managed by a the farmer who did not master the preparation of feed [5]. Supplementation with legume aims to improve the physical and nutritional quality of complete feed. Legume is a functional forages that contain a lot of protein, minerals, and low in crude fiber, so it can affect the quality and physical characteristics of biscuits produced.

Utilization of biscuits as a complete feed is the latest technological innovation in terms of feed processing to modify the form of feed that has existed before the wafer feed. This technology aims to prepare a complete feed as well as to streamline the storage and transportation of feed [6]. The quality of feed during the handling process will decrease when it exceeds a certain time limit. Therefore, the physical quality tests on feed is very important to do. The physical properties of the feed is a nature so that by knowing the physical properties of the feed, it can determine the maximum limit for the storage of food in the warehouse industry. It is useful to ensure the feed to be distributed to the farmers still have a good nutritional quality [7,8]. The purpose of this research is to study the effect of different legumes on the physical quality of the complete ration biscuits made from kumpai tembaga grass.

2 Materials and Methods

Place and Timehis study was conducted in the Cage Experiment, and the Laboratory of Animal Nutrition and Feed, Faculty of Agriculture, University of Sriwijaya for 2 months.

2.1 Tools and materials

The tools used in this study includes a tool shaping biscuits, feed scales, spades, sickles, tarpaulins, plastic bags, tools for analysis of dry matter in the feed. The materials used include kumpai grass, *Hymenacne acutigluma*, acacia, and lamtoro. Constituents of the concentrate consists of bran, corn, coconut cake, cassava flour, milled corn, tofu pulp, ultra minerals, urea, and salt. Rations are prepared with crude protein content of 12-14% and TDN content of 67%.

2.2 Experimental variables and analytical procedurs

This study consisted of two stages, including biscuit manufacture and testing of physical and nutritional quality. Forages (kumpai tembaga grass, *Hymenacne acutigluma*, leucaena and acacia) were chopped with a size of 3-4 cm. Forage and tofu were dried for 2-3 days until the moisture content was reduced. After that, mixed with bran, soybean meal, molasses and salt, then stirred until homogeneous. The mixture was then steamed for 15 minutes to be easily formed. After steaming, the mixture was inserted into the printing press (mall) for compaction. Once solidified, it was removed and then put in the oven 60°C for 24 hours. After drying, the physical quality of the biscuits was tested.

Rations were prepared with a ratio of forage and concentrate 70%: 30%. From 55% forage was replaced with swamp grass that has been treated, namely swamp grass fermented with probiotic 8% inoculum and molasses, swamp grass (kumpai) supplemented with different types of legumes according to treatment. The composition of the feed material for preparation of concentrates is presented in Table 1 dan 2.

The study used a completely randomized design (CRD), which consists of 4 treatments and 4 replications. The treatments were as follows:

P0 = 70% fermented kumpai grass + 30% concentrate + 0% legume (control)

P1 = 55% fermented kumpai grass + 7.5% leucaena + 7.5% *Hymenacne acutigluma* + 30% concentrate

P2 = 55% fermented kumpai grass + 7.5% acacia leaves + 7.5% *Hymenacne acutigluma* + 30% concentrate

P3 = 55% fermented kumpai grass + 5% leucaena + 5% *Hymenacne acutigluma* + 5% acacia leaves + 30% concentrate

Table 1. Composition of the feed material for concentrates

Feed Materials	Compositiion (%)
Bran	43
molases	20
Coconut cake	12
Cassava flour	12
Milled corn	9
Tofu pulp	2
Ultra minerals	1
Urea	1
Salt	1
Total	100

Table 2. Feed Compositiion

Feed Materials	Compositiion (%)			
	A0	A1	A2	A3
Fermented swamp grass	65	50	50	50
<i>Hymenacneacutigluma</i>		7.5	7.5	5
Acacia		7.5		5
Leucaena		-	7.5	5
Bran	12.9	12.9	12.9	12.9
Molasses	5	5	5	5
Coconut cake	6	6	6	6
Cassava flour	3.6	3.6	3.6	3.6
Milled corn	3.6	3.6	3.6	3.6
Tofu pulp	2.7	2.7	2.7	2.7
Ultra minerals	0.6	0.6	0.6	0.6
Urea	0.3	0.3	0.3	0.3
Salt	0.3	0.3	0.3	0.3
Total	100	100	100	100
Crude Fiber	25.82	24.36	24.88	24.63
Crude Protein	11.53	13.63	13.49	13.42
TDN	61.73	60.93	60.85	61.33

2.3 Physical Quality Test

Density. Measurements of the density of the biscuits is by weighing the weight (g), measuring the radius (cm), and the thickness of the biscuits (cm) [8]. Biscuits density value is calculated using the formula:

$$K = \frac{W}{(\pi \cdot r^2 \cdot T)} \quad (1)$$

Description:

K = density (g / cm³)

W = weight of the test sample (g)

r = radius of the sample (cm)

$\pi = 3.14$

T = sample thickness (cm)

Pile corner. Measurement angle stacks were as follows [9] by dropping the sample onto a flat surface from a certain height. Diameter was measured on the same side in all the observations using a ruler, while the height measurements carried out from a flat surface to the top of the feed in all the observations using a ruler. The magnitude of the corner pile

was measured by the formula:

$$\boxed{\operatorname{tg} \alpha = \frac{t}{0.5d} = \frac{2t}{d}} \quad (2)$$

Description :

α = angle pile of feed material expressed in units of degrees (°)

d = diameter of the base

t = height

Gravity. Measurement of specific gravity by using the legal principle of Archimedes [9] as follows: Samples with a weight of 2 grams was put in a 100 ml measuring cup containing 50 ml of distilled water, and then observed changes in water volume. Changes in volume of distilled water showed the actual material volume. Density expressed in grams / ml³, which is calculated using the formula:

$$\boxed{\text{Gravity} = \frac{\text{Weight of feed (g)}}{\text{Changes in destilate water volume(ml}^3\text{)}}} \quad (3)$$

Water Absorption. Water absorption was obtained from measurements before and after the weight of biscuits soaked in water for 5 minutes and drained for ± 10 minutes [8]. Percentage of water absorption was calculated by the formula:

$$\text{DSA}(\%) = \frac{BB-BA}{BA} \times 100\% \quad (4)$$

Description :

DSA = wafer water absorption (%)

BA = initial weight (g)

BB = final weight (g)

2.4 Data Analysis

Data were analyzed by analysis of variance (ANOVA) and the differences between treatments were tested further by Duncan [10].

3 Results and Discussions

3.1 Characteristics of Biscuits

Feed biscuits made in this study is a product of the processing of feed consisting of a mixture of forages with or without other feed ingredients such as concentrate material, adhesive (molasses) through the compaction process with a pressure of 200-300 kg / cm² and heating at a temperature of 150 ° C for 5 -10 minutes [6]. Formula biscuit feed used in this study is a legume Kemon water, acacia leaves, leaf lamtoro, grass kumpai copper concentrates and molasses. Each material has the characteristics and different physical properties that affect the physical quality of the feed biscuits. Physical form biscuits diet in this study showed physical shape compact and solid.




Fig. 1. Physical form of biscuits with different levels of types of legumes

Feed biscuits are round and flat, and has dimensions of diameter and thickness. This feed biscuits have a surface with a coarse texture. This is due to the material used only roughly milled using a cooper and a blender. The rough texture on biscuits due to the high fiber content in each treatment [11].

Biscuits feed produced had a color of chocolate, caramel aroma, and a compact form. The brown color is due to non-enzymatic browning reactions during heating in the oven. Non enzymatic browning reaction is a reaction between organic acids and reducing sugars, and between amino acids and reducing sugars or Maillard reactions, resulting in a caramel aroma for heating the feed material [12]. The emergence aroma is due to molasses in the mix formula biscuits. When the biscuit oven, the aroma of biscuits will smell like burnt sugar aroma derived from molasses. This is according to research Retnani [6] using molasses as an adhesive as well, which produces biscuits brown and has a fragrant aroma of sugar (caramel). Biscuits feed of this study had an average weight of 31.33 to 39.96 g.

3.2 Physical Quality of Feed Biscuits

The physical characteristics of the biscuit is helpful in determining the value of efficiency during the storage, transportation, and storage time [8]. Physical qualities tested include density, gravity, angle stacks, and water absorption. The mean value of the physical tests are shown in Table 3.

Table 3. Mean values of physical test of biscuits diet

Treatments	Parameters				
	Water content (%)	Density (g/cm ³)	Gravity (g/ml)	Pile corner (°)	Water absorption (%)
P0	7.951	0.320± 0.05	0.783 ± 0.05 ^a	36.958 ± 10.81	264.558 ± 6.18 ^b
P1	8.529	0.355± 0.03	0.880,± 0.08 ^b	44.023 ± 8.03	243.508± 9.13 ^b
P2	8.211	0.358± 0.03	0.948± 0.04 ^c	41.023± 8.43	224.558± 11.0 ^a
P3	7.996	0.353± 0.03	0.980 ± 0.05 ^c	48.577 ± 1.70	223.358±10.59 ^a

Note: The numbers in the same column followed by different letters indicate significantly different at test level 5% (DMRT). P0 = 70% fermented kumpai grass + 30% concentrate + 0% legume (control); P1 = 55% fermented kumpai grass + 7.5% lamtoro + 7.5% *Hymenacne acutigluma* + 30% concentrate; P2 = 55% fermented kumpai grass + 7.5% acacia leaves + 7.5% *Hymenacne acutigluma* + 30% concentrate ; P3 = 55% fermented kumpai grass + 5% lamtoro + 5% *Hymenacne acutigluma* + 5% acacia leaves + 30% concentrate.

3.2.1 Water Content

The water content is a factor that can affect the quality of rations. Results of variance showed that the use of legumes biscuits diet had no significant effect ($P > 0.05$) on the water content of biscuits. In Table 3, it appears that the water content of the ration biscuits complete this study ranged from 7.951 to 8.529%. The water content of biscuits is compliant with national quality standard ration with a maximum moisture content of 14%. Biscuits containing high levels will be easily damaged and moldy. Microbial activity can be reduced by 12-14% moisture content, so that the biscuits were not easily damaged and moldy, and more durable during storage. Conditions during handling such as storage, are expected to increase the water content. This is due to the influence of environmental temperature and humidity in the storage area [8, 6]. Water content of biscuits using different legumes in this study was lower than the results Retnani et al. [13] by using biscuits biosuplemen, where water levels ranged from 7.83 to 11.55%.

3.2.2 Density

Results of variance showed that by using legumes biscuits diet had no significant effect ($P > 0.05$) to the density of the biscuits. Table 3 shows that the density of a complete ration biscuit ranges from 0.320 to 0.358 g/cm³. In the treatment of P2, biscuit has the highest density value, namely 0.358 g/cm³, while biscuits diet in the treatment of P0 has the lowest density value is 0.320 g/cm³. The density value is a measure of compactness of particles in the sheet [14]. This means the higher the density, the more compact the material. When a material more compact, the easier handling both in transportation and storage. In general, the formula of biscuits with the addition of legumes tend to have a high density. It allows to maximize the capacity of the storage area and in the handling. The density of the material related to the fiber content in the material. Different legume supplementation would decrease the value of crude fiber biscuit. Toharmat et al. [15] found that the higher the fiber content, the lower the density, or the material is increasingly bulky

Khalil [9] reported that forage generally have a low density. Due to this feed biscuits made of forage, feed biscuits density value is low. The density of the biscuits in this study is lower than the results Retnani et al [6], where the density of the biscuits with the formula 50% maize leaves, and 50% kolobot corn, is the best, namely 0.52 g / cm³. Toharmat et al., [15] states that the density of fiber-rich feed is very varied. High and low density is dependent on the composition of the material preparation of biscuits, especially crude fiber content.

Feed wafers that have a high density will provide a solid and hard texture so that it is easy in handling both in storage and shock during transportation, and is expected to be more resistant in storage [8]. The density of the wafer determine the dimensional stability and physical appearance of the wafer [10]. The density differences due to differences in density of the materials used, as well as printing pressure given during the manufacture of biscuits. Variations in the density due to different raw material particle size, causing the particle distribution of forages and concentrates becomes unequal [6, 14].

3.2.3 Specific Gravity

Results of variance showed that the biscuits diet using different legumes significantly influenced ($P < 0.05$) the value of the density of the biscuits. The specific gravity value of the biscuits can be seen in Table 3.1. Biscuits diet of treatment P0 has the lowest density is 0.783 g / ml³, while biscuits from treatment P3 has the highest density value (0.980 g / ml³).

Results of further tests showed that P0 differ significantly with P1, P2 and P3. Between P1 to P2 and P3 are also significantly different, while P2 and P3 showed results that were not significantly different. In general, the provision of different legumes in treatment increases the density of the biscuits. This is because the chemical composition in legumes and other constituent materials. The highest density in this study is P3 followed by P2, P1 and P0. The increase in density due to the supplementation of a legume that is rich in mineral (inorganic). Retnani et al [16] suggest that the density has an important role in the processing, handling, and storage. In addition, specific gravity also has an important role in

the density. The higher the water content, density, and density, the better form of wafer feed during storage. Simanjutak [17] states that the specific weight was positively affected by the ash (inorganic). A positive value means an increase in density. thus, the value of ash content will also increase and vice versa.

3.2.4 Stacks Corner

Results of variance showed that the biscuits using legume had no significant effect ($P > 0.05$) on the corner of the pile. Thus, it can be said that the use of different types of legumes can provide the same effect on the corner piles of biscuits, with almost the same value in the range 36,958°- 48,577°.

Corner pile of biscuits that tend lowest (36.958°) are biscuits on P0 treatment (without the use of legume), while the highest inclined (48.577°) is on biscuits P3. This shows that the administration of legumes only slightly affect pile corner. in general, pile in the corner of this study is still good with a value of less than 50° and includes material that is very easy to flow. Khalil [18] stated that the pile of corner will affect the flow of materials, particularly the speed and efficiency of the process of emptying the silo vertically at the time of transfer and mixing the ingredients. This is consistent with the statement Mujnisa [19] that the ideal material particle movement is shown by the feed liquid form, with a pile angle equal to zero. Feed solids have ranged corner pile 20°-50° and biscuits diet is classified in feed solid form. Value of biscuits pile corner in this study is greater than the result of research by Syamsu [20], which measures the angle pile on the feed solid form (pellets) with an adhesive cassava flour has the average value of angle stacks of 33.31°

3.2.5 Water Absorption

One of the factors that affect the physical properties of the material is water absorption [13]. Water absorption of biscuits diet in this study is the change in gain of biscuits after immersion for five minutes. Results of variance showed that the biscuits using a different legumes significantly affect ($P < 0.05$) water absorption. It could be argued that the use of different legumes can affect water absorption of biscuits. The value of the lowest water absorption is at P3 (223.358%) and the highest at P0 (264.558%). In general, the provision of different types of legume in the biscuit tends to lower water absorption. This is because the decline in fiber content on biscuits. Legumes have a small fibers, so that even the addition of legumes but undermines the provision of grass kumpai copper containing high crude fiber in treatment, thereby crude fiber treatment tends to decrease. This is explained by Haroen et.al, [21] that the absorption of water by the partition is made from solid wastes that are high in fiber tend to be higher with increasing percentage of solid waste added.

The high fiber content showed that the biscuits are capable of binding water because of the OH bond of water with fiber biscuits [6]. Results of research Siregar [22] states that there is a positive relationship between the water absorption of particles with chemical composition of the fiber fraction in the material. The value of water absorption in this study tended to be lower than the biscuits on research by Retnani, et al., [6], which uses 50% kolobot corn and 50% field grass with water absorption reached 514.48%,

4 Conclusions

The conclusion of this study is the addition of different legumes in kumpai grass-based diets can improve the physical quality of the complete ration biscuit. The addition of lamtoro leaves, water mimosa and acacia at the level of 5%, gave the best result in specific gravity and water absorption.

Acknowledgments

Researchers would like to thank the University of Sriwijaya that has provided research fund through competitive grants in 2016 with the contract number: 215 / UN9.3.1 / LT / 2016.

References

1. Haryanto. B. J. *Wartazoa* **22**, 4 (2014)
2. Riswandi, Ali AIM, Muhakka, Syaifudin Y, Akbar I, *J Media Peternakan* **38**, 3 (2015)
3. Syarifuddin N,A, Wahdi A. *J. Media Sains* **2**, 1 (2010)
4. Utomo, R. *J. Buletin Peternakan* **28**, 4 (2004)
5. Suhartanto, B., B.P. Widyobroto, dan R. Utomo, *Produksi ransum lengkap (complete feed) dan suplementasi undegraded protein untuk meningkatkan produksi dan kualitas daging sapi potong. Laporan Penelitian Ilmu Pengetahuan Terapan (Hibah Bersaing X/3)* (Lembaga Penelitian Universitas Gadjah Mada, Yogyakarta, 2003)
6. Retnani Y, W. Widiarti, I. Amiroh, L. Herawati & K.B. Satoto. *Jurnal Media Peternakan* **32**, 2 (2009)
7. Jaelani, A., Dharmawati, S.dan Wacahyono. *J. Ziraa'ah*. **41**, 2 (2016)
8. Trisyulianti, E., Suryahadi & V. N. Rakhma. *Jurnal Media Peternakan* **26** (2003)
9. Khalil. *J. Media Peternakan* **22**, 1 (1999)
10. Steel, RGD dan JH. Torrie. *Prinsip dan prosedur statistika* (Gramedia Pustaka Utama, Jakarta, 1993)
11. Retnani, Y., N. Hasanah, Rahmayeni dan L. Herawati. *J. Agripet* **11**, 1 (2010)
12. Adawyah, R. 2007, *Pengolahan dan pengawetan ikan* (PT. Bumi Aksara, Jakarta)
13. Retnani, Y. I. G. Permana dan LC. Purba. *J. Animal Production* **15**, 2 (2013)
14. Jayusmar, E. Trisyulianti & J. Jachja. *J. Med. Pet* **24** (2002)
15. Toharmat, T., E. Nursasih, R. Nazilah, N. Hotimah, T. Q. Noerzihad, N. A. Sigit, & Y. Retnani. *Jurnal Media Peternakan* **29**, 1 (2006)
16. Retnani Y, L. Herawati dan S. Khusniati. *J. JITP* **1**, 2 (2012)
17. Simanjatak, H. P. M., *Kajian pola hubungan antara sifat fisik dan komposisi kimiawi bahan pakan hijauan* (Fakultas Peternakan IPB, Bogor 2014)
18. Khalil. a. *J. Media Peternakan* **22**, 1 (1999)
19. Mujnisa, A. *J. Buletin Nutrisi dan Makanan Ternak* **6**, 1 (2007)
20. Syamsu, A. *J. 2007. Jurnal Ilmu Ternak. Fakultas*
21. Haroen, W. K., L. Santosa dan M. Supratman. *J. Berita Selulosa* **42**, 1 (2007)
22. Siregar, Z. *J. Agripet* **1**, 1 (2005)

